

ASSAM UNIVERSITY: SILCHAR NOTICE INVITING TENDER

Assam University, Silchar, invites sealed tender with a validity period of 180 (one hundred and eighty) days from the date of receipt of tender in prescribed format available in the Engineering Section of Assam University, Silchar from the Authorized dealer / Govt. Registered Electrical contractors of APWD/CPWD/MES/PSU of appropriate class and category

having valid registration for the work as mentioned below:-.

Name of Work	Estimated Cost	EMD	Ti me of Completion	Cost of Tender Paper	Last date of submission of Tender	Due date and time for opening of sealed tender Paper
Comprehensive Annual Maintenance of 134 nos. Air Conditioner units, Assam University, Silchar.	হ 9,40,180/-	₹ 18,850/-	12 (twelve month)	₹ 500/-	13.09.2017 upto 2.00pm	13.09.2017 at 3.00pm

The eligible Contractor who are financially sound and proficient in the similar nature of works are to quote their rate in flat percentage basis, rate should be inclusive of all taxes & incidental charges. Self attested copy of (i) Valid registration certificate (ii) GST Registration (iii) PAN Card (Where PAN of the deductee is not available, Tax at higher of the prescribed rate or 20% will be deducted on all transactions) (iv) Work experience on similar nature of work duly signed are to be enclosed with the tender without which the tender will not be accepted.

The interested bidder may examine the nature of work available in Engineering Section and visit the site to satisfy themselves about the scope of the work before submitting the tender. The duly filled in tenders can be submitted by hand in the Tender Box at Engineering Section, Administrative Building, Assam University, Silchar on 13.09.2017 upto 2.00pm Tenders will be opened on 13.09.2017 at 3.00pm in presence of the tenderers or their authorized representatives.

The tender document can be downloaded from University web site www.aus.ac.in for which non refundable tender fees of Rs 500/- per tender payable in DD (Drawn in favour of Assam University, Silchar) to be enclosed as application fees along with tender document and also tender documents can be obtained from Engineering Section on all working days from 06.09.2017 to 13.09.2017 upto 12 noon. The University reserves the right to accept or reject any or all tenders and does not bind itself to accept the lowest quoted rate without assigning any reasons whatsoever.

The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received by recording clear, logical reasons. Canvassing in any form will be a disqualification for submission of the tender including submission of tender to the university in future.

Executive Engineer

No: AU/Engg/Maint/Elect/53/2017 (PT)

Date: 06.09.2017

Copy to:-

- 1. PS to VC for kind information of the Hon'ble Vice-Chancellor.
- 2. Registrar, AUS, for kind information.
- 3. The Finance Officer, AUS, for kind information.
- 4. The Director Computer Centre, AUS, for information & with a request to upload the aforesaid notice in University website
- 5. Notice Board.
- 6. File.

Section Officer (Engg)



TECHNICAL BID

Comprehensive Annual Maintenance of 134 nos. Air Conditioner units, AUS.

ASSAM UNIVERSITY, SILCHAR

(A Central University Established by an Act of Parliament) Silchar-788011, Assam, India.

Certified that this Tender document (both Technical and Price bid) contains (26) pages including the cover page.



ASSAM UNIVERSITY, SILCHAR

(A Central University Constituted under Act. XXIII of 1989) Silchar – 788011, Assam, India.

No. AU/ENGG/MAINT/ELECT/53/2017 (PT)

Date:-06.09.2017

Name of work: - Comprehensive Annual Maintenance of 134 nos. Air Conditioner units, AUS.

NIT/ TENDER PAPER

• Cost of Tender Paper : Rs. 500/-

• Estimated Cost : Rs. 9, 40,180/-

• Earnest Money : Rs. 18,850/-

• Last date of issue of tender paper : 13.09.2017 up to 12 noon.

• Last date of submission of tender paper : 13.09.2017 up to 2 pm.

• Date and Time of Opening Bid: : 13.09.2017 at 3 pm.

CONTENTS

❖ SECTION-1 : Notice Inviting Tender & Tender Condition.

❖ SECTION-2 :Proforma Of Submission Of Quotation.

❖ SECTION-3 : General Rules & Direction.

❖ SECTION-4 :Terms & Conditions Governing the Tender and Execution of

Contract Thereof.



Check List:

- Authorized dealer / Valid Registration certificate of Central Govt/State Govt/PSU. Yes/No
- 2. Certificate in respect to satisfactory completion of similar nature of works i.e. for Comprehensive Annual Maintenance Contract Services of Air Conditioner units / supply installation, commissioning works of Air conditioner units / building internal electrical works involving Air Conditioner Supplying & Installations under Central Govt./ State Govt. / Central Autonomous Bodies/ Central PSU. department during last 7(Seven) years ending 31.07.2017, as per pro forma 3(a).
 - i. Three works costing not less than the amount equal to 40 % of estimated cost.

Or

ii. Two works costing not less than the amount equal to 60 % of estimated cost.

Or.

iii. One work costing not less than the amount equal to 80 % of estimated cost.

Note: Works completion Certificate should be issued by officer not below the rank of Executive Engineer or equivalent. Work order shall not be considered as proof for works completion.

- 3. Financial Solvency certificate @ 40% or more of the estimated cost for each work, issued in the current financial year from any nationalised bank, as per pro forma 2(b). Yes/No
- 4. Service Tax Registration No (Copy to the enclosed). Yes/No
- 5. PAN /GST/ TIN Details (Xerox copy self-attested)
 Yes/No
- 6. Performance Security (5.00% of the contract value)
 Yes/No
- 7. Site survey report for Air Conditioner units.

 Yes/No

Signature of Agency / Contractor



SECTION -1

No. AU/ENGG/MAINT/ELECT/53/2017(PT)

NOTICE INVITING TENDER

Sealed Item rate tenders in two bid system valid for 180 days are invited from Registered Electrical Contractors having valid registration & license of CPWD/APDCL/MES/State PWD/PSU/Central Autonomous Bodies of appropriate class and category for the work "Comprehensive annual maintenance of 134 nos. Air Conditioner, AUS" of estimated amount Rs. 9,40,180.00. The NIT and detailed tender document can be downloaded from Assam University's website www.aus.ac.in.

Last Date of submission of bid is 13.09.2017 up to 2 pm.

Sd/-Executive Engineer

Date:-06.09.2017



TENDER CONDITIONS:

- 1. The Tenderer shall quote his rate as per NIT & the Terms and Conditions enclosed in the Tender document.
- 2. Tender Documents can be obtained from the Engineering Section of Assam University during working hours against written request and on payment of **Rs 500/- (Rupees Five hundred only)** either in cash or by demand draft drawn in favour of Assam University, Silchar, payable at Silchar.
- 3. **The Earnest Money Deposit (EMD) of Rs. 18,850/-** mentioned above is absolutely mandatory and shall be enclosed along with the tender in the form of **Bank Draft/ FDR /Call Deposit drawn in favour of the Assam University, Silchar** from a scheduled /nationalized bank only, failing which the tender will not be accepted.

4. Mode of Submission of tender Document:

- A. EMD to be sealed in Envelop No-1
- B. Technical Bid is to be sealed in Envelop No-2
- C. Price Bid is to be sealed in Envelop No-3
- D. Envelop No-1,2&3 to be inserted in a single Envelop-4, properly sealed and super scribing Name of Work, Closing Date & Name of Agency/Contractor on the cover of the Envelop-4
- E. N.B Sealed Means: Sealing by Wax/Gum/Any Type of Adhesive Tape etc. but not pinned or stapled.
- 5. Tenders should be valid for 180 days from the date of opening of the tenders and may have to be extended further if considered necessary by the University. No reasons will be assigned for extension and no withdrawal shall be allowed. If any tenderer withdraws his tender before the said period or issue of letter of acceptance, which-ever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the University, then the University shall, without prejudice to any other right or remedy, be at liberty to forfeit the said Earnest Money Deposit.
- 6. The time allowed for completing the work will the period under consideration for providing the AMC Services.
- 7. Tenderer are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the University and local conditions and other factors having bearing on the execution of the work.



- 8. No Telex/ Tele fax/ Telegram/ E-mail of the Techno-Commercial and Price bids will be accepted. The University is not responsible for Postal. Courier delays. The parties have to ensure the receipt of bids well in time.
- 9. If the date of tender submission and opening happens to be unforeseen holiday, the same will be postponed to the next working day without any further intimation.
- 10. The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received without assigning of any reason thereof. All tenders in which any of the prescribed condition is not fulfilled or any condition put forth by the tenderer shall be summarily rejected.
- 11. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tender submitted by the contractors who resort to canvassing will be summarily rejected.
- 12. The competent authority on behalf of the University reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 13. This Notice Inviting Tender shall form a part of the contract document.
- 14. The successful tenderer/ contractor, on acceptance of his tender by the University, shall within 15 days from the stipulated date of start of the work sign the contract agreement in standard form consisting of the notice inviting tender, all the documents including additional conditions, specifications and drawings, if any, forming the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.
- 15. No materials will be supplied by the University.
- 16. The contractor shall obtain a valid license under the contract labour (R&A) Act, 1970, and the contract labour central rules 1971, before the commencement of the work, and continue to have a valid license until the completion of the work. The contractor shall also abide by the provisions of the Child Labour (Prohibition and Regulation) Act, 1986 and other labour laws. Any failure to fulfill this requirement shall attract the penal provisions of this contract arising out of the resultant no execution of the work. No labour below the age of eighteen years shall be employed on the work.
- 17. The contractor should have valid Registration with all statutory authorities such as Central/ State Labour Dept, ESI, EPF, Service Tax etc.
- 18. During Opening of tender only representative duly authorized by the agency / contractor will be allowed to be present.
- 19. All relevant documents submitted with the tender should be self attested (by the agency/ contractor) and on demand original copy must be produced failing which tender will not be considered.
- 20. Authenticity of signatory (contractor) of tender document will be verified before finalization of tender document.
- 21. Tax at higher of prescribed rate or 20% will be deducted on all transactions liable to TDS, where the permanent Account Number (PAN) of the deductee is not available.
- 22. In case of any dispute, it would be referred to a sole Arbitrator to be appointed by the University authority. The decision of the sole Arbitrator will be final and binding to both the parties.



23. Performance guarantee

- a) The successful tenderer, shall deposit an amount equal to 5% of the tendered and accepted value of the work as performance guarantee in one of the following forms:-
- i) Cash (In case guarantee amount is less than Rs.10,000/-)
- ii) Deposit at call Receipt / Banker's cheque / Demand Draft / Pay order of a scheduled Bank. (In case guarantee amount bis less than Rs. 1,00,000/-)
- iii) Government securities.
- iv) Fixed Deposit Receipt (FDR) of a Scheduled Bank.
- v) An irrevocable bank guarantee bond of any scheduled bank or the State Bank of India in the prescribed form given in Annexure.
- b) The time allowed for the submission of performance guarantee by the contractor shall be period ranging from 4 to 15 days issue of the work.

The performance guarantee shall be repayable after 3 (three) month of the expiry/termination of the contract after deduction of penalty/other dues if any.

- 24. EMD of unsuccessful bidder shall be released within 02 (two) months after issue of work order to the successful bidders.
- 25. If the work is found not as per specification or abandoned by the executing contractor/agency, same will be cancelled and remaining work will be done through other contractor/agency at their cost & risk.
- 26. Those bidders who accept the above terms and conditions, may submit their tender along with all relevant documents and a copy of above terms and conditions of the tender duly signed

Sd/ Executive Engineer



SECTION-2

PROFORMA –2(b)

FORM OF SOLVENCY CERTIFICATE FROM A SCHEDULED BANK

This is to certify that to the best of our knowledge and information M/S/ Sri
This certificate is issued without any guarantee or responsibility on the Bank or any of the officers.
(Signature) For the Bank Note: In case of partnership firm, certificate to include names of all partners as recorded with the bank.
Signature of agency / contractor



PROFORMA - 2(a)

DETAILS OF CONTRACTOR'S REGISTRATION

Co	ppy of Registration certificate to be enclosed	Signature of Agency/ Contractor
8.	Validity period	:
7.	Tender limit	:
6.	Valid Electrical License Registration No	:
5.	Category of Registration	
4.	Class of Registration	:
3.	Registration No	:
2.	Name of the Department issued contractor's registration	:
1.	Name of Agency/ Contractor	:



PROFORMA - 3(a)

List of Similar nature of works executed during preceding 3 years

Sl. No	Name of work with brief particular thereof	Date of Commenc ement	Date of Completio n as per work order	Actual date of completio n	Contrac t Amount (Rs)	Name of client, contact with his complete address Phone No.

Add extra	sheet if	required
riuu onuu		required

Sign of the company/Contractor

Date:

Note: Original or self-attested copies of work order & completion certificates from client shall be attached .



$\underline{PROFORMA-3(b)}$

3. B List of ongoing works:-

Sl.No	Name of work with brief particular thereof	Date of commencement	Date of completion as per work order	Contract Amount (Rs)	Name of client, contact with his complete address and Phone No.

Add extra sheet if required.

Seal & Signature of the company/Contractor

Date:

Note: Original or self-attested copies of work order from client shall be attached.



TENDER

I/We have read and examined the notice inviting tender, schedule, specifications applicable, General Rules and Directions, Conditions of contract and special conditions, schedule of rate and other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for AU , Silchar within the time specified and in accordance in all respects with the specification, designs drawings and instructions in writing referred to in General Rule and Directions and in the conditions of contract and with such materials as are approved by the University Authority, and in respects in accordance with, such conditions so far as applicable .

I/We agree to keep the tender open for ------days from the due date of submission thereof and not make any modifications in its terms and conditions.

A sum of **Rs.18,850/-** is hereby forwarded in FDR/ Call deposit in favour of Assam University, Silchar of scheduled Bank as earnest money. If I/We, fall to commence the work specified I/We agree that the A.U., Silchar or his authorizes officer successors in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to therein and to carry out such deviations as may or orders, up to maximum of the percentage mentioned in the conditions of contract and those in excess of limit at the rates to be determined in accordance with the provision mentioned in the tender form.

I/We agree that should I/We fall to commence the work specified in the above memorandum, an amount equal to the amount of the earnest money mentioned in the form of the invitation of tender shall absolutely be forfeited to the Silchar and the same may be the option of the competent authority on behalf of the A.U. Silchar be recovered without prejudice to any other right or remedy available in law out of the deposit in so far as the same may extend in terms of the said bond and in the event of deficiency out of any other money due to me/ us under this contract or otherwise.

Date Signature of Contractor

Postal Address & Tele No.



SECTION –3

GENERAL RULES AND DIRECTIONS

1. SUBMISSION OF TENDER

- (a) The General Conditions of Contract for Central PWD /APWD Works shall be the guiding principles for this work. Tenderers are advised to procure the same and familiarize themselves with the provisions of the above mentioned Conditions of Contract.
- (b) The University reserves the right to alter, modify any Tender Conditions, technical specifications etc., before tender opening and may seek fresh quotation depending upon necessity, and may even withdraw/ cancel the tender, without assigning any reason.
- (c) All amendments/ revisions to tender documents issued by the University, if any, must be signed and submitted along with the tender. The tenderers are advised to submit the tender based strictly on the terms and conditions and specifications contained in the tender documents, and not to stipulate any deviations.
- - b) Insertion, postscript, addition and alteration shall not be recognized unless confirmed by the Te(nder's signature.

In the event of the tender being submitted by a firm, it must be signed separately by each partner thereof or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power of attorney.

3. TENDERER TO INFORM HIMSELF FULLY:

The tenderer is required to carefully examine the technical specifications and other details relating to the work given in the Tender documents and fully inform himself as to all conditions and matters that may in any effect the work or the cost thereof. The tender shall be deemed to have himself independently obtained all necessary information for the purpose of preparing the tender and his tender as accepted shall be deemed to have taken into account all contingencies as may arise due to such information or lack of the same.



PARTICULARS OF TENDER:

Last Date and Place of Tender Submission : Engineering Section, Assam University,

Silchar by 13.09.2017 (up to 2.00 P.M).

Date and Place of opening of Technical & Financial Bid: Engineering Section, Assam University,

Silchar on 13.09.2017 at 3.00 P.M

Validity of tender: Tender shall remain valid for acceptance for a period of not less than 180 days

from the date of opening of tenders which may be required to be extended in

public interest at the discretion of the University Authority.

CLARIFICATIONS:

The Tender Document issued is complete in all respect and no further clarifications are elaborated. However, in so far Technical Clarifications if any are concerned even though not binding on University can be ascertained from the University.

QUOTATION OF PRICE / RATES

This being item Rate Tender, the tenderer shall state at what rate he will be willing to undertake the work. Rate should be quoted both in figure &words.

COMPLETION TIME:

The completion time is the essence of the contract. The Tenderer shall complete the work within the period indicated in the Notice Inviting Tender.

TRANSFER OF TENDER DOCUMENTS/ TENDERS:

Transfer of tender documents purchased by one tenderer to another is not permissible. Similarly transfer of tenders submitted by one tenderer to another is not permissible under any circumstances. The alteration of essence of tender once submitted is also not permissible.

LANGUAGE:

The Tender shall be submitted in English language only.



EARNEST MONEY DEPOSIT:

- 1. The tender must be accompanied by the Earnest Money Deposit pledged in favour of **Executive Engineer, Assam University, Silchar**, in the form of Demand Draft / FDR/Call Deposit as indicated in the Notice Inviting Tender. If the tenderer after submitting his tender resiles from his offer or modify the Terms and Conditions thereof in a manner not acceptable to the University, the Earnest Money will be forfeited. Tenders not accompanied by the earnest money deposit will not be considered and will be summarily rejected.
- 2. On Non-acceptance of tender, but in any case not earlier than the expiry date of the period for which the tender is kept open, the Earnest Money shall be discharged.
- 3. Should the Tender in question be withdrawn or cancelled by the University, which the University shall have the right to do at any time, Earnest Money will be discharged.
- 4. Should the successful tenderer fail or refuse to duly sign the contract within the period fixed by the University or fail/refuse to commence the work within the stipulated time, the Earnest Money shall be forfeited without prejudice to his being liable for any further loss or damage incurred in consequence by the University.

NO CLAIM FOR COMPENSATION FOR SUBMISSION OF TENDER:

The Tenderer whose tender is not accepted shall not be entitled to claim any costs, charges and expenses of any incidental to or incurred by him thorough or in connection with his submission of tender, even though the University may modify/ withdraw the Tender.

LOWEST TENDER NOT NECESSARILY TO BE ACCEPTED:

The University reserves the right to accept any Tender it considers advantageous / superior and is not bound to accept the lowest alone and need not assign any reasons for non-acceptance.

TENDER EVALUATION:

The Tenders received and accepted will be evaluated to ascertain the best and lowest workable tender in the interest of the University, for the complete work covered under the technical specifications and documents.



<u>SECTION – 4</u>

TERMS AND CONDITIONS GOVERNING THE TENDER AND EXECUTION OF CONTRACT THEREOF.

1.DEFINITIONS:

a) Unless otherwise required by the subject or context the terms herein below shall have the following meanings.

The **Contract** means the documents forming the tender and acceptance thereof and the formal agreement executed between the competent authority on behalf of Assam University and the Contract, together with the documents referred to therein including these conditions, the specifications, designs, drawings and instructions issued from time to time by the Registrar, Assam University and all the these documents taken together, shall be deemed to form one contract and shall be complementary to one another.

- b) Client means Assam University acting through The Executive Engineer Assam University, Silchar.
- c) The **Contractor** shall mean the individual, firm or company, whether incorporated or not, undertaking the works and shall include the legal personal representative of such individual or the persons composing such firm or company, or the successors of such firm or company and the permitted assigns of such individual, firm or company,
- **d**)The expression **works** or **work** shall, unless there be something either in the subject or context repugnant to such construction, be construed and taken to mean the works by or by virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.
- **e)** The **site** shall mean the land/ or other places, on, into or through which work is to be executed under the contract or any adjacent land, path or street which may be allotted or used for the purpose of carrying out the contract.
- f) Tender Value means the value of the entire work as stipulated in the letter of award.
- **g**) Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculine gender shall whenever required include feminine gender and vice versa.
- h) As stated in Section III, Clause 1.1, the General Conditions of Contract for Central PWD Works shall be the guiding principles for this tender. The Clauses of Contract mentioned therein shall also be applicable herein and only those Clauses that need addition, emphasis and modification in context of this tender are enumerated below. Contractors are once again advised to familiarize themselves with the General Conditions of Contract for Central PWD Works.



2. SIGNING OF CONTRACT AGREEMENT

i. On the tender being accepted by the Client, a formal contract may be signed and executed by and between the Client and the successful tenderer within a time to be fixed by the Client, which shall anyhow be within 15 days from the stipulated date of start of the work.

ii. The contractor shall be furnished, free of cost one certified copy of the contract documents except standard specifications, Schedule of Rates and such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of these documents shall be used for any purpose other than that of this contract.

3. SCOPE OF WORK

i. The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plants, equipment and transport which may be required in preparation of and for and in the full and entire execution and completion of the works. The descriptions given in the Schedule of Quantities shall, unless otherwise stated, be held to include wastage on materials, carriage and cartage, carrying and return of empties, hoisting, setting, fitting and fixing in position and all other labours necessary in and for the full and entire execution and completion of the work as aforesaid in accordance with food practice and recognized principles.

ii. The contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates and prices quoted in price bid which rates and prices shall, except as otherwise provided, cover all his obligations under the Contract and all matters and things necessary for the proper completion and maintenance of the works.

4. DISCREPANCIES AND ADJUSTMENT OF ERRORS

- i. The several documents forming the Contract are to be taken as mutually explanatory of one another, detailed drawings being followed in preference to small scale e drawing and figured dimensions in preference to scale and special conditions in preference to General Conditions.
- ii. If there are varying or conflicting provisions made in any one document forming part of the contract, the Registrar, Assam University shall be the deciding authority with regard to the intention/ interpretation of the document and his decision shall be final and binding on the contractor.
- iii. Any error in description, quantity or rate in Schedule of Quantities or any omission there from shall not vitiate the contract or release the Contractor from the execution of the whole or any part of the works comprised therein according to drawings and specifications or from any of his obligations under the contracts.



5. TERMS OF PAYMENT

Subject to any deduction, which the client may be entitled to make under the Contract, all payments to contactor for the work would be made by Cheque / Demand Draft in favour of the contractor on satisfactory completion report of Site (i/c) of the proposed work.

6. SUB CONTRACTING OF THE WORK

The Contractor is not permitted to assign or transfer his/ their obligation or benefit under the contract either in full or in part to other individuals/ firms / agencies. However, under extreme circumstances where subcontracting of part of the work is unavoidable, prior written permission of Client shall be taken by the Contractor.



ANNEXURE										
– A Building /Office		'	Window A	vC		\$	Split AC			
Administrat	Installed At	0.75	1.5	2	1	1.5	2	3	5.5	Total
ive		TR	TR	TR	TR	TR	TR	TR	TR	
	Vice Chancellor					2	15			17
	Registrar		1			3				4
	F.O		2		1	1				4
	PVC					2				2
	DR(Academic)					1				1
	CDC					1				1
	IQAC					2				2
	PMG		6			2				8
	SM Ali					3				3
	IAO/DR					1				1
	Room 104					1				1
	Room 111/CCPC					1				1
	Room 108/DR					1				1
	Room 107/PRO					1				1
	DDO		1							1
	EE					1				1
V.C Banglow						7				7
Exam Building	Server Room				2	2				4
	TDC Lab					2				2
	COE					1				1
	DR Exam PG					1				1
	DR Exam UG					1				1



	AR/SO					1				1
	SA					1				1
	Moderation LAB					4				4
Computer Center	Server Room					7				7
	Advance IT Lab					2				2
	Basic IT Lab					5				5
	Computer Center/Vedio Conf. Room					3				3
Library	Librarian, Dy. lib & Server Room					5				5
KC Guest House			3		13	2				18
Internation al Guest House						9				9
B.C Paul Seminar Hall									6	6
Health Center & Pathology Lab						6				6
CIL						2				2
TOTAL		0	13	0	16	84	15	0	6	134

Note: The above quantity may vary after detailed site survey.



ANNEXURE-B Scope of Works Under Annual Maintenance of Air Conditioners

New Year Service of Air Conditioner Units	- CI	Scope of Works Under Annual Maintenance of Air Conditioners							
B Scheduled Preventive maintenance (PM) C Cleaning of the Air Conditioners & all peripherals D Cleaning of all the electrical contacts (associated with Air Conditioners) D Cleaning of all the electrical contacts (associated with Air Conditioners) C Cling & greasing of mechanical parts. Once in 3 months once in 6 months F Gas charging with fresh F-22 refrigerent	Sl no	Item description	Service schedule						
C Cleaning of the Air Conditioners & all peripherals D Cleaning of all the electrical contacts (associated with Air Conditioners) E Oiling & greasing of mechanical parts. G Carrying out pressure leak testing Overhauling of the Air Conditioner Minor repairing of electrical fitting associated with power supply of AC units Rewinding of burnt motors of Air Conditioners as and when required Fan blade Fan blower Air Filter Sensor Compressor (Rotary/Hermatic) Thermostate Power circuit plate (PCB) Relay Relay Relay Belay Bel	A	Wet Service of Air Conditioner Units	once in 6 months						
D Cleaning of all the electrical contacts (associated with Air Conditioners) F Oiling & greasing of mechanical parts. Gas charging with fresh F-22 refrigerent as and when required Once in 6 months Once in 6 months Minor repairing of electrical fitting associated with power supply of AC units Rewinding of burnt motors of Air Conditioners as and when required Fan blower Air Filter Scompressor (Rotary/Hermatic) Thermostate Power circuit plate (PCB) Relay Relay Relay Relay Relay Relay Selector Switch with Knob S	В	Scheduled Preventive maintenance (PM)	once in 6 months						
E Oiling & greasing of mechanical parts . once in 6 months F Gas charging with fresh F-22 refrigerent as and when required G Carrying out pressure leak testing once in 6 months H Overhauling of the Air Conditioner once in 6 months J Minor repairing of electrical fitting associated with power supply of AC units once in 6 months 1 Rewinding of burnt motors of Air Conditioners as and when required 2 Fan blade as and when required 3 Fan blower as and when required 4 Air Filter as and when required 5 Compressor (Rotary/Hermatic) as and when required 6 Thermostate as and when required 7 Sensor as and when required 8 Power circuit plate (PCB) as and when required 9 Relay as and when required 10 Condenser as and when required 11 Selector Switch with Knob as and when required 12 Ventuary for Condenser side as and when required 13<	С	Cleaning of the Air Conditioners & all peripherals	once in 3 months						
F Gas charging with fresh F-22 refrigerent as and when required Overhauling of the Air Conditioner once in 6 months once in 6	D	Cleaning of all the electrical contacts (associated with Air Conditioners)	once in 3 months						
G Carrying out pressure leak testing Overhauling of the Air Conditioner Minor repairing of electrical fitting associated with power supply of AC units Once in 6 months Rewinding of burnt motors of Air Conditioners Rewinding of burnt motors of Air Conditioners Fan blade Fan blade Fan blower Air Filter Scompressor (Rotary/Hermatic) Thermostate Power circuit plate (PCB) Relay Resport Relay Remote Resport Relay Resport Relay Resport Relay Resport Relay Resport Relay Resport	E	Oiling & greasing of mechanical parts.	once in 6 months						
H Overhauling of the Air Conditioner once in 6 months J Minor repairing of electrical fitting associated with power supply of AC units once in 6 months 1 Rewinding of burnt motors of Air Conditioners as and when required 2 Fan blade as and when required 3 Fan blower as and when required 4 Air Filter as and when required 5 Compressor (Rotary/Hermatic) as and when required 6 Thermostate as and when required 8 Power circuit plate (PCB) as and when required 8 Power circuit plate (PCB) as and when required 9 Relay as and when required 10 Condenser as and when required 11 Selector Switch with Knob as and when required 12 Ventuary for Condenser side as and when required 13 Medicated Filter as and when required 14 Blower motor as and when required 15 Starting Relay as and when required 16 Thermal sensor as and when required 17 Display	F	Gas charging with fresh F-22 refrigerent	as and when required						
Minor repairing of electrical fitting associated with power supply of AC units Rewinding of burnt motors of Air Conditioners as and when required as and when required as and when required as and when required Air Filter as and when required as and when required formpressor (Rotary/Hermatic) as and when required	G	Carrying out pressure leak testing	once in 6 months						
units once in 6 months 1 Rewinding of burnt motors of Air Conditioners as and when required 2 Fan blade as and when required 3 Fan blower as and when required 4 Air Filter as and when required 5 Compressor (Rotary/Hermatic) as and when required 6 Thermostate as and when required 7 Sensor as and when required 8 Power circuit plate (PCB) as and when required 9 Relay as and when required 10 Condenser as and when required 11 Selector Switch with Knob as and when required 12 Ventuary for Condenser side as and when required 13 Medicated Filter as and when required 14 Blower motor as and when required 15 Starting Relay as and when required 16 Thermal sensor as and when required 17 Display as and when required 18 Remote as and when required 20 Sensor for Split AC as and when requir	H	Overhauling of the Air Conditioner	once in 6 months						
2 Fan blade as and when required 3 Fan blower as and when required 4 Air Filter as and when required 5 Compressor (Rotary/Hermatic) as and when required 6 Thermostate as and when required 7 Sensor as and when required 8 Power circuit plate (PCB) as and when required 9 Relay as and when required 10 Condenser as and when required 11 Selector Switch with Knob as and when required 12 Ventuary for Condenser side as and when required 13 Medicated Filter as and when required 14 Blower motor as and when required 15 Starting Relay as and when required 16 Thermal sensor as and when required 17 Display as and when required 18 Remote as and when required 20 Sensor for Split AC as and when required 21 Copper Filter (Stainer) as and when required 22 Fan capacitor as and when required 23 Mounting bush for body blower motor 24 Mounting bush for Compressor as and when required 25 as and when required 26 Air Filter 27 as and when required 28 as and when required 29 Sensor for Split AC as and when required 20 Sensor for Split AC as and when required 21 Copper Filter (Stainer) as and when required 22 Fan capacitor as and when required 23 Mounting bush for body blower motor 24 Mounting bush for Compressor	J		once in 6 months						
3 Fan blower as and when required 4 Air Filter as and when required 5 Compressor (Rotary/Hermatic) as and when required 6 Thermostate as and when required 7 Sensor as and when required 8 Power circuit plate (PCB) as and when required 9 Relay as and when required 10 Condenser as and when required 11 Selector Switch with Knob as and when required 12 Ventuary for Condenser side as and when required 13 Medicated Filter as and when required 14 Blower motor as and when required 15 Starting Relay as and when required 16 Thermal sensor as and when required 16 Thermal sensor as and when required 18 Remote as and when required 19 Swing motor as and when required 20 Sensor for Split AC as and when required 21 Copper Filter (Stainer) as and when required 22 Fan capacitor <td< th=""><td>1</td><td>Rewinding of burnt motors of Air Conditioners</td><td>as and when required</td></td<>	1	Rewinding of burnt motors of Air Conditioners	as and when required						
4 Air Filter as and when required 5 Compressor (Rotary/Hermatic) as and when required 6 Thermostate as and when required 7 Sensor as and when required 8 Power circuit plate (PCB) as and when required 9 Relay as and when required 10 Condenser as and when required 11 Selector Switch with Knob as and when required 12 Ventuary for Condenser side as and when required 13 Medicated Filter as and when required 14 Blower motor as and when required 15 Starting Relay as and when required 16 Thermal sensor as and when required 17 Display as and when required 18 Remote as and when required 19 Swing motor as and when required 20 Sensor for Split AC as and when required 21 Copper Filter (Stainer) as and when required 22 Fan capacitor as and when required 23 Mounting bush for body blower motor 24 Mounting bush for Compressor as and when required		Fan blade	as and when required						
5 Compressor (Rotary/Hermatic) 6 Thermostate 7 Sensor 8 as and when required 8 Power circuit plate (PCB) 9 Relay 10 Condenser 11 Selector Switch with Knob 12 Ventuary for Condenser side 13 Medicated Filter 14 Blower motor 15 Starting Relay 16 Thermal sensor 17 Display 18 Remote 19 Swing motor 10 Sensor 10 Sensor 11 Selector Switch with Knob 12 Ventuary for Condenser side 13 Medicated Filter 14 Blower motor 15 Starting Relay 16 Thermal sensor 17 Display 18 Remote 19 Swing motor 19 Swing motor 20 Sensor for Split AC 21 Copper Filter (Stainer) 22 Fan capacitor 23 Mounting bush for body blower motor 24 Mounting bush for Compressor 25 as and when required 26 as and when required 27 as and when required 28 as and when required 29 as and when required 29 as and when required 20 as and when required 20 as and when required 21 copper Filter (Stainer) 22 as and when required 23 as and when required 24 Mounting bush for Compressor	3	Fan blower	as and when required						
6 Thermostate as and when required 7 Sensor as and when required 8 Power circuit plate (PCB) as and when required 9 Relay as and when required 10 Condenser as and when required 11 Selector Switch with Knob as and when required 12 Ventuary for Condenser side as and when required 13 Medicated Filter as and when required 14 Blower motor as and when required 15 Starting Relay as and when required 16 Thermal sensor as and when required 17 Display as and when required 18 Remote as and when required 19 Swing motor as and when required 20 Sensor for Split AC as and when required 21 Copper Filter (Stainer) as and when required 22 Fan capacitor as and when required 23 Mounting bush for Compressor as and when required 24 Mounting bush for Compressor	4	Air Filter	as and when required						
7 Sensor as and when required 8 Power circuit plate (PCB) as and when required 9 Relay as and when required 10 Condenser as and when required 11 Selector Switch with Knob as and when required 12 Ventuary for Condenser side as and when required 13 Medicated Filter as and when required 14 Blower motor as and when required 15 Starting Relay as and when required 16 Thermal sensor as and when required 17 Display as and when required 18 Remote as and when required 19 Swing motor as and when required 20 Sensor for Split AC as and when required 21 Copper Filter (Stainer) as and when required 22 Fan capacitor as and when required 23 Mounting bush for body blower motor as and when required 24 Mounting bush for Compressor as and when required	5	Compressor (Rotary/Hermatic)	as and when required						
8 Power circuit plate (PCB) 9 Relay 10 Condenser 11 Selector Switch with Knob 12 Ventuary for Condenser side 13 Medicated Filter 14 Blower motor 15 Starting Relay 16 Thermal sensor 17 Display 18 Remote 19 Swing motor 19 Swing motor 20 Sensor for Split AC 21 Copper Filter (Stainer) 22 Fan capacitor 23 Mounting bush for body blower motor 24 Mounting bush for Compressor 28 as and when required 29 Mounting bush for Compressor 20 as and when required 20 as and when required 21 As and when required 22 As and when required 23 Mounting bush for Compressor 24 Mounting bush for Compressor 26 as and when required 27 as and when required 28 as and when required 29 As and when required 20 Sensor for Split AC 20 Sensor for Split AC 21 Copper Filter (Stainer) 22 Sensor for Split AC 23 Mounting bush for Compressor 24 Mounting bush for Compressor		Thermostate	as and when required						
9Relayas and when required10Condenseras and when required11Selector Switch with Knobas and when required12Ventuary for Condenser sideas and when required13Medicated Filteras and when required14Blower motoras and when required15Starting Relayas and when required16Thermal sensoras and when required17Displayas and when required18Remoteas and when required19Swing motoras and when required20Sensor for Split ACas and when required21Copper Filter (Stainer)as and when required22Fan capacitoras and when required23Mounting bush for body blower motoras and when required24Mounting bush for Compressoras and when required	7	Sensor	as and when required						
10 Condenser 11 Selector Switch with Knob 12 Ventuary for Condenser side 13 Medicated Filter 14 Blower motor 15 Starting Relay 16 Thermal sensor 17 Display 18 Remote 19 Swing motor 20 Sensor for Split AC 21 Copper Filter (Stainer) 22 Fan capacitor 24 Mounting bush for body blower motor 28 and when required 29 Sensor for Spot blower motor 20 Sensor for body blower motor 20 Mounting bush for Compressor 20 Sensor for Compressor 21 Sensor for Compressor 22 Mounting bush for Compressor 23 Mounting bush for Compressor 24 Mounting bush for Compressor 26 as and when required 27 as and when required 28 as and when required 29 Sensor for Solit AC 29 Sensor for Solit AC 20 Sensor for Split AC 20 Sensor for Split AC 21 Copper Filter (Stainer) 22 Sensor for Solit AC 23 Mounting bush for Compressor 24 Mounting bush for Compressor	8	Power circuit plate (PCB)	as and when required						
11 Selector Switch with Knob 12 Ventuary for Condenser side 13 Medicated Filter 14 Blower motor 15 Starting Relay 16 Thermal sensor 17 Display 18 Remote 19 Swing motor 20 Sensor for Split AC 21 Copper Filter (Stainer) 22 Fan capacitor 23 Mounting bush for body blower motor 24 Mounting bush for Compressor 28 and when required 29 as and when required 20 as and when required 20 as and when required 21 Copper Split AC 22 as and when required 23 Mounting bush for body blower motor 24 Mounting bush for Compressor 25 as and when required 26 as and when required 27 as and when required 28 as and when required 29 as and when required 20 as and when required 20 as and when required 21 as and when required 22 as and when required 23 as and when required 24 Mounting bush for Compressor			as and when required						
12Ventuary for Condenser sideas and when required13Medicated Filteras and when required14Blower motoras and when required15Starting Relayas and when required16Thermal sensoras and when required17Displayas and when required18Remoteas and when required19Swing motoras and when required20Sensor for Split ACas and when required21Copper Filter (Stainer)as and when required22Fan capacitoras and when required23Mounting bush for body blower motoras and when required24Mounting bush for Compressoras and when required	10	Condenser	as and when required						
13 Medicated Filter 14 Blower motor 15 Starting Relay 16 Thermal sensor 17 Display 18 Remote 19 Swing motor 20 Sensor for Split AC 21 Copper Filter (Stainer) 22 Fan capacitor 23 Mounting bush for body blower motor 24 Mounting bush for Compressor 28 and when required 29 as and when required 20 as and when required 20 as and when required 21 capacitor 22 Fan capacitor 23 as and when required 24 Mounting bush for Compressor 25 as and when required 26 as and when required 27 as and when required 28 as and when required 29 as and when required 20 as and when required 20 as and when required 21 as and when required 22 as and when required 23 as and when required 24 as and when required		Selector Switch with Knob	•						
14Blower motoras and when required15Starting Relayas and when required16Thermal sensoras and when required17Displayas and when required18Remoteas and when required19Swing motoras and when required20Sensor for Split ACas and when required21Copper Filter (Stainer)as and when required22Fan capacitoras and when required23Mounting bush for body blower motoras and when required24Mounting bush for Compressoras and when required	12	Ventuary for Condenser side							
15 Starting Relay as and when required 16 Thermal sensor as and when required 17 Display as and when required 18 Remote as and when required 19 Swing motor as and when required 20 Sensor for Split AC as and when required 21 Copper Filter (Stainer) as and when required 22 Fan capacitor as and when required 23 Mounting bush for body blower motor as and when required 24 Mounting bush for Compressor as and when required	13	2.54 0.54 0.54 0.54 0.54 0.54 0.54 0.54 0	as and when required						
16 Thermal sensor as and when required 17 Display as and when required 18 Remote as and when required 19 Swing motor as and when required 20 Sensor for Split AC as and when required 21 Copper Filter (Stainer) as and when required 22 Fan capacitor as and when required 23 Mounting bush for body blower motor as and when required 24 Mounting bush for Compressor as and when required	14	Blower motor	as and when required						
17Displayas and when required18Remoteas and when required19Swing motoras and when required20Sensor for Split ACas and when required21Copper Filter (Stainer)as and when required22Fan capacitoras and when required23Mounting bush for body blower motoras and when required24Mounting bush for Compressoras and when required	15	Starting Relay	•						
18Remoteas and when required19Swing motoras and when required20Sensor for Split ACas and when required21Copper Filter (Stainer)as and when required22Fan capacitoras and when required23Mounting bush for body blower motoras and when required24Mounting bush for Compressoras and when required			•						
19 Swing motor as and when required 20 Sensor for Split AC as and when required 21 Copper Filter (Stainer) as and when required 22 Fan capacitor as and when required 23 Mounting bush for body blower motor as and when required 24 Mounting bush for Compressor as and when required		Display							
20 Sensor for Split AC as and when required 21 Copper Filter (Stainer) as and when required 22 Fan capacitor as and when required 23 Mounting bush for body blower motor as and when required 24 Mounting bush for Compressor as and when required			•						
21Copper Filter (Stainer)as and when required22Fan capacitoras and when required23Mounting bush for body blower motoras and when required24Mounting bush for Compressoras and when required			as and when required						
22Fan capacitoras and when required23Mounting bush for body blower motoras and when required24Mounting bush for Compressoras and when required		•							
23Mounting bush for body blower motoras and when required24Mounting bush for Compressoras and when required			^						
24 Mounting bush for Compressor as and when required	22		as and when required						
	23		as and when required						
25 Starting Relay as and when required			as and when required						
	25	Starting Relay	as and when required						



Price Bid Estimated Cost – 9, 40,180.00



<u>Part – A. Comprehensive annual maintenance of 134 nos. Air Conditioner units, AUS.</u>

Sl No	Description Of Item	UOM	Qnty.	Unit Rate	Amount
	Comprehensive Annual				
A	Maintenance Charge for Air conditioner window type.				
i.	1.5 TR.	nos.	13		
	Comprehensive Annual				
	Maintenance Charge for Air				
В	conditioner Split type				
i	1.0 TR.	nos.	16		
ii	1.5 TR.	nos.	84		
iii	2.0 TR.	nos.	15		
	Comprehensive Annual Maintenance of 5.5 TR. Split				
C	Air Conditioner	nos.	6		

SUB TOTAL (A) =

Amount in words = Rs.



 $\label{lem:part-B} \textbf{Part} - \textbf{B. Repairing of Air conditioners units installed in different office / department buildings and not considered under AMC Services.}$

Sl No	Description Of Item Spares for 0.75/1.0/1.5 TR Window	Unit Of Material	Per Uint Rate(Rs)	Estimated Quantity	Total Amount(Rs)
A	AC including supply and fitting fixing complete as directed				
1	Fan motor	nos.		3	
2	Gas charging with fresh F-22 refrigerent	nos.		5	
3	Running capacitor	nos.		5	
4	Starting capacitor	nos.		5	
5	Starting Realy	nos.		1	
6	Air Filter	nos.		1	
7	Power circuit plate (PCB)	nos.		3	
8	Fan-capacitor	nos.		5	
B.1	Spares for 1.0/1.5/2.0/3.0 TR Split AC including supply and fitting fixing complete as directed				
1	Blower motor	nos.		2	
2	Starting Relay	nos.		5	
3	Air Filter	nos.		1	
4	PCB	nos.		15	
5	Thermal sensor	nos.		1	
6	Display	nos.		3	
7	Remote	nos.		1	
8	Fan motor	nos.		5	
9	Swing motor	nos.		2	
10	Sensor for Split AC	nos.		1	
11	Copper Filter (Stainer)	nos.		1	
12	Capillary per foot Gas charging with fresh F-22 refrigerent	nos.		1	
i	1.0 TR.	nos.		2	
ii	1.5 TR.	nos.		10	
iii	2.0 TR.	nos.		1	
14	Compressor (Rotary/Hermatic)				
i	1.0 TR.	nos.		1	



ii	1.5 TR.	nos.	2	
iii	2.0 TR.	nos.	1	
15	Capacitor-25 MFD to 50 MFD	nos.	5	
16	Capacitor-51 MFD to 100 MFD	nos.	5	
17	Capacitor-6 MFD	nos.	5	
18	Capacitor-4 MFD	nos.	5	
19	Fan capacitor	nos.	5	
20	Copper pipe			
i	Copper pipe per feet-1/4"	per feet	5	
ii	Copper pipe per feet-3/8"	per feet	5	
iii	Copper pipe per feet-1/2"	per feet	5	
iv	Copper pipe per feet-5/8"	per feet	5	
21	Valve size	•		
22	Insulation for copper pipe cable per feet	nos.	20	
23	Drain Hose for split Ac	per feet	10	
B.2	Spares for 5.5 TR Split AC including supply and fitting fixing complete as directed			
	Supply and fitting fixing of 3 ph, 3 HP motor for 5.5 TR AC units or as per site			
1	requirement and as directed.	nos.	2	
C	Supplying and fitting and fixing complete as directed by dept.			
1	5KVA, Single phase(140-280)V, auto cut, digital display, wall mounted Voltage Stabilizer (V Guard/Venus/ISI make)	nos.	2	
	4KVA, Single phase(140-280)V, auto cut, digital display, wall mounted Voltage Stabilizer (V Guard/Venu/ISI			
2	make)	nos.	2	
	Supplying including fitting fixing of 25 A power Unit suitable for supplying power to 2 ton Air conditioner unit including providing and fixing 4 module modular base, cover plate & modular GI Box, 25 A starter (2 M),25 A socket (2 M), 25 A plug with indicator complete as directed by the deptt.(Havells/cabtree/L&T/Legrand			
3	make)	nos.	5	
3	make) SUB TOTAL (B).=	nos.	5	_



TOTAL = SUB TOTAL (A) + SUB TOTAL (B) =
Amount in words = Rs
Signature of the Bidder (with seal):-
Name of the Bidder:-
Postal Address:-
E-mail & Phone:-