Assam University: Silchar

Notice Inviting Tender

No: AUS/SDG/33/15

Dated: 28/12/2015

Item wise sealed tender are invited from experienced and financially sound agencies/contractors having valid Registration and appropriate license for supply of the following items at Assam University, Silchar. Demand Draft of Rs. 1000/- in favour of Assam University, Silchar, payable at Silchar, to be submitted along with the bid as bid processing fees.

Name of the Work	Time of Delivery and installation.	EMD/ Call Deposit	Last date & time for submission of the Tender	Date & timing of opening of the Tender
Tender for supply of Server, etc. in Central Library.	Four Weeks	Rs. 5000/-	27.01.2016 1 pm	29.01.2016 2 pm

Technical Specification (AS given in Annexure-1)

The University reserves every right to accept or reject any or all tender without showing any reason whatsoever.

Note: The date of Submission and Opening of the Tender shall be on the following working day in case 29.01.2015 become a non-working day due to the strike, road-blockade etc.

Hosma

Librarian, Central Library



ASSAM UNIVERSITY, SILCHAR

OPEN TENDER NOTICE NO. AUS/SDG/33/15

Dated: 28/12/2015

FOR SUPPLY OF SERVER AT CENTRAL LIBRARY.

NOTIFICATION NO. DATE OF ISSUE : AUS/SDG/33/15 : 28/12/2015

BID CLOSING TIME AND DATE

: 27th January 2015 (1 PM)

APPLICATION FEE FOR SUBMITTING TENDER : Rs. 1,000.00 (in DD)

SCHEDULE OF EQUIPMENTS

: AS PER ANNEXURE- A

Tender must be submitted in a sealed envelope under two bid system, superscripting therein "Tender No., Bid Closing Date, Bidder's name etc." and submitted to Librarian, Central Library, **Assam University, Silchar – 788011** on or before 1 p.m. on **27.01.2015**. Under no circumstances tender will be accepted after the due date and time of closing. For details please visit University website www.aus.ac.in.

Librarian, Central Library Assam University, Silchar- 788011

TERMS AND CONDITIONS FOR SUBMISSION OF TENDER FOR SUPPLY OF SERVER, PERSONAL COMPUTER AND SCANNER, ETC. AT CENTRAL LIBRARY.

- 1. Only Manufacturers/Distributors/Authorized Dealer (Herein after called the Bidder) of reputed brands having wide experience in dealing with items at Annexure '1' only may submit the tenders. Tender is to be submitted in a sealed envelope super scribing "Tender for supply of Server in Central Library" and also Tender No. with last date of submission is also to be mentioned.
- 2. The Bidder must have experience in supply & installation of such items in Govt. organization /Public Sector Enterprises and Universities etc. with at least three years of experience. Certificate in this regard from the responsible officer of that organizations with contact no., e-mail address etc is to be submitted.
- 3. The manufacturer having ISO 9002 certificate or similar certification would be preferred.
- 4. The Bidder must submit the latest Income tax, PAN card & Sales tax clearance certificates with the tender.
- 5. The tender should be accompanied with a BG/EMD/Call Deposit of Rs. 5,000/-(Five Thousand) from any nationalized bank pledged in favour of the Finance Officer, Assam University, Silchar as earnest money. Earnest money of the bidder will be released after successful installation.
- 6. The Bidder must be the Authorized Partner of the manufacturer and should produce a Letter of Authorization from the same. Any bids without the same would be rejected on the spot. Being an educational institute, Assam University, Silchar is entitled for Custom and Central Excise duty exemption for procurement of scientific equipment etc. The interested Bidder while quoting rates should indicate the Excise duty component and tax component separately.
- 7. The bidders shall have to submit their tenders within 1 p.m. of **27.01.2016** at Central Library, Assam University, Silchar. No tender will be entertained after the scheduled time and date of submission of tenders. The same will be opened on **29.01.2016** at 2 p.m.
- 8. A committee of experts constituted by the University authority will check the technical and financial implications of each tender to prepare the panel of successful tenders.
- 9. The successful bidder after receipt of the supply order has to deposit 2.5% of supply order value in the form of FDR/BG from any nationalized bank in favour of Finance Officer, Assam University payable at Silchar as security deposit along with the confirmation of acceptance of the Supply Order. The security deposit will be released only after the completion of warranty period.

- 10. The standard manufacturer's warranty period for equipment should be at least five years from the date of installation. In case Bidder wishes to quote for manufacturers extended warranty period it should be quoted separately.
- 11. The rate quoted for equipment should be for the items & specification as mentioned in the list. If Bidder wishes to quote for a higher/superior specification, it must be separately stated along with proof that the specification is higher/superior. In no case Bidder should quote for lower/inferior specification otherwise tender will not be considered.
- 12. The interested Bidder while quoting rates should include excise duty component and tax component if applicable and indicate the applicable percent or amount of excise duty component and tax component separately.
- 13. During Opening of tender only representative duly authorized by the agency / contractor will be allowed to be present.
- 14. The supply and installation of items will be one month from the_issue of supply order.
- 15. The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received without assigning of any reason thereof. All tenders in which any of the prescribed condition is not fulfilled or any condition put forth by the tenderers, shall be summarily rejected.
- 16. 2.5% security money will be retained by the University from the bill value which shall be released after completion of warranty period (5 years) of satisfactory completion of work.
- 17.EMD of unsuccessful bidder shall be released within 02 (two) months after issue of supply order to the successful bidders.
- 18. No request for advance payment shall be entertained in any circumstance. After completion of the Supply and Testing, the firm will submit bills in triplicate for payment, with a certificate of successful delivery and/or installation of the materials from the Librarian, Central Library.
- 19. The receipt copy of Challan (original) shall have to be submitted along with triplicate bill for payment.
- 20. The consignment is required to be sent to Assam University under supplier's own arrangement free of additional charges. In case of damage or loss in transit, if any will be borne by the supplier.
- 21. The consignment are required to be delivered/dispatched within Four Weeks from the date of receipt of the supply order .Time of supply shall be extended only after receiving written request from supplier on genuine ground and in extreme cases. Suppliers are requested to take care that all the items mentioned in annexure are to be supplied in full set basis as per specification and the items are required to

be tested and if needed to be installed. User's manuals are also to be provided along with the items supplied where applicable.

- 22. Tenders not conforming to the terms and conditions and procedure so outlined are liable to be rejected summarily. University reserves the right to reject any or all tender at any time without assigning any reasons thereof.
- 23. The following updated documents should also accompany with the tenders:
 - a. Trade Licence
 - b. Income tax clearance certificate
 - c. PAN Card
 - d. Sale Tax clearance certificate
 - e. CST/VAT clearance certificate if quoted in the tender for CST/VAT.
- 24. The successful bidder shall have to provide on site warranty support for at least five years from the date of successful supply and testing. If any breakdown ,non functioning or malfunctioning of the machine occurs during the warranty period, the supplier shall have to attend to the complain within 24 hours (or in next working day in case of holidays) after receiving verbal /written /e-mail complain and will make the machines functional free of cost. In case the system has to be taken out of the University campus, the bidder should provide a stand by support system /peripheral with same or higher /new configuration / specification. If the Bidder/supplier /bidder fail to attend to the breakdown calls made within the warranty period, a portion or whole of the security Deposits as decided by the University shall be forfeited.
- 25. If there be any dispute, it will be referred to an arbitrator to be appointed by the University for his Decision and award. The award or decision of the arbitrator shall be final and binding on both the parties.
- 26. Civil Court shall have no jurisdiction to entertain any dispute regarding this tender.
- 27. No Telex/ Tele fax/ Telegram/ E-mail of the Techno-Commercial and Price bids will be accepted. The University is not responsible for Postal/ Courier delays. The parties have to ensure the receipt of bids well in time.
- 28. The Tenderer has to submit a signed statement whether the item quoted is/are matching the specifications specified in Annexure-1 or NOT.

Those tenderers, who accept the above terms and conditions, may submit their tenders in the prescribed format along with all relevant documents / brochures to Librarian, Central Library Assam University, Silchar on or before the stipulated date. The tenderer must also submit a certificate in their official letter head duly signed and sealed stating that all the above terms and conditions are acceptable to them.

Annexure-1

A. Server (01 Number)

Name	Configuration	
Processor	Intel® Xeon® Processor E-7/V3 Product family or above	
	Intel® Xeon® Processor E-7/V2 Product family or above	
Processor Sockets	2	
Internal Interconnect	Intel Quick Path Interconnect (QPI) link; 6.4 GT/s; 7.2 GT/s; 8.0 GT/s	
Cache	15 MB Cache or higher	
Memory	Upto 384 GB (12 DIMM slots) or more 16GB/32GB DDR3 upto 1600 MT/s or above	
Storage	Upto 4-24 TB	
Hot plug hard drive options	 2.5" SATA, nearline SAS, SAS (15K, 10K), SAS, SSD, SATA SSD 3.5" SATA , nearline SAS, SAS (15K self encrypting drive available 	
Cabeled Hard Drive	3.5" SATA nearline SAS, SAS (15K)	
options		
Drive Bays	Choose from four 3.5" cabled, eight 3.5 hot plug, or sixteen 2.5" hot plug drive bays or compatible or higher version	
Slots	Twox16 slots with x16 bandwidth, 3.0, full length, full height	
6PCIe slots	One x8 slots with x4 bandwidth, 3.0, full length, full height One x8 slots with x4 bandwidth, 2.0, full length, full height One x8 slots with x4 bandwidth, 3.0, full length, full height One x8 slots with x1 bandwidth, 2.0, full length, full height	
GPU Option	One NVIDIA® Quadro® 6000 graphics card or higher upto two NIIDIA Quadro 4000 graphics card or higher	
RAID Controllers	PERC S110 (SW RAID)/PERC H310/ PERC H710/PERC H710P or compatible	
External HBA (RAID)	PERC H810 or compatible	

RAID) Dual port 1 Gb or higher and/or compatible 1 Gb Ethernet 2 or more gigabit ports with failover and should support 10 10 Gb Converged Ethernet Power Supply Redundant hot swap power supply Availability Optional high-efficiency, hot plug, redundant power supplied; hot-plug drive bays; TPM; dual internal SD support; redundant fans; optional bezel; luggage tag: ECC memory; optional interactive LCD screen; extended thermal support; ENERGY STAR® compliant; switch independent partitioning Chasis Form factor: 2 U Rack Rack Support: ReadyRails II sliding rails for tool-less mounting in 4 post racks with square or unthreaded round holes or tooled mounting in 4-post threaded hole racks, with support for optional tool-less cable management arm (for rackable chasis mode only) Management Basic management: Basic management (Default) iDRAC7 Express (upgrade option) or iDRAC7 Enterprise (upgrade option) or higher and compatible 3 GB or 16 GB vFlash media (upgrade options) System Manage TM Essential and Management console PMI 2.0 compliant or compatible OpenManage TM Essential and Management console OpenManage Integration Suite for Microsoft System Centre plug-in for VMWare® vCentre® HP Operations Manager, IBM Tivoli® Netcool® and CA Network and Systems Management (NSM) Port 4 USB or more and 1 Serial and DVD - Read, Write and SATA Internal	External HBA (Non-	12 Gbps SAS HBA or higher	
1 Gb Ethernet 2 or more gigabit ports with failover and should support 10 10 Gb Converged Cormore gigabit ports with failover and should support 10 10 Gb Converged Cormore gigabit ports with failover and should support 10 Power Supply Redundant hot swap power supply Availability Optional high-efficiency, hot plug, redundant power supplied; hot-plug drive bays; TPM; dual internal SD support; redundant fans; optional bezel; luggage tag; ECC memory; optional interactive LCD screen; extended thermal support; ENERGY STAR® compliant; switch independent partitioning Chasis Form factor: 2 U Rack Rack Support: ReadyRails II sliding rails for tool-less mounting in 4 post racks with square or unthreaded nound holes or tooled mounting in 4-post threaded hole racks, with support for optional tool-less cable management arm (for rackable chasis mode only) Management Remote Management: Basic management (Default) iDRAC7 with Lifecycle controller or compatible iDRAC7 Express (upgrade option) or iDRAC7 Enterprise (upgrade option) or higher and compatible S GB or 16 GB vFlash media (upgrade options) System Manager™ Essential and Management console OpenManage To Compliant or compatible OpenManage Power Centre OpenManage Connections: OpenManage Integration Suite for Microsoft System Centre plug-in for VMWare® vCentre® HP Operations Manager, IBM Tivoli® Netcool@ and CA Network and Systems Management(NSM)			
1 Gb Ethernet 2 or more gigabit ports with failover and should support 10 10 Gb Converged Cormore gigabit ports with failover and should support 10 10 Gb Converged Cormore gigabit ports with failover and should support 10 Power Supply Redundant hot swap power supply Availability Optional high-efficiency, hot plug, redundant power supplied; hot-plug drive bays; TPM; dual internal SD support; redundant fans; optional bezel; luggage tag; ECC memory; optional interactive LCD screen; extended thermal support; ENERGY STAR® compliant; switch independent partitioning Chasis Form factor: 2 U Rack Rack Support: ReadyRails II sliding rails for tool-less mounting in 4 post racks with square or unthreaded nound holes or tooled mounting in 4-post threaded hole racks, with support for optional tool-less cable management arm (for rackable chasis mode only) Management Remote Management: Basic management (Default) iDRAC7 with Lifecycle controller or compatible iDRAC7 Express (upgrade option) or iDRAC7 Enterprise (upgrade option) or higher and compatible S GB or 16 GB vFlash media (upgrade options) System Manager™ Essential and Management console OpenManage To Compliant or compatible OpenManage Power Centre OpenManage Connections: OpenManage Integration Suite for Microsoft System Centre plug-in for VMWare® vCentre® HP Operations Manager, IBM Tivoli® Netcool@ and CA Network and Systems Management(NSM)			
10 Gb Converged Ethernet Gbps in future Power Supply Redundant hot swap power supply Availability Optional high-efficiency, hot plug, redundant power supplied; hot-plug drive bays; TPM; dual internal SD support; redundant fans; optional bezel; luggage tag; ECC memory; optional interactive LCD screen; extended thermal support; ENERGY STAR® compliant; switch independent partitioning Chasis Form factor: 2 U Rack Rack Support: ReadyRails II sliding rails for tool-less mounting in 4 post racks with square or unthreaded round holes or tooled mounting in 4-post threaded hole racks, with support for optional tool-less cable management arm (for rackable chasis mode only) Management Remote Management: Basic management (Default) iDRAC7 Express (upgrade option) or iDRAC7 Enterprise (upgrade option) or higher and compatible 8 GB or 16 GB vFlash media (upgrade options) System Management IPMI 2.0 compliant or compatible OpenManage TM Essential and Management console OpenManage Power Centre OpenManage Connections: OpenManage Integration Suite for Microsoft System Centre plug-in for VMWare® vCentre® HP Operations Manager, IBM Tivoli® Netcool® and CA Network and Systems Management(NSM) Port 4 USB or more and 1 Serial and DVD – Read, Write and	Embedded NIC	Dual port 1 Gb or higher and/or compatible	
10 Gb Converged Ethernet Power Supply Redundant hot swap power supply Availability Optional high-efficiency, hot plug, redundant power supplied; hot-plug drive bays; TPM; dual internal SD support; redundant fans; optional bezel; luggage tag; ECC memory; optional interactive LCD screen; extended thermal support; ENERGY STAR® compliant; switch independent partitioning Chasis Form factor: 2 U Rack Rack Support: ReadyRails II sliding rails for tool-less mounting in 4 post racks with square or unthreaded round holes or tooled mounting in 4-post threaded hole racks, with support for optional tool-less cable management arm (for rackable chasis mode only) Management Remote Management: Basic management (Default) iDRAC7 with Lifecycle controller or compatible iDRAC7 Express (upgrade option) or bigher and compatible & GB or 16 GB vFlash media (upgrade options) System Management IPMI 2.0 compliant or compatible OpenManage TM Essential and Management console OpenManage TM Essential and Management console IPMI 2.0 compliant or compatible OpenManage TM Essential and Management console IPMI 2.0 compliant or compatible OpenManage TM Essential and Management console IPMI 2.0 perations Manager, IBM Tivoli® Netcool® and CA Network and Systems Management(NSM) Port 4 USB or more and 1 Serial and DVD - Read, Write and	1 Gb Ethernet		
Power Supply Redundant hot swap power supply Availability Optional high-efficiency, hot plug, redundant power supplied; hot-plug drive bays; TPM; dual internal SD support; redundant fans; optional bezel; luggage tag; ECC memory; optional interactive LCD screen; extended thermal support; ENERGY STAR® compliant; switch independent partitioning Chasis Form factor: 2 U Rack Rack Support: ReadyRails II sliding rails for tool-less mounting in 4 post racks with square or unthreaded round holes or tooled mounting in 4-post threaded hole racks, with support for optional tool-less cable management arm (for rackable chasis mode only) Management Remote Management: Basic management (Default) iDRAC7 with Lifecycle controller or compatible iDRAC7 Express (upgrade option) or iDRAC7 Enterprise (upgrade option) or higher and compatible 8 GB or 16 GB vFlash media (upgrade options) System Management IPMI 2.0 compliant or compatible 0 penManage Power Centre 0 penManage Power Centre OpenManage Integration Suite for Microsoft System Centre plug-in for VMWare® vCentre® HP Operations Manager, IBM Tivoli® Netcool® and CA Network and Systems Management(NSM) Port 4 USB or more and 1 Serial and DVD – Read, Write and	10 Gb Converged	Gops in future	
Availability Optional high-efficiency, hot plug, redundant power supplied; hot-plug drive bays; TPM; dual internal SD support; redundant fans; optional bezel; luggage tag; ECC memory; optional interactive LCD screen; extended thermal support: ENERGY STAR® compliant; switch independent partitioning Chasis Form factor: 2 U Rack Rack Support: ReadyRails II sliding rails for tool-less mounting in 4 post racks with square or unthreaded round holes or tooled mounting in 4-post threaded hole racks, with support for optional tool-less cable management arm (for rackable chasis mode only) Management Remote Management: Basic management (Default) iDRAC7 with Lifecycle controller or compatible iDRAC7 Express (upgrade option) or iDRAC7 Enterprise (upgrade option) or higher and compatible 8 GB or 16 GB vFlash media (upgrade options) System Management IPMI 2.0 compliant or compatible OpenManage™ Essential and Management console OpenManage Power Centre OpenManage Integration Suite for Microsoft System Centre plug-in for VMWare® vCentrc® HP Operations Manager, IBM Tivoli® Netcool® and CA Network and Systems Management(NSM) Port 4 USB or more and 1 Serial and DVD – Read, Write and	Ethernet		
hot-plug drive bays; TPM; dual internal SD support; redundant fans; optional bezel; luggage tag; ECC memory; optional interactive LCD screen; extended thermal support; ENERGY STAR® compliant; switch independent partitioning Chasis Form factor: 2 U Rack Rack Support: ReadyRails II sliding rails for tool-less mounting in 4 post racks with square or unthreaded round holes or tooled mounting in 4-post threaded hole racks, with support for optional tool-less cable management arm (for rackable chasis mode only) Management Remote Management: Basic management (Default) iDRAC7 Express (upgrade option) or iDRAC7 Enterprise (upgrade option) or higher and compatible iDRAC7 Express (upgrade option) or iDRAC7 Enterprise (upgrade option) or or ompatible 0penManage TM Essential and Management console OpenManage Power Centre OpenManage Connections: OpenManage Integration Suite for Microsoft System Centre plug-in for VMWare® vCentre® HP Operations Manager, IBM Tivoli® Netcool® and CA Network and Systems Management(NSM) Port 4 USB or more and 1 Serial and DVD – Read, Write and	Power Supply	Redundant hot swap power supply	
2 U Rack Rack Support: ReadyRails II sliding rails for tool-less mounting in 4 post racks with square or unthreaded round holes or tooled mounting in 4-post threaded hole racks, with support for optional tool-less cable management arm (for rackable chasis mode only) Management Remote Management: Basic management (Default) iDRAC7 with Lifecycle controller or compatible iDRAC7 Express (upgrade option) or iDRAC7 Enterprise (upgrade option) or higher and compatible 8 GB or 16 GB vFlash media (upgrade options) System Management IPMI 2.0 compliant or compatible OpenManage TM Essential and Management console OpenManage Power Centre OpenManage Integration Suite for Microsoft System Centre plug-in for VMWare® vCentre® HP Operations Manager, IBM Tivoli® Netcool® and CA Network and Systems Management(NSM) Port 4 USB or more and 1 Serial and DVD – Read, Write and	Availability	hot-plug drive bays; TPM; dual internal SD support; redundant fans; optional bezel; luggage tag; ECC memory; optional interactive LCD screen; extended thermal support; ENERGY STAR® compliant; switch independent	
ReadyRails II sliding rails for tool-less mounting in 4 post racks with square or unthreaded round holes or tooled mounting in 4-post threaded hole racks, with support for optional tool-less cable management arm (for rackable chasis mode only)ManagementRemote Management: Basic management (Default) iDRAC7 with Lifecycle controller or compatible iDRAC7 Express (upgrade option) or iDRAC7 Enterprise (upgrade option) or higher and compatible 8 GB or 16 GB vFlash media (upgrade options) System Management IPMI 2.0 compliant or compatible OpenManage™ Essential and Management console OpenManage Power Centre OpenManage Integration Suite for Microsoft System Centre plug-in for VMWare® vCentre® HP Operations Manager, IBM Tivoli® Netcool® and CA Network and Systems Management(NSM)Port4 USB or more and 1 Serial and DVD – Read, Write and	Chasis		
Basic management (Default) iDRAC7 with Lifecycle controller or compatible iDRAC7 Express (upgrade option) or iDRAC7 Enterprise (upgrade option) or higher and compatible 8 GB or 16 GB vFlash media (upgrade options) System Management IPMI 2.0 compliant or compatible OpenManage™ Essential and Management console OpenManage Power Centre OpenManage Integration Suite for Microsoft System Centre plug-in for VMWare® vCentre® HP Operations Manager, IBM Tivoli® Netcool® and CA Network and Systems Management(NSM) Port		ReadyRails II sliding rails for tool-less mounting in 4 post racks with square or unthreaded round holes or tooled mounting in 4-post threaded hole racks, with support for optional tool-less cable management arm (for rackable chasis	
	Management	 Basic management (Default) iDRAC7 with Lifecycle controller or compatible iDRAC7 Express (upgrade option) or iDRAC7 Enterprise (upgrade option) or higher and compatible 8 GB or 16 GB vFlash media (upgrade options) System Management IPMI 2.0 compliant or compatible OpenManageTM Essential and Management console OpenManage Power Centre OpenManage Integration Suite for Microsoft System Centre plug-in for VMWare® vCentre® HP Operations Manager, IBM Tivoli® Netcool® and CA 	
	Port		

Monitor	21" Flat Screen
Warranty	5 years on site

B. Personal Computer (01 Number)

- **1.** Processor: Intel[®] CoreTM i5 or higher
- 2. Operating System: Windows (Latest version) with media
- 3. Memory: 2 GB DDR3 SD RAM or higher; 1600 MHz- 1x2 GB or higher
- **4.** Hard Drive- 3.5" 500 GB 7200 RPM SATA Hard Drive, 1x500 GB or higher
- 5. Monitor: 21" Widescreen flat panel monitor
- **6. Optical Drive**: HH SATA Tray Load DVD + RW
- **7.** Antivirus: QuickHeal or standard with five year validity
- **8.** Warranty: 5 years on site
- **C. Book Scanner**: Overhead scanner with simple one touch operations that can scan a wide variety of material- thick book, bound volume/document, loose paper, fragile information, business cards using VI technology using even illumination ensures steady images with accurate focus to A3 size, eliminates problems caused by ambient light and minimises uneven scans and can do Fast scanning in just 3 seconds up to A3 size with following specifications-
 - Scanning Technology- Lens reduction optics/Colour CCD x1; Light source (White LED + Lens illumination) x2
 - Type: Overhead
 - Interface: USB 2.0/USB 1.1. (connecter B type)
 - DPI: 300 or higher
 - Scanning range: A3, A4, A5, A6, B4, B5, B6, Post Card, Business Cards, Letter, Legal
- Warranty: Five years on site.