

NOTICE INVITING TENDER

Assam University, Silchar, invites sealed tender with a validity period of 90 (Ninety) days from the date of receipt of tender in prescribed format available in the Engineering Section of Assam University, Silchar from the Govt. registered contractors having Civil Registration of APWD/CPWD/MES/PSU of appropriate class and category having valid registration for the work as mentioned below:-.

| Name of Work | e of Work Estimated Cost | | EMD (in Rupees) | Cost of tender document | Last date of submission of tender | Due date and time for opening of sealed tender |
|---|---------------------------|----------------------|-----------------------|-------------------------|-----------------------------------|--|
| Construction of Canteen (Assam Type) near Warden Complex of Assam University, Silchar | ₹ 10,75,372.00 | 45 (forty five) days | ₹ 21,500/- | ক 500/- | 09.01.2018 Up to 2 pm. | 09.01.2018 at 3 pm |

The eligible Contractor who are financially sound and proficient in the similar nature of works are to quote their rate in item rate basis, rate should be inclusive of all taxes & incidental charges. Self attested copy of (i) Valid registration certificate (ii) PAN Card (Where PAN of the deductee is not available, Tax at higher of the prescribed rate or 20% will be deducted on all transactions) (iii) GST Registration (iv) Work experience on similar nature of work, (v) Bank solvency certificate, (vi) EPF registration (with last challan receipt copy), (vii) Certificate and undertaking of the Engineer to be employed, duly signed are to be enclosed with the tender without which the tender will not be accepted.

The interested bidder may examine the nature of work available in Engineering Section and visit the site to satisfy them about the scope of the work before submitting the tender. The duly filled in tender can be submitted hand in the Tender Box at Engineering Section, Administrative Building, Assam University, Silchar on 09.01.2018 up to 2 pm. Tenders will be opened on 09.01.2018 at 3 pm. in presence of the tenderers or their authorized representatives.

The tender document can be downloaded from University web site www.aus.ac.in for which non refundable tender fees of Rs 500/- per tender payable in DD (Drawn in favour of Assam University, Silchar) to be enclosed as application fees along with tender document & the Tender document can also be obtained from the Engineering Section on all working-days during 03.01.2018 to 09.01.2018 up to 12 noon. The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received by recording clear, logical reasons.

Assam University reserves the right to accept/reject any or all tender including lowest bidder by recording clear, logical reasons. Canvassing in any form will be a disqualification for submission of the tender including submission of tender to the university in future.

Executive Engineer

Date: 02.1.2018

File No. AU/Engg/Maint/Civil/117/2017

Copy to:-

PS to VC for kind information of the Hon'ble Vice-Chancellor

PS to Registrar for kind information of the Registrar

PS to Finance Officer for kind information of the Finance Officer

Director, Computer Centre for information & with a request to upload the aforesaid notice in University



TENDER

Name of Work: Construction of Canteen (Assam Type) near Warden Complex of Assam University, Silchar Campus

Estimated Amount: Rs 10,75,372.00

| Certified that the tender document contains (35) pages including the cover page. |
|--|
| Tender issued to: |
| Date of issue: |

Signature of issuing Officer of the University



(A Central University Constituted under Act. XXIII of 1989)

TENDER DOCUMENT

Name of Work: Construction of Canteen (Assam Type) near Warden Complex

of Assam University, Silchar Campus

Estimated Amount: Rs 10,75,372.00

Last date and time of submission

of tender paper :- 09.01.2018 up to 2 pm.

Date and time of **opening of Bid** : -09.01.2018 at 3 pm.

INSTRUCTIONS TO BE FOLLOWED:

- **EMD** to be sealed in envelope No.1
- **Technical Bid** is to be sealed in envelope No. 2 (Page no. 1-20)
- **Price Bid** is to be sealed in envelope No.3 (Page no. 21-35)
- Envelope No.1, 2 & 3 to be inserted in a single envelope, properly sealed and subscribing name of work, closing date & name of agency / contractor on the cover of the envelope.
- NB: Sealed Means: Sealing by Wax / Gum / Any type of Adhesive Tape etc but NOT pinned or stapled.



CHECK LIST OF DOCUMENTS

| 1. | Valid registration certificate (Xerox copy self attested) of | |
|------|---|-----------|
| | Central Govt./ State Govt./PSU (Proforma 2(a) | :Yes/No |
| 2 | | |
| 2. | Experience certificate: | |
| | Experience of executing similar nature works during the last seven years | |
| | with the record of completion [Proforma 3(a) (Xerox copy self attested)] | : Yes/No |
| | | |
| 3 | Bank solvency from nationalized Bank within one financial year | |
| 3. | | |
| | as per prescribed Proforma-2(b) (Xerox copy self attested) | : Yes/No |
| | [at least 40% of the Estimated Cost has to be mentioned in the certificate] | |
| | | |
| 4. | On going works statement (Xerox copy self attested) [Proforma 3(b)] | : Yes/No |
| | | |
| 5 | PAN CARD (Xerox copy self attested) | : Yes/No |
| ٥. | This Chief (Across copy sen attested) | . 103/110 |
| | | |
| 6. | GSTIN (Xerox copy self attested) | : Yes/No |
| | | |
| 7. | EPF registration certificate with last challan copy (Xerox copy self attested |): Yes/No |
| | | |
| 0 | Cantificate and undertaking from the Engineer analoged | . Vaa/Na |
| ٥. ١ | Certificate and undertaking from the Engineer employed | : Yes/No |
| | (Xerox copy self attested) | |
| | | |



(A Central University Constituted under Act. XXIII of 1989)

Name of Work: Construction of Canteen (Assam Type) near Warden Complex

of Assam University, Silchar Campus

Estimated Amount: Rs 10,75,372.00

CONTENTS

SECTION - I : NOTICE INVITING TENDER

SEC TION – II : PROFORMA OF SUBMISSION OF QUOTATION

SECTION – III : GENERAL RULES & DIRECTIONS

SECTION – IV : TERMS AND CONDITIONS GOVERNING THE TENDER

AND EXECUTION OF CONTRACT THEREOF



SECTION I – NOTICE INVITING TENDER ASSAM UNIVERSITY, SILCHAR

File No. AU/Engg/Maint/Civil/117/2017

NOTICE INVITING TENDER

Sealed tenders valid for 90 days are invited from Registered Civil Contractors having valid registration of CPWD/MES/State PWD/PSU/Central Autonomous Bodies of appropriate class and category for the following work at Assam University, Silchar.

| Tender No. | Name of work | Estimated Cost | Completion time | Earnest Money | Cost of tender document | Last date and time for submission of tender | Due date and time for opening of Bid |
|--|---|-----------------|----------------------------|------------------|-------------------------|--|---|
| File No. AU/Engg/ Maint/Civil /117/2017 | Construction of Canteen (Assam Type) near Warden Complex of Assam University, Silchar | Rs 10,75,372.00 | 45 (forty five) days | Rs 21,500/- | Rs 500/- | 09.01.2018 upto 2.00 PM | Opening of Bid:- 09.01.2018 at 3.00 PM |

The eligible contractors who are financially sound and proficient in the similar nature of works are to quote their rate in item rate basis. Rate should be inclusive of all taxes & incidental charges.

The tender document can be downloaded from University web site www.aus.ac.in for which non refundable tender fees of Rs 500/- per tender payable in DD (Drawn in favour of Assam University, Silchar) to be enclosed as application fees along with tender document & the Tender document can also be obtained from the Engineering Section on all working days during 03.01.2018 to 09.01.2018 up to 12 noon. The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received by recording clear, logical reasons.

Sd/-Executive Engineer

Date: 02.1.2018



TENDER CONDITIONS:

- 1. The Tenderer shall quote his rate as per NIT & the Terms and Conditions enclosed in the Tender document.
- 2. Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the University and local conditions and other factors having bearing on the execution of the work.
- 3. The Earnest Money Deposit (EMD) of Rs 21,500/- (Rupees Twenty one thousand five hundred) only mentioned above is absolutely mandatory and shall be enclosed along with the tender in the form of FDR /Call Deposit drawn in favour of the Assam University, Silchar from a scheduled /nationalized bank only, failing which the tender will not be accepted.
- 4. Tenders should be valid for 90 days from the date of opening of the tenders and may have to be extended further if considered necessary by the University. No reasons will be assigned for extension and no withdrawal shall be allowed. If any tenderer withdraws his tender before the said period or issue of letter of acceptance, which-ever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the University, then the University shall, without prejudice to any other right or remedy, be at liberty to forfeit the said Earnest Money Deposit.
- 5. The time allowed for completing the work will be 45(forty five) days from the issue of work order.
- 6. No Telex/ Tele fax/ Telegram/ E-mail of the Techno-Commercial and Price bids will be accepted. The University is not responsible for Postal/ Courier delays. The parties have to ensure the receipt of bids well in time.
- If the date of tender submission and opening happens to be unforeseen holiday, the same will be postponed to the next working day without any further intimation.



- 8. The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received without assigning of any reason thereof. All tenders in which any of the prescribed condition is not fulfilled or any condition put forth by the tenderer, shall be summarily rejected.
- 9. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tender submitted by the contractors who resort to canvassing will be summarily rejected.
- 10. The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received by recording clear, logical reasons.
- 11. This Notice Inviting Tender shall form a part of the contract document.
- 12. The successful tenderer/ contractor, on acceptance of his tender by the University, shall within 15 days from the stipulated date of start of the work sign the contract agreement in standard form consisting of the notice inviting tender, all the documents including additional conditions, specifications and drawings, if any, forming the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.
- 13. No materials will be supplied by the University.
- 14. In case of delay in completion of the work within the stipulated time due to reasons attributable to the contractor, Standard Liquidated Damage @ 0.1% of the tender accepted value shall be recovered for each day of delay from the final bill or the part there of subject to a maximum of 10%.
- 15. The contractor shall obtain a valid license under the contract labour (R&A) Act, 1970, and the contract labour central rules 1971, during the commencement of the work, and continue to have a valid license until the completion of the work. The contractor shall also abide by the provisions of the Child Labour (Prohibition and Regulation) Act, 1986 and other labour laws. Any failure to fulfill this requirement shall attract the penal provisions of this contract arising out of the resultant no execution of the work. No labour below the age of fourteen years shall be employed on the work.
- 16. The contractor should have experience of successfully completing government work either (i) single work which has 80% of estimated value, or (ii) at least two works each of 60% of estimated value, or (iii) at least three works each of 40% of estimated value, put to tender with some Central Government Department/ State Government Department/ Central Autonomous Body/ Central Public Sector undertaking. The work order as well as completion certificate (original/ self attested copy) for similar nature of works should be attached failing which the bid will not be considered.
- 17. EPF registration is mandatory which is to be submitted along with the last challan receipt during submission of tender document.



- 18. During Opening of tender only representative duly authorized by the agency / contractor will be allowed to be present.
- 19. All relevant documents submitted with the tender should be self attested (by the agency/ contractor) and on demand original copy must be produced failing which tender will not be considered.
- 20. Authenticity of signatory (contractor) of tender document will be verified before finalization of tender document.
- 21. Tax at higher of prescribed rate or 20% will be deducted on all transactions liable to TDS, where the permanent Account Number (PAN) of the deductee is not available.
- 22. In case of any dispute, it would be referred to a sole Arbitrator to be appointed by the University authority. The decision of the sole Arbitrator will be final and binding to both the parties.
- 23. 10% security money will be retained by the University from the bill value which shall be released after 01(one) year of satisfactory completion of work.
- 24. EMD of unsuccessful bidder shall be released within 02 (two) months after issue of work order to the successful bidders.
- 25. If the work is found not as per specification or abandoned by the executing contractor/agency, same will be cancelled and remaining work will be done through other contractor/agency at their cost & risk.
- 26. An Engineer (Civil), diploma with minimum five years experience in the required field or B.E. (Civil Engg) must be engaged by the contractor (Whose certificate duly self-attested, one copy photo & an undertaking by the Engineer in original is to be enclosed with the technical bid failing which the tender will not be considered) to supervise the work. The Engineer engaged must be familiar with all the works specified in the contract & must be acquainted with CPWD specification, manual etc. The engagement of engineer is not mandatory for Contractor possessing technical qualification.
- 27. Detailed computerized measurement entry in the measurement sheet (location wise) has to be made by the contractor and to be submitted to Engineering Section (AUS) for joint verification by the University Engineers and the Contractor. The joint verification has to be arranged by the Contractor.
- 28. Before procuring any major items like cement/ steel/ tiles/ coarse & fine sand/ stone aggregate etc., the Contractor must take prior permission/ submit test report as per the direction of engineering section.
- 29. The Contractor has to arrange water supply at his own cost for his site office as well as for all construction works to be executed by him. As the University has acute water crisis problem, so University will not be able to supply water.
- 30. Bank solvency certificate as per our enclosed format is to be issued by any schedule/ nationalized bank which is to be enclosed by the Contractor in the Technical Bid, failing which the Bid will be rejected.
- 31. Those bidders, who accept the above terms and conditions, may submit their tender along with all relevant documents and a copy of above terms and conditions of the tender duly signed.

Sd/-**Executive Engineer**



SECTION – II: PROFORMA FOR SUBMISSION OF TENDER

| To, |
|---|
| Executive Engineer Assam University, Silchar – 788 011 |
| <u>Subject</u> : Construction of Canteen (Assam Type) near Warden Complex of Assam University, Silchar Campus |
| Sir, |
| Having carefully examined and read the Notice Inviting Tender, Tender documents and all other documents attached regarding Tender No. Au/Engg/Maint/Civil/117/2017 dated |
| |
| I/We certify that we have carefully read each and every condition and Technical specifications given in this Tender Documents and understood the same, and I/ We conform our acceptance of the same. I/We agree to abide by this tender initially for a period of 90 days from the last day fixed for opening of Tender by the University and it shall remain binding on me/us and order may be accepted at any time before the expiry of that period. |
| I/We hereby undertake not to withdraw from this Tender, during this period of 90 days . However, if I/ We withdraw it, the University shall have right to invoke the Earnest Money without reference to me/us. |
| Should this Tender be accepted by the University I/we hereby agree to abide by and fulfill all terms and conditions of Tender Documents and in default thereof. |
| I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/ confidential documents and shall not communicate information derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the University. |
| Signature of tenderer: |



SECTION – III: GENERAL RULES AND DIRECTIONS

1. SUBMISSION OF TENDER

- (a) The General Conditions of Contract for CPWD Works shall be the guiding principles for this work. Tenderers are advised to procure the same and familiarize themselves with the provisions of the above mentioned Conditions of Contract.
- (b) The University reserves the right to alter, modify any Tender Conditions, technical specifications etc., before tender opening and may seek fresh quotation depending upon necessity, and may even withdraw/ cancel the tender, without assigning any reason what so ever.
- (c) All amendments/ revisions to tender documents issued by the University, if any, must be signed and submitted along with the tender. The tenderers are advised to submit the tender based strictly on the terms and conditions and specifications contained in the tender documents, and not to stipulate any deviations.
- Insertion, postscript, addition and alteration shall not be recognized unless confirmed by the Tenderers signature.In the event of the tender being submitted by a firm, it must be signed separately by each partner thereof or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power of attorney.

TENDERER TO INFORM HIMSELF FULLY

The tenderer is required to carefully examine the technical specifications and other details relating to the work given in the Tender documents and fully inform himself as to all conditions and matters that may effect the work or the cost thereof. The tenderer shall be deemed to have independently obtained all necessary information for the purpose of submitting the tender and his tender as accepted shall be deemed to have taken into account all contingencies as may arise due to such information or lack of the same.

PARTICULARS OF TENDER

Last date and time for submission of tender : Engineering Section, Assam University,

Silchar by 09.01.2018 upto 2.00 PM

Date and Place of opening of Bid : Engineering Section, Assam University,

Silchar, **Opening of Bid** on:- 09.01.2018

at 3.00 PM



Validity of tender

: Tender shall remain valid for acceptance for a period of not less than **90 days**.

CLARIFICATIONS

The Tender Document issued is complete in all respect and no further clarifications are elaborated. However, in so far Technical Clarifications if any are concerned even though not binding on University can be ascertained from the University.

QUOTATION OF PRICE / RATES

This being item rate tender, the tenderer shall state at what rate he will be willing to undertake the work. Rate should be quoted in item rate basis.

COMPLETION TIME

The completion time is the essence of the contract. The Tenderer shall complete the work within the period indicated in the Notice Inviting Tender.

TRANSFER OF TENDER DOCUMENTS/ TENDERS

Transfer of tender documents purchased by one tenderer to another is not permissible. Similarly transfer of tenders submitted by one tenderer to another is not permissible under any circumstances. The alteration of essence of tender once submitted is also not permissible.

LANGUAGE

The Tender shall be submitted in English language only.

EARNEST MONEY DEPOSIT

- 1. The tender must be accompanied by the Earnest Money Deposit pledged in favour of Assam University, Silchar, in the form of Demand Draft / FDR/Call Deposit as indicated in the Notice Inviting Tender. If the tenderer after submitting his tender resigns from his offer or modify the Terms and Conditions thereof in a manner not acceptable to the University, the Earnest Money will be forfeited. Tenders not accompanied by the earnest money deposit will not be considered and will be summarily rejected.
- 2. On Non-acceptance of tender, but in any case not earlier than the expiry date of the period for which the tender is kept open, the Earnest Money shall be discharged.



- 3. Should the Tender in question be withdrawn or cancelled by the University, which the University shall have the right to do at any time, Earnest Money will be discharged.
- 4. Should the successful tenderer fail or refuse to duly sign the contract within the period fixed by the University or fail/refuse to commence the work within the stipulated time, the Earnest Money shall be forfeited without prejudice to his being liable for any further loss or damage incurred in consequence by the University.

5. NO CLAIM FOR COMPENSATION FOR SUBMISSION OF TENDER

The Tenderer whose tender is not accepted shall not be entitled to claim any costs, charges and expenses of any incidental to or incurred by him thorough or in connection with his submission of tender, even though the University may modify/ withdraw the Tender.

6. LOWEST TENDER NOT NECESSARILY TO BE ACCEPTED

The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received by recording clear, logical reasons.

7. TENDER EVALUATION

The Tenders received and accepted will be evaluated to ascertain the best and lowest workable tender in the interest of the University, for the complete work covered under the technical specifications and documents.



SECTION – IV: TERMS AND CONDITIONS GOVERNING THE TENDER AND EXECUTION OF CONTRACT THEREOF

1. DEFINITIONS

a) Unless otherwise required by the subject or context the terms herein below shall have the following meanings.

The **Contract** means the documents forming the tender and acceptance thereof and the formal agreement executed between the competent authority on behalf of Assam University and the Contractor, together with the documents referred to therein including these conditions, the specifications, designs, drawings and instructions issued from time to time by the Executive Engineer, Assam University and all the these documents taken together, shall be deemed to form one contract and shall be complementary to one another.

- **b) Client** means Assam University acting through the Registrar, Assam University, Silchar.
- c) The Contractor shall mean the individual, firm or company, whether incorporated or not, undertaking the works and shall include the legal personal representative of such individual or the persons composing such firm or company, or the successors of such firm or company and the permitted assigns of such individual, firm or company.
- **d**)The expression **works** or **work** shall, unless there be something either in the subject or context repugnant to such construction, be construed and taken to mean the works by or by virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.
- **e)** The **site** shall mean the land/ or other places, on, into or through which work is to be executed under the contract or any adjacent land, path or street which may be allotted or used for the purpose of carrying out the contract.
- f) Tender Value means the value of the entire work as stipulated in the letter of award
- **g)** Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculine gender shall whenever required include feminine gender and vice versa.
- **h**) As stated in Section III, Clause 1.1, the General Conditions of Contract for Central PWD Works shall be the guiding principles for this tender. The Clauses of Contract mentioned therein shall also be applicable herein and only those Clauses that need addition, emphasis and modification in context of this tender are enumerated below. Contractors are once again advised to familiarize themselves with the General Conditions of Contract for Central PWD Works.

2. SIGNING OF CONTRACT AGREEMENT

i. On the tender being accepted by the Client, a formal contract may be signed and executed by and between the Client and the successful tenderer within a time to be fixed by the Client, which shall anyhow be within 15 days from the stipulated date of start of the work.



ii. The contractor shall be furnished, free of cost one certified copy of the contract documents except standard specifications, Schedule of Rates and such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of these documents shall be used for any purpose other than that of this contract.

3. SCOPE OF WORK

- i. The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plants, equipment and transport which may be required in preparation of and for and in the full and entire execution and completion of the works. The descriptions given in the Schedule of Quantities shall, unless otherwise stated, be held to include wastage on materials, carriage and cartage, carrying and return of empties, hoisting, setting, fitting and fixing in position and all other labours necessary in and for the full and entire execution and completion of eh work as a aforesaid in accordance with food practice and recognized principles.
- ii. The contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates and prices quoted in price bid which rates and prices shall, except as otherwise provided, cover all his obligations under the Contract and all matters and things necessary for the proper completion and maintenance of the works.

4. DISCREPANCIES AND ADJUSTMENT OF ERRORS

- i. The several documents forming the Contract are to be taken as mutually explanatory of one another, detailed drawings being followed in preference to small scale, drawing and figured dimensions in preference to scale and special conditions in preference to General Conditions.
- ii. If there are varying or conflicting provisions made in any one document forming part of the contract, the Executive Engineer, Assam University shall be the deciding authority with regard to the intention/interpretation of the document and his decision shall be final and binding on the contractor.
- iii. Any error in description, quantity or rate in Schedule of Quantities or any omission there from shall not vitiate the contract or release the Contractor from the execution of the whole or any part of the works comprised therein according to drawings and specifications or from any of his obligations under the contracts.



5. TERMS OF PAYMENT

Subject to any deduction, which the client may be entitled to make under the Contract, all payments to contactor for the work will be made on completion of the work as per approved specifications through digital mode by direct credit to the bank account of the contractor on satisfactory completion report and signing of the computerized Measurement Book & bill by Site (i/c) of the proposed work and Executive Engineer without which payment will not be released. The Computerized measurement sheet must be submitted by the concerned contractor of the work for verification by the site i/c and Executive Engineer before finalization of payment of bill.

6. SECURITY DEPOSIT

10% Security Deposit will be retained by the University from the bill value, which shall be released after one year from the date of completion of the work. During this defect liability period, any defect(s) in the work done shall be rectified by the Contractor at his/her own cost and expenses, failing which recovery shall be done from the security deposit in part or full as the case may be.

7. RELEASE OF SECURITY DEPOSIT

Release of the security deposit will be done after 12 months of final acceptance of the work by the Assam University, Silchar.

8. SUB CONTRACTING OF THE WORK

The Contractor is not permitted to assign or transfer his/ their obligation or benefit under the contract either in full or in part to other individuals/ firms / agencies. However, under extreme circumstances where sub-contracting of part of the work is unavoidable, prior written permission of Client shall be taken by the Contractor.



ANNEXURE - I

CHECKLIST

- 1. Proforma of details of Contractor's Registration 2(a)
- 2. Proforma of Bank Solvency Certificate 2 (b)
- 3. Proforma of Similar works executed during the last 7 years 3(a)
- 4. Proforma of list of on-going works 3 (b)

DETAILS OF CONTRACTOR'S REGISTRATION

| 1. N | lame of the agency / Contractor | : | | |
|------|---------------------------------|---|--|--|
| 2. N | lame of the department issued | : | | |
| C | ontractor's registration | | | |
| 3. | Registration No. | : | | |
| 4. | Class of registration | : | | |
| 5. | Category of registration | : | | |
| 6. | Tender limit | : | | |
| 7. | Validity period | : | | |
| | | | | |

Copy of Registration certificate to be enclosed

Signature of agency / contractor



FORM OF SOLVENCY CERTIFICATE FROM A SCHEDULED BANK

| 7 | This | s is to co | ertify | that to | the | best | of our know | ledge | and | l inf | ormat | ion |
|--------|------|-------------------------|--------|----------|-------|-------|-----------------|--------|------|-------|------------------------|-----|
| M/S/Sı | ri | | | | | | | | | ŀ | naving | I |
| margin | ally | y noted a | addre | ess, a o | custo | mer d | of our bank a | re/ is | resp | ect | able a | and |
| can b | е | treated | as | good | for | any | engagemen | t up | to | а | limit | of |
| Rs | | | | | | (F | Rupees | | | | | |
| | | | | | | | | | | | .). | |
| | | s certification control | | | | hout | any guarante | ee or | resp | ons | sibility | on |
| | | | | | | | | | F | • | <i>gnatu</i> the Ba | , |
| Note: | In | case o | f pai | tnershi | p fir | m, ce | rtificate to in | nclude | all | par | tners | as |

18

Signature of agency/contractor

recorded with the Bank.



EXPERIENCE

3. (a) CIVIL WORKS:

List of similar works executed during preceding 7 years

| SI. No. | Name of work with brief particular thereof | Date of commencement | Date of completion as per work order | of | Contract Amount (Rs.) | Name of client, contact with his complete address phone No. |
|---------|--|----------------------|--------------------------------------|----|-----------------------------|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |

Add extra sheet if required.

Signature of the Company/Contractor Seal of the company / Contractor

Date:

NOTE: Original or self-attested copies of work order & completion certificates from clients shall be attached.



3. (b) LIST OF ONGOING WORKS:

| SI. No. | Name of work with brief particular thereof | Date of commencement | Date of completion as per work order | Contract Amount (Rs.) | Name of client, contact with his complete address phone No. |
|------------|--|----------------------|--------------------------------------|-----------------------------|---|
| | | | | | |
| | | | | | |
| | | | | | |

Signature of the Company/Contractor

Seal of the company / contractor

Date:

Add extra sheet if required.

NOTE: Original or self-attested copies of work order from clients shall be attached.



Price Schedule of Quantity Estimated Cost: Rs 10,75,372.00



Name of Work: - Construction of Canteen (Assam Type) near Warden Complex of Assam University Silchar

| SL | Description of Item | Quantity / | Ra | ate (in Rs) | Amount | |
|-----|---|---------------|-----------|-------------|---------|--|
| No. | | Unit | In figure | In words | (in Rs) | |
| 1 | Earthwork in excavation for foundation trenches of walls, retaining walls, footings of column, steps, septic tank etc. including refilling (return filling) the quantity as necessary after completion of work, breaking clods in return filling, dressing, watering and ramming etc. and removal of surplus earth with all lead and lifts as directed and specified in the following classification of soils including bailing out water where necessary as directed and specified. (A) Up to a depth of 2.00m below the existing ground level. (a) In ordinary soil | 354.00 cum | | | | |
| 2 | Providing soling in foundation and under floor with stone/best quality picked Jhama brick, sand packed and laid to level and in panel after preparing the subgrade as directed including all labour and materials and if necessary dewatering, complete. (a)Brick on flat soling. | 147.00 sqm | | | | |
| 3 | Plain cement concrete works with coarse aggregate of sizes 13mm to 32mm in foundation bed for footing steps, walls, brick works etc. as directed and specified including | 5.60 cum | | | | |

| SA C | | ¥Z | HOLL |
|------|----|---------|------|
| Sa | Ø. | ap fitt | S S |

| | | | 7000 | |
|--------|----------------------------------|-------|------|--|
| | dewatering if necessary, and | | | |
| | curing complete (shuttering | | | |
| | where necessary shall be | | | |
| | measured and paid | | | |
| | separately). | | | |
| | (a) In prop 1cement: 3 sand | | | |
| | :6 coarse aggregate by volume | | | |
| | Providing form work of | | | |
| | ordinary timber planking so as | | | |
| | | | | |
| | to give a rough finish including | | | |
| | cantering, shuttering, strutting | | | |
| | and propping etc., height of | | | |
| | propping and cantering below | | | |
| | supporting floor to ceiling not | 10.00 | | |
| 4 (i) | exceeding 4.0M and removal | sqm | | |
| | of the same for in-situ | 34 | | |
| | reinforced concrete and plain | | | |
| | concrete work in: | | | |
| | Foundation, footings, bases of | | | |
| | columns, pile cap, raft and | | | |
| | mass concrete works etc. | | | |
| | (a) Using 38mm thick plank | | | |
| | Sides of tie beams, grade | | | |
| (ii) | beams etc. at or below ground | 37.00 | | |
| | level. | sqm | | |
| | (a) Using 38mm thick plank | • | | |
| | Columns, Pillars, Posts & Strut | | | |
| | (a) Square, Rectangular, | | | |
| (iii) | polygonal in plan or any shape | 68.80 | | |
| | like Tee/L etc. having plane | sqm | | |
| | vertical face | 34111 | | |
| | (i) Using 38mm thick plank | | | |
| | Sides and Soffits of Beams, | | | |
| | beam hunching, cantilever | | | |
| | girders, bressumers, lintels | | | |
| (is 1) | and horizontal ties. | 66.60 | | |
| (iv) | | sqm | | |
| | (a) For depth not exceeding | | | |
| | 1.0M. | | | |
| | (i) Using 38mm thick plank | | | |
| | Flat Surfaces such as soffits of | | | |
| (v) | suspended floors, roofs, | 4.50 | | |
| (' ' | landings, cantilever slabs, | sqm | | |
| | chajjas, balconies and the like. | | | |



| | | | | 1 |
|------|----------------------------------|-------|--|---|
| | (a) Floors etc. up to 200mm in | | | |
| | thickness. | | | |
| | (i) Using 38mm thick plank | | | |
| | Supplying, fitting and fixing in | | | |
| | position reinforcement bars | | | |
| | conforming to relevant I.S. | | | |
| | Code for R.C.C. work/ R.B. | | | |
| | walling including | | | |
| | straightening, cleaning, cutting | | | |
| | | | | |
| | and bending to proper shapes | | | |
| | and length as per details, | | | |
| | supplying and binding with | | | |
| | 20G annealed black wire and | | | |
| | placing in position with proper | | | |
| 5 | blocks, supports, chairs, | 11.95 | | |
| 5 | spacers etc. complete. | Qtl | | |
| | (No extra measurement for | | | |
| | lap, hook, chair, anchor etc. | | | |
| | will be entertained in the | | | |
| | measurement as they are | | | |
| | included in the rate) (Up to 1st | | | |
| | floor level) | | | |
| | a) From Primary Producer: | | | |
| | TATA/SAIL/Esser Steel/ Jindal | | | |
| | steel/Shyam steel/RINL | | | |
| | (i) TMT Corrosion resistant | | | |
| | steel (CRS) reinforcement bar | | | |
| | Providing and laying | | | |
| | plain/reinforced cement | | | |
| | concrete works cement, | | | |
| | coarse sand & 20mm | | | |
| | downgraded stone aggregate | | | |
| | including dewatering if | | | |
| | necessary, and curing | | | |
| | complete but excluding cost of | | | |
| 6(i) | form work and reinforcement | 9.31 | | |
| 0(1) | for reinforced cement | Cum | | |
| | concrete work (form work and | | | |
| | reinforcement will be | | | |
| | measured and paid separately) | | | |
| | (I) Using Mixer Machine | | | |
| | (A) In substructure up to | | | |
| | plinth level | | | |
| | - | | | |
| | Foundation, footing, columns | | | |

| SA. | W.V. | VI. | Z | ż | ACH. |
|-----|------|-----|---|-----|------|
| Sa | | 71 | | 人の悪 | 5 |

| | with base tie and plinth beam, pile cap, base slab, retaining walls, walls of septic tank, inspection pit and the like and other works not less than 100mm thick up to plinth level. N) Without using admixture, plasticiser b) M20 grade concrete or Prop. 1:1.5:3 | | | |
|-------|--|--------------|--|--|
| 6(ii) | In super structure from plinth level up to 1st floor level. ii) Columns, pillars, posts, struts, suspended floor, roof, landing, shelf and support, balcony, lintel, sill band, beam, girder, bressumer, cantilever, staircase (except spiral staircase and landing) including preparing the top surface and finishing of nosing. N) Without using admixture, plasticiser b) M20 grade concrete or Prop. 1:1.5:3 | 9.42 cum | | |
| 7(i) | Brick work in cement mortar with 1st class brick including racking out joints and curing complete as directed. (I) In Sub-structure upto plinth level including dewatering if necessary (b) In proportion 1:4. | 9.28 cum | | |
| (ii) | (II) In superstructure above plinth level up to 1st floor level. (b) In proportion 1:4.(1 cement:4 sand) | 18.62 cum | | |
| 8 | 25 mm thick cement concrete topping 1:2:4 (1cement : 2 coarse sand : 4 coarse aggregate of 12 mm nominal size) finished with a floating | 91.00 sqm | | |

| SAM | III. | allCHA |
|-----|---------|--------|
| 4 | of spec | 5 |

| | coat of neat cement finish to be laid in panels including | | | |
|----|---|---------------|--|--|
| | curing complete as directed. | | | |
| 9 | Earth/ sand filling in plinth in layers not more than 150mm thick including necessary carriage, watering, ramming etc. complete as directed and specified including payment of land compensation, forest royalty, sales tax and other duties and taxes as may be necessary. (a) With earth or silt or sand obtained by head load with lead up to 90m and lift up to 2m | 40.95 cum | | |
| 10 | Plain cement concrete apron in prop 1:4:8 with 20mm downgraded coarse agg. Over soling including neat cement finish using cement slurry 2.75Kg. of cement per sq.m. of floor (soling to be measured separately). (b) 50mm thick | 43.20 sqm | | |
| 11 | in single coat on single or half brick wall for interior plastering up to 1st floor level including arises, internal rounded angles, not exceeding 80mm girth and finished even and smooth including curing complete as directed. B) On fair side b) In cement mortar 1:4 | 438.46 sqm | | |
| 12 | Providing Antiskid Tiles of approved quality size, shape not less than 8mm on floor, skirting over a cement mortar bed 15mm thick of 1:3 (1 cement: 3 coarse sand) approved make fix with Fix-A- | 2.40 sqm | | |



| | Tile | | | |
|-----|----------------------------------|------|--|--|
| | (Choksey/Sika/Pedelite/Rouf)/ | | | |
| | white cement complete at all | | | |
| | level as specified and directed. | | | |
| | (A) CERAMIC | | | |
| | i)Normal range (Sizes 300 mm | | | |
| | x 300mm and above) | | | |
| | (a)Orient made: Galaxy | | | |
| | Brown, Galaxy creama, Galaxy | | | |
| | Pink, Galaxy Green, Pulsar | | | |
| | Beige, Pulsar Blue, Pulsar | | | |
| | Dove, Pulsar Pink, Burj Brown, | | | |
| | Burj Green, Burj Slate | | | |
| | Providing, fitting and fixing | | | |
| | anodised aluminium sliding | | | |
| | windows and ventilators of | | | |
| | standard sections of approved | | | |
| | brand without horizontal | | | |
| | glazing bars, joints mitred and | | | |
| | welded (manufactured to | | | |
| 4.0 | relevant IS specifications) and | 5.40 | | |
| 13 | providing and fixing handles, | sqm | | |
| | angle cleat, rubber gasket, | • | | |
| | roller, bolting device, locking | | | |
| | arrangements, screws etc as | | | |
| | required complete as specified | | | |
| | and directed for all levels. | | | |
| | (b)3 Track sliding window | | | |
| | (iv) 5 mm clear glass | | | |
| | Providing, fitting and fixing | | | |
| | factory made Santo Flush | | | |
| | door shutters having core & | | | |
| | cross bands fabricated from | | | |
| | seasoned 1st class timber, | | | |
| | 25mm core battens, 2.5mm to | | | |
| | 3.5mm uniformly thick cross | 6.20 | | |
| 14 | bands, styles & rails made | 6.30 | | |
| | from hardwood timber of | sqm | | |
| | width not less than 50mm, | | | |
| | fixed to the door frames (chow | | | |
| | Kath) with necessary hinges, | | | |
| | screws, bolts etc. as specified | | | |
| | and directed at all levels (Door | | | |
| | fixtures and fittings to be | | | |



| measured and paid separately.) (b) 35mm thick Providing, fitting and fixing PVC Door shutters of Droplets DPS 3720 make made from extruded PVC stiles and rails made from rigid PVC multicity hollow chamber section of size 90mmx37mm (Toletance+1mm). The corners of the stiles and rails shall be metred out and fixed to each other with the help of solid plastic L-shaped brackets or M.S. rectangular tubular galvanised two nos of size 200mmx100mm and 100mmx100mm and 100mmx100mm at each corner by self tapping steel screws. PVC multicity hollow section of size 105mmx37mm shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
|--|
| (b) 35mm thick Providing, fitting and fixing PVC Door shutters of Droplets DPS 3720 make made from extruded PVC stiles and rails made from rigid PVC multicity hollow chamber section of size 90mmx37mm (Toletance+1mm). The corners of the stiles and rails shall be metred out and fixed to each other with the help of solid plastic L-shaped brackets or M.S. rectangular tubular galvanised two nos of size 200mmx100mm and 100mmx100mm at each corner by self tapping steel screws. PVC multicity hollow section of size 105mmx37mm shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
| Providing, fitting and fixing PVC Door shutters of Droplets DPS 3720 make made from extruded PVC stiles and rails made from rigid PVC multicity hollow chamber section of size 90mmx37mm (Toletance+ 1mm). The corners of the stiles and rails shall be metred out and fixed to each other with the help of solid plastic L-shaped brackets or M.S. rectangular tubular galvanised two nos of size 200mmx100mm and 100mmx100mm and 100mmx100mm at each corner by self tapping steel screws. PVC multicity hollow section of size 105mmx37mm shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
| PVC Door shutters of Droplets DPS 3720 make made from extruded PVC stiles and rails made from rigid PVC multicity hollow chamber section of size 90mmx37mm (Toletance+ 1mm). The corners of the stiles and rails shall be metred out and fixed to each other with the help of solid plastic L- shaped brackets or M.S. rectangular tubular galvanised two nos of size 200mmx100mm and 100mmx100mm at each corner by self tapping steel screws. PVC multicity hollow section of size 105mmx37mm shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
| DPS 3720 make made from extruded PVC stiles and rails made from rigid PVC multicity hollow chamber section of size 90mmx37mm (Toletance+ 1mm). The corners of the stiles and rails shall be metred out and fixed to each other with the help of solid plastic L-shaped brackets or M.S. rectangular tubular galvanised two nos of size 200mmx100mm and 100mmx100mm at each corner by self tapping steel screws. PVC multicity hollow section of size 105mmx37mm shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
| extruded PVC stiles and rails made from rigid PVC multicity hollow chamber section of size 90mmx37mm (Toletance+ 1mm). The corners of the stiles and rails shall be metred out and fixed to each other with the help of solid plastic L-shaped brackets or M.S. rectangular tubular galvanised two nos of size 200mmx100mm and 100mmx100mm at each corner by self tapping steel screws. PVC multicity hollow section of size 105mmx37mm shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
| made from rigid PVC multicity hollow chamber section of size 90mmx37mm (Toletance+ 1mm). The corners of the stiles and rails shall be metred out and fixed to each other with the help of solid plastic L- shaped brackets or M.S. rectangular tubular galvanised two nos of size 200mmx100mm and 100mmx100mm at each corner by self tapping steel screws. PVC multicity hollow section of size 105mmx37mm shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
| hollow chamber section of size 90mmx37mm (Toletance+ 1mm). The corners of the stiles and rails shall be metred out and fixed to each other with the help of solid plastic L- shaped brackets or M.S. rectangular tubular galvanised two nos of size 200mmx100mm and 100mmx100mm at each corner by self tapping steel screws. PVC multicity hollow section of size 105mmx37mm shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
| 90mmx37mm (Toletance+ 1mm). The corners of the stiles and rails shall be metred out and fixed to each other with the help of solid plastic L-shaped brackets or M.S. rectangular tubular galvanised two nos of size 200mmx100mm and 100mmx100mm at each corner by self tapping steel screws. PVC multicity hollow section of size 105mmx37mm shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
| 1mm). The corners of the stiles and rails shall be metred out and fixed to each other with the help of solid plastic L-shaped brackets or M.S. rectangular tubular galvanised two nos of size 200mmx100mm and 100mmx100mm at each corner by self tapping steel screws. PVC multicity hollow section of size 105mmx37mm shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
| stiles and rails shall be metred out and fixed to each other with the help of solid plastic L-shaped brackets or M.S. rectangular tubular galvanised two nos of size 200mmx100mm and 100mmx100mm at each corner by self tapping steel screws. PVC multicity hollow section of size 105mmx37mm shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
| out and fixed to each other with the help of solid plastic L-shaped brackets or M.S. rectangular tubular galvanised two nos of size 200mmx100mm and 100mmx100mm at each corner by self tapping steel screws. PVC multicity hollow section of size 105mmx37mm shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
| with the help of solid plastic L- shaped brackets or M.S. rectangular tubular galvanised two nos of size 200mmx100mm and 100mmx100mm at each corner by self tapping steel screws. PVC multicity hollow section of size 105mmx37mm shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
| shaped brackets or M.S. rectangular tubular galvanised two nos of size 200mmx100mm and 100mmx100mm at each corner by self tapping steel screws. PVC multicity hollow section of size 105mmx37mm shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
| rectangular tubular galvanised two nos of size 200mmx100mm and 100mmx100mm at each corner by self tapping steel screws. PVC multicity hollow section of size 105mmx37mm shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
| two nos of size 200mmx100mm and 100mmx100mm at each corner by self tapping steel screws. PVC multicity hollow section of size 105mmx37mm shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
| 200mmx100mm and 100mmx100mm at each corner by self tapping steel screws. PVC multicity hollow section of size 105mmx37mm shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
| 15 Screws. PVC multicity hollow section of size 105mmx37mm shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
| corner by self tapping steel screws. PVC multicity hollow section of size 105mmx37mm shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
| screws. PVC multicity hollow section of size 105mmx37mm shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
| section of size 105mmx37mm shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
| shall be fixed in the middle by aluminium cleat and steel screws as lock rail. The section |
| aluminium cleat and steel screws as lock rail. The section |
| screws as lock rail. The section |
| |
| frame shall then be filled with |
| PVC panels of approved colour |
| of size 100mmx20mm. Then |
| two numbers of bright steel |
| rods of 6mm diameter shall be |
| inserted horizontally through |
| stiles and panels with two |
| numbers of checkouts and |
| washers all complete as |
| specified and directed at all |
| levels. (Door fixtures and |
| fittings to be measured and |
| paid separately) |
| Distempering two coats with |
| oil bound distemper of |
| approved brand and 432.00 |
| manufacture and of required sqm |
| shade on new wall surface to |
| give an even shade, over and |



| | | | 4000 | |
|----|---|---------------|------|--|
| | including a priming coat with distemper primer of approved brand and manufacture after thoroughly brooming the surface free from mortar droppings and other foreign matter and including preparing surface even and sand papered smooth. | | | |
| | (i)Priming coat with distemper primer | | | |
| 17 | c) Applying one coat of distemper primer of approved brand and manufacture on wall surface after thoroughly brushing the surfaces free from mortar droppings and other foreign matter and including preparing the surface even and sand papered smooth. | 432.00 sqm | | |
| 18 | Finishing old / new wall with water proofing weather coat smooth anti-fungal exterior painting of approved make of Berger paint of required shade after cleaning and clearing the surface etc. including scaffolding complete as directed at all levels (two coats) | 432.00 sqm | | |
| 19 | PEDESTAL BASIN (with pedestal) (A) Parry ware Make (a) White (iv) Cascade NXT 550 x 440 with long Pedestal (Cat. No.C0404/C0380) | 02 nos | | |
| 20 | Supplying fitting and fixing approved uPVC Pipes of different sizes, with all necessary 'R' brand or similar approved P.V.C. Fittings such as bend, tee, elbow, reducer, | 30.00 Rm | | |



| | nipple, plug, long screw fitting, | | | |
|----|-----------------------------------|-----|--|--|
| | clamps etc. complete at all | | | |
| | levels including below G.L. as | | | |
| | directed and specified. | | | |
| | (B) Concealed by chieselling or | | | |
| | breaking brick wall/ C.C. wall/ | | | |
| | R.C.C. wall and making good to | | | |
| | the damaged structure. | | | |
| | d) 25 mm dia | | | |
| | Supplying, fitting and fixing | | | |
| | PVC flushing cistern with all | | | |
| | internal fittings with CI | | | |
| | brackets including fitting and | | | |
| | fixing standard size CP flush | | | |
| | pipe, union clamps etc. | 01 | | |
| 21 | compete as directed and | no | | |
| | specified (pipes will be | 110 | | |
| | measured separately) | | | |
| | i) Parryware make | | | |
| | a) White | | | |
| | (ii) Deluxe Single Flush (Cat. | | | |
| | No. C8091/C8057) | | | |
| | Providing fitting and fixing | | | |
| | vitreous china flat back type | | | |
| | lipped front urinal basin with | | | |
| | standard flush pipe and CP | | | |
| | brass spreader and brass | | | |
| | unions, etc. complete | | | |
| 22 | including painting of fittings | 01 | | |
| | and brackets, cutting and | no | | |
| | making good the walls & | | | |
| | floors wherever required. | | | |
| | (A) Parry ware Make | | | |
| | (a) White | | | |
| | (iv) Flat Back (Cat. | | | |
| | No.C0501/72) | | | |
| | Providing fitting and fixing | | | |
| 23 | Mirror with plastic frame of | 02 | | |
| | size 500x400mm complete as | nos | | |
| | directed and specified. | | | |



| | 1 | 1 | ı | |
|----|--|-----------|---|--|
| 24 | Providing, fitting and fixing recessed soap tray / soap dish complete as directed and specified. (a) Parry ware Make (ii) Wall Soap tray (Cat. No.C9951) | 02 nos | | |
| 25 | Providing, fitting and fixing CP towel rail complete as directed and specified. (a) Jaquar make (ii) Continental 600mm (Cat.No. ACN-1111N) | 01 no | | |
| 26 | Renewing vitreous water closet squatting pan (Indian type W.C Orissa pattern) with all fittings and fixtures complete including cutting and making good to the walls and floors wherever required. (Flushing Cistern to be paid separately) Indian type W.C Orissa pattern of size 580 x 440 mm a) White i) Parryware make | 01 no | | |
| 27 | Supplying fitting and fixing C.P. bib cock 15mm dia of approved brand directed and specified. (G.I. & C.P pipes will be measured separately) Essco make (Delux/Sumthingspl./Tropical) (b) Long body bib cock with wall flange | 02 nos | | |
| 28 | Supplying fitting and fixing stop-cock of approved brand of size as mentioned below and directed and specified (G.I. & C.P. pipes will be measured and paid separately) I) Brass stop cock (heavy) of Sant make (iii) 25mm dia | 05 nos | | |



| | Supplying and fitting fixing C.P. | | | |
|----|-----------------------------------|-------|--|--|
| | pillar cock of 15mm dia of | | | |
| 29 | approved brand as specified | 02 | | |
| 25 | and directed. | | | |
| | | nos | | |
| | (II) Jaguar make | | | |
| | (b)Long neck with aerator | | | |
| | Supplying and placing Ferro | | | |
| | cement septic tanks of | | | |
| | rectangular shape in to pit | | | |
| | with manhole cover with | | | |
| 20 | cleaning arrangement over | 04 | | |
| 30 | single brick flat soling and | 01 | | |
| | 75mm 1:3:6 P.C.C. Baffle wall, | no | | |
| | inlet and outlet etc are | | | |
| | provided at suitable points | | | |
| | complete as directed. | | | |
| | - | | | |
| | (i)10 Users | | | |
| | Providing plinth protection | | | |
| | 50mm thick to cement | | | |
| | concrete 1 : 3 : 6 with coarse | | | |
| | agg.of 20mm nominal size | 27.00 | | |
| 31 | including finishing the surface | sqm | | |
| | with 10mm thick cement | 34111 | | |
| | plaster in proportion 1:3 with | | | |
| | a floating coat of neat cement | | | |
| | finished. | | | |
| | Providing fitting, hoisting and | | | |
| | fixing of roof trusses including | | | |
| | purlins fabricated using MS | | | |
| | circular hollow section | | | |
| | conforming to relevant I.S. | | | |
| | code, as per approved design | | | |
| | and drawings including | | | |
| | | | | |
| 22 | providing M.S. cleats, base | 7.51 | | |
| 32 | plates, bolts and nuts and one | Qtl | | |
| | coat of red oxide Zinc | | | |
| | Chromate primer and two | | | |
| | coats of approved enamel | | | |
| | paints complete including | | | |
| | fitting necessary cleats etc. for | | | |
| | fixing ceiling joists as per | | | |
| | design and drawing as | | | |
| | directed. | | | |
| | a) TATA make Circular | | | |



| | | | 1000 | 1 | |
|----|---|---------------|------|---|--|
| | Hollow section- CHS of Grade YST-310 conforming to I.S. Specification: 1161-1998 32 mm thick | | | | |
| 33 | Providing Pre Painted Galvanized Iron Sheet Roofing (PPGI) at all levels including fitting and fixing with self drilling, self tapping screws complete. (Roof trusses, purlins etc. to be measured and paid separately.) TATA Blue scope/ Dyna roof / Durakolor /Wonder Roof or equivalent as directed by the Department (ii) 0.45 mm Thick | 130.50 sqm | | | |
| 34 | Providing Pre Painted Galvanized Iron Sheet (PPGI) accessories (Ridges / Valley / Gutter /Flashing) at all levels including fitting and fixing self drilling, self tapping screws complete complete. TATA Blue scope/ Dyne roof / Dura colour /Wonder Roof or equivalent as directed by the Department (ii) 0.45 mm Thick | 30.00 Rm | | | |
| 35 | Providing and fixing in position collapsible M.S. shutters with vertical channels 20mmx10mmx2mm braced with flat iron diagonals 20mmx5mm size with top and bottom rails of T-iron 40mmx40mmx6mm with 38mm dia steel pulleys complete with bolts and nuts, locking arrangements, stoppers, handles including applying a priming coat of red | 2.52 sqm | | | |



| | | | | | T |
|-------|---|---------------|--|--|---|
| | lead paint. | | | | |
| 36 | Providing, fitting and fixing steel windows/ ventilators (fixed) of standard rolled steel sections as per relevant I.S. Code, joints mitred and welded with 15mmx3mmx100mm lugs embedded in cement concrete block of M-10 grade including applying a coat of red-lead primer. | 32.40 sqm | | | |
| 37 | Supplying and placing plastic cylindrical vertical claused top (PCVC) tank of Sintex / Polycon / Patton make over the staging with manhole cover with locking and cleaning arrangement including providing pads of size as required for inlet and outlet pipes 500 litre capacity (a) Sintex make | 02 nos | | | |
| 38 | Labour for erecting and placing PCVC Tank over the staging up to a height of 5.00m complete as directed. (d) 500 litre capacity | 02 nos | | | |
| 39 | Any other schedule item of APWD (B) Volume I & II (Rate should be quoted for this item in percentage below/above /at par basis) | Rs 6000.00 | | | |
| Total | | | | | |



| Amo | unt (In words) = | | • | •••••• |
|------|------------------|-------|---|--------|
| | | | | |
| | •••••• | ••••• | • | ••••• |
| Name | e: | | | |
| | | | | |
| Addr | ess:- | | | |
| | | | | |
| Ph N | 0:- | | | |