

# ASSAM UNIVERSITY: SILCHAR <u>NOTICE INVITING e-TENDER</u>

Assam University, Silchar, invites online tender with a validity period of 90 (Ninety) days from the date of receipt of tender in prescribed format available in website <u>http://www.aus.ac.in(click e-tender)</u> or <u>https://mhrd.euniwizarde.com</u> or <u>https://eprocure.gov.in/epublish/app</u> from the Govt. registered contractors having Civil Registration of APWD/CPWD/MES/PSU of appropriate class and category having valid registration for the work as mentioned below: -

Name of Work	Estimated Cost	Time of Compl etion	EMD (In Rupees)	Applicatio n / Form Fee	Tender Processin g Fee	Last date of submission of e-tender	Date and Time of online Technical Bid Opening	Date and Time of online Price Bid Opening
Annual Maintenance Contract (Civil) for University Campus except Boys' & Ladies' Hostels of Assam University Silchar.	Rs. 47,99,803 <b>/</b> -	365 days	Rs. 95,996/-	Rs. 500/-	Rs. 4799 + GST (18%)/-	12-04-2022 to 11.00 A.M	12-04-2022 At 11.30 A.M	12-04-2022 At 12.00 P.M

The eligible Contractor who are financially sound and proficient in the similar nature of works are to quote their rate **in Item Rate basis** and rate should be inclusive of all taxes & incidental charges. Self-attested copy of (i) Valid registration certificate (ii) PAN Card (Where PAN of the deducted is not available, Tax at higher of the prescribed rate or 20% will be deducted on all transactions) (iii) GST Registration (iv) Work experience on similar nature of work, (v) Bank solvency certificate, (vi) EPF registration (with last challan receipt copy),(vii) Certificate and undertaking in original from the Engineer employed duly signed are to be enclosed/uploaded with the tender without which the tender will not be accepted. The interested bidder may examine the nature of work available in Engineering Section and visit the site to satisfy them about the scope of the work before submitting the tender. The duly filled in tenders can be submitted online up to **11:00 AM of 12-04-2022.** Tenders will be opened on **12-04-2022 at 11.30 AM** in presence of the tenderers or their authorized representatives.

The detail NIT may be downloaded from university website www.aus.ac.in or https://eprocure.gov.in/epublish/app Or https://mhrd.euniwizarde.com Mandatory Tender application/Form fee of Rs.500/- (Five hundred only) in the form of demand draft drawn in favour of Assam University, Silchar, payable at Silchar from a scheduled /nationalized bank only, failing which the tender will not be accepted. Kindly submit your bid / tender giving rate in Item Rate basis along with terms and conditions through online mode only on e-Procurement portal https://mhrd.euniwizarde.com on or before last date of submission of bid. If the office remains close for any reason, the tender will be received/opened on next working day at same time and place. The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received by recording clear, logical reasons. Canvassing in any form will be a disqualification for submission of the tender including submission of tender to the university in future.

> Sd/-Executive Engineer

> > Date: 12-04-2022

#### File No. <u>AU/ENGG/MAINT/CIVIL/04/2022</u> Copy to:-

- 1. PS to VC for kind information of the Hon'ble Vice-Chancellor
- 2. PS to Registrar for kind information of the Registrar
- 3. PS to Finance Officer for kind information of the Finance Officer
- 4. Director, Computer Centre for information & with a request to upload the aforesaid notice in university website
- 5. Notice Board.
- 6. File.





# **ASSAM UNIVERSITY: SILCHAR**

# E-TENDER

**Name of Work:** Annual Maintenance Contract (Civil) for University Campus except Boys' & Ladies' Hostels of Assam University Silchar

Estimated Amount: Rs.47,99,803/-

Certified that this technical tender document contains (89) pages including the cover page.

Tender issued to: -----

Date of issue: -----

Signature of issuing Officer of the University



Digitally signed by SEEMANTA PAUL Date: 2022.04.05 21:49:48 IST

1



# **ASSAM UNIVERSITY: SILCHAR**

(A Central University Constituted under Act. XXIII of 1989)

# e-TENDER DOCUMENT

<u>Name of Work</u>: Annual Maintenance Contract (Civil) for University Campus except Boys' & Ladies' Hostels of Assam University Silchar

•	Application/Form Fee:	Rs.500/-
•	Estimated Cost:	Rs. 47,99,803/-
•	Earnest Money:	Rs. 95,996/-
•	Tender Processing Fee payable to ITI Limited:	Rs. 4799 + GST (18%)
•	Last date of submission online of tender:	12-04-2022 up to 11.00 A.M.
•	Date and Time of online Technical Bid Opening:	12-04-2022 at 11.30 A.M.
•	Date and Time of online Price Bid Opening:	12-04-2022 at 12:00 PM



# **CHECK LIST OF DOCUMENTS**

Following Self-attested Certificates along with self-attested copy of tender document must be scanned and uploaded:

Note: The Technical Bid shall be instantly rejected, if the following documents are not scanned, uploaded online and submitted offline.

## Check List:

Valid registration certificate of Central Govt./ State Govt./PSU								
[Proforma 2(a)]	: Yes/No							
Experience certificate: Experience of executing similar nature of works								
during the last seven years with the record of completion [Proforma 3(a)	]: Yes/No							
(Within seven years from date of publication of NIT)								
Bank solvency from nationalized/ scheduled Bank within one year from c	late of							
Publication of NIT as per Prescribed[Proforma-2(b)]	: Yes/No							
[At least 40% of the Estimated Cost has to be mentioned in the certifica	te]							
Ongoing works statement [Proforma 3(b)]	: Yes/No							
PAN CARD	: Yes/No							
GSTIN	: Yes/No							
EPF registration certificate with latest deposit challan copy	: Yes/No							
(Payment of wage month must be within two months from last date of submission of bid)								
Certificate and undertaking from the Engineer employed	: Yes/No							
Self-attested copy of tender document	: Yes/ No							
	Experience certificate: Experience of executing similar nature of works during the last seven years with the record of completion [Proforma 3(a) (Within seven years from date of publication of NIT) Bank solvency from nationalized/ scheduled Bank within one year from of Publication of NIT as per Prescribed[Proforma-2(b)] [At least 40% of the Estimated Cost has to be mentioned in the certificat Ongoing works statement [Proforma 3(b)] PAN CARD GSTIN EPF registration certificate with latest deposit challan copy ment of wage month must be within two months from last date of submission of bid) Certificate and undertaking from the Engineer employed							

#### Note:

- a. The Bidders are required to submit the print copy of the above uploaded documents duly selfcertified along with the proof towards payment of tender document cost and EMD submitted.
- b. Works completion Certificate should be issued by officer not below the rank of Executive Engineer or equivalent/ Head of any Institution. Work order shall not be considered as proof for works completion.

## Signature of Agency / Contractor



#### ASSAM UNIVERSITY: SILCHAR

# (A Central University Constituted under Act. XXIII of 1989)

<u>Name of Work</u>: Annual Maintenance Contract (Civil) for University Campus except Boys' & Ladies' Hostels of Assam University Silchar

# CONTENTS

SECTION - I		:	NOTICE INVITING E-TENDER
SEC TION – II		:	PROFORMA OF SUBMISSION OF QUOTATION
SECTION – III		:	GENERAL RULES & DIRECTIONS
SECTION –IV		:	TERMS AND CONDITIONS GOVERNING THE TENDER AND EXECUTION OF CONTRACT THEREOF
SECTIONV	:	SPE	ECIAL INSTRUCTION FOR ONLINE BID SUBMISSION



# ASSAM UNIVERSITY, SILCHAR

## File No.<u>AU/ENGG/MAINT/CIVIL/04/2022</u>

Date: 05-04-2022

#### NOTICE INVITING E-TENDER

Online tenders in two bid systems valid for 90 days are invited from Registered Civil Contractors having valid registration of CPWD/MES/State PWD/PSU of appropriate class and category for the following work at Assam University, Silchar.

Name of Work	Estimated Cost	Time of Completi on	EMD (In Rupees)	Applica tion / Form Fee	Tender Processin g Fee	Last date of submission of e-tender	Date and Time of online Technical Bid Opening	Date and Time of online Price Bid Opening
Annual Maintenance Contract (Civil) for University Campus except Boys' & Ladies' Hostels of Assam University Silchar	Rs. <b>47,99,803/-</b>	365 days	Rs. 95,996/-	Rs. 500/-	Rs. 4799 + GST (18%)/-	12-04-2022 to 11.00 A.M	12-04-2022 At 11.30 A.M	12-04-2022 At 12.00 P.M

The eligible contractors who are financially sound and proficient in the similar nature of works are to quote their **rate in Item Rate Basis**. Rate should be inclusive of all taxes & incidental charges.

The tender documents and other details can be obtained from the websites <u>www.aus.ac.in</u>. or<u>https://mhrd.euniwizarde.com</u> or <u>https://eprocure.gov.in/epublish/app</u>for which nonrefundable tender fees of Rs. 500/- per tender payable in DD (Drawn in favour of Assam University, Silchar) to be enclosed as application fees along with tender document. The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received by recording clear, logical reasons.

Sd/-Executive Engineer



- 1. The Tenderer shall quote his rate as per NIT & the Terms and Conditions enclosed in the Tender document.
- 2.Tender Documents can be downloaded from <u>www.aus.ac.in</u>. or<u>https://mhrd.euniwizarde.com Or https://eprocure.gov.in/epublish/app</u>Mandatory Tender application/Form fee of **Rs.500/-** (Five hundred only) in the form of demand draft drawn(DD) in favor of Assam University, Silchar, payable at Silchar from a scheduled /nationalized bank only, failing which the tender will not be accepted.
- 3. Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the University and local conditions and other factors having bearing on the execution of the work.
- 4. The Earnest Money Deposit (EMD) of Rs. 95,996/-mentioned above is absolutely mandatory. EMD may be submitted in the form of Bank Draft/ FDR /Call Deposit drawn in favor of the Assam University, Silchar from a scheduled /nationalized bank only, failing which the tender will not be accepted. Soft copy of such EMD be uploaded while submitting the tender and hard copy of the EMD has to be submitted to Engineering Section, AUS on or before the Day of tender opening.



- 5. Mode of Submission (Offline) of tender Document within 11.30 AM(12-04-2022):
  - a. EMD to be sealed in Envelop No-1
  - b. Envelop No-2 should contain following documents:
    - i. Self-attested registration certificate,
      - ii. Self-attested PAN Card,
      - iii. Self-attested GST Registration,
      - iv. Self-attested EPF registration, copy of latest chalan,
      - v. Self-attested work experience certificate for similar nature of work,
      - vi. Self-attested bank solvency certificate,
      - vii. Self-attested Certificate and undertaking in original from the Engineer employed,
      - viii. Self-attested copy of tender document.
  - c. Envelop No-1 & 2 to be inserted in a single Envelop No-3 properly sealed with wax and super scribing Name of Work, Closing Date & Name of Agency/Contractor on the cover of the Envelop No-3.

NB:- If any Bidder is found to submit any misleading information regarding their credentials, during or afterwards, of tendering procedure and execution of work, then disciplinary action will be taken against those bidders as per GOI rules.

- 6. Tenders should be valid for 90 days from the date of opening of the tenders and may have to be extended further if considered necessary by the University. No reasons will be assigned for extension and no withdrawal shall be allowed. If any tenderer withdraws his tender before the said period or issue of letter of acceptance, which-ever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the University, then the University shall, without prejudice to any other right or remedy, be at liberty to forfeit the said Earnest Money Deposit.
- 7. The time allowed for completing the work will be 365 days from the issue of work order.
- 8. No Telex/ Tele fax/ Telegram/ E-mail of the Techno-Commercial and Price bids will be accepted. The University is not responsible for Postal/ Courier delays. The parties have to ensure the receipt of bids well in time.
- 9. If the date of tender submission and opening happens to be unforeseen holiday, the same will be postponed to the next working day without any further intimation.
- 10. The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received without assigning of any reason thereof. All tenders in which any of the prescribed condition is not fulfilled or any condition put forth by the tenderer, shall be summarily rejected.
- 11. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tender submitted by the contractors who resort to canvassing will be summarily rejected.



- 12. The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received by recording clear, logical reasons.
- 13. This Notice Inviting Tender shall form a part of the contract document.
- 14. The successful tenderer/ contractor, on acceptance of his tender by the University, shall within 15 days from the stipulated date of start of the work sign the contract agreement in standard form consisting of the notice inviting tender, all the documents including additional conditions, specifications and drawings, if any, forming the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.
- 15. No materials will be supplied by the University.
- 16. In case of delay in completion of the work within the stipulated time due to reasons attributable to the contractor, Standard Liquidated Damage @ 0.1% of the final bill value shall be recovered for each day of delay from the final bill or the part there of subject to a maximum of 10%.
- 17. The contractor shall obtain a valid license under the contract labour (R&A) Act, 1970, and the contract labour central rules 1971, during the commencement of the work, and continue to have a valid license until the completion of the work. The contractor shall also abide by the provisions of the Child Labour (Prohibition and Regulation) Act, 1986 and other labour laws. Any failure to fulfill this requirement shall attract the penal provisions of this contract arising out of the resultant no execution of the work. No labour below the age of fourteen years shall be employed on the work.
- 18. The contractor should have experience of successfully completing similar nature of government work either (i) single work which has 80% of estimated value, or (ii) at least two works each of 60% of estimated value, or (iii) at least three works each of 40% of estimated value, put to tender with some Central Government Department/ State Government Department/ Central Autonomous Body/ Central Public Sector undertaking. The work order as well as completion certificate (original/ self-attested copy) for similar nature of works should be attached failing which the bid will not be considered.
- 19. EPF registration is mandatory which is to be submitted along with the latest challan receipt during submission of tender document. The latest challan copy means payment receipt of wage month within two months of last date of submission of the bid.
- **20.** During Opening of tender only representative duly authorized by the agency / contractor will be allowed to be present.



- **21.** All relevant documents submitted with the tender should be self-attested (by the agency/ contractor) and on demand original copy must be produced failing which tender will not be considered.
- **22.** Authenticity of signatory (contractor) of tender document will be verified before finalization of tender document.
- **23.** Tax at higher of prescribed rate or 20% will be deducted on all transactions liable to TDS, where the permanent Account Number (PAN) of the deductee is not available.
- **24.** 05% security money will be retained by the University from the bill value which shall be released after 01(one) year of satisfactory completion of work along with 05% of Performance Guarantee.
- **25.** EMD of unsuccessful bidder shall be released within 02 (two) months after issue of work order to the successful bidders.
- **26.** If the work is found not as per specification or abandoned by the executing contractor/agency, same will be cancelled and remaining work will be done through other contractor/agency at their cost & risk.
- 27. An Engineer (Civil), diploma with minimum five years' experience in the required field or B.E. (Civil Engg.) must be engaged by the contractor (Whose certificate duly self-attested, one copy photo & an undertaking by the Engineer in original is to be enclosed with the technical bid failing which the tender will not be considered) to supervise the work. The Engineer engaged must be familiar with all the works specified in the contract & must be acquainted with CPWD specification, manual etc. The engagement of engineer is not mandatory for Contractor possessing equivalent technical qualification.
- **28.** Detailed computerized measurement entry in the measurement sheet (location wise) has to be made by the contractor and to be submitted to Engineering Section (AUS) for joint verification by the University Engineers and the Contractor. The joint verification has to be arranged by the Contractor.
- **29.** Before procuring any major items like cement/ steel/ tiles/ coarse & fine sand/ stone aggregate etc., the Contractor must take prior permission/ submit test report as per the direction of engineering section.
- **30.** The Contractor has to arrange water supply at his own cost for his site office as well as for all construction works to be executed by him. As the University has acute water crisis problem, so University will not be able to supply water.



- **31.** Bank solvency certificate as per our enclosed format is to be issued by any schedule/ nationalized bank which is to be enclosed by the Contractor in the Technical Bid, failing which the Bid will be rejected.
- **32.** Arbitration: In case of dispute or difference between the parties in the contract or its execution thereof, the same will be sorted out amicably, mutually. In the event that an amicable settlement cannot be reached, any dispute arising out of or relating to this Agreement shall be settled by a sole Arbitrator appointed by mutual agreement, the place of Arbitration shall be Assam University Silchar and in case of failure to settle the matter through arbitration the provisions of Arbitration and Conciliation Act, 1996 will be applicable and subject to jurisdiction of civil court of Silchar at the request of either party. This Agreement shall be guided by relevant applicable Laws of land.
- 33. At any time prior to the deadline for submission of bids, the University may, if necessary, modify the tender document by a written amendment. All prospective Tenders will be notified of the amendment which will be binding to all the bidders. The amendments will be notified on the websites, <a href="https://mtd.euniwizarde.com">https://mtd.euniwizarde.com</a> or <a href="https://www.aus.ac.in">www.aus.ac.in</a>.
- 34. The bidders are advised to get themselves registered on the e-Procurement portal at least a week before the scheduled date and time of bid submission. This will help the new bidders/vendors to get familiar with the e-Procurement portal. The bidders must arrange computers/laptop, high speed internet and other equipment etc. required for bid submission.For more details visit <a href="https://mhrd.euniwizarde.com">https://mhrd.euniwizarde.com</a>
- 35. Those bidders who accept the above terms and conditions, may submit their tender along with all relevant documents and a copy of above terms and conditions of the tender duly signed.
- 36. The bidders are directed to complete the works strictly within the stipulated time, failing which Assam University may not be in a position to make payment after the fund validity is over.

Sd/-

**Executive Engineer** 



#### SECTION - II: PROFORMA FOR SUBMISSION OF TENDER

## To, Executive Engineer Assam University, Silchar – 788 011

<u>Subject</u>: Annual Maintenance Contract (Civil) for University Campus except Boys' & Ladies' Hostels of Assam University Silchar Sir,

Having carefully examined and read the Notice Inviting e-Tender, Tender documents and allotherdocumentsattachedregardingTenderNo.AU/ENGG/MAINT/CIVIL/04/2022I/Wehereby tender for the execution of the workspecified for Assam University, Silchar in the documents as per the conditions mentioned therein.

I/We certify that we have carefully read each and every condition and technical specifications given in this Tender Documents and understood the same, and I/ We conform our acceptance of the same.

I/We agree to abide by this tender initially for a period of **90 days** from the last day fixed for opening of Tender by the University and it shall remain binding on me/us and order may be accepted at any time before the expiry of that period.

I/We hereby undertake not to withdraw from this Tender, during this period of **90 days**. However, if I/ We withdraw it, the University shall have right to invoke the Earnest Money without reference to me/us.

Should this Tender be accepted by the University I/we hereby agree to abide by and fulfill all terms and conditions of Tender Documents and in default thereof.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/ confidential documents and shall not communicate information derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the University.

Signature of tenderer: ------

11



# SECTION - III: GENERAL RULES AND DIRECTIONS

#### 1. SUBMISSION OF TENDER

- a) The General Conditions of Contract for Central PWD /APWD Works shall be the guiding principles for this work. Tenderer are advised to procure the same and familiarize themselves with the provisions of the above-mentioned Conditions of Contract.
- b) The University reserves the right to alter, modify any Tender Conditions, technical specifications etc., before tender opening and may seek fresh quotation depending upon necessity, and may even withdraw/ cancel the tender, without assigning any reason.
- c) All amendments/ revisions to tender documents issued by the University, if any, must be signed and submitted along with the tender. The tenderer are advised to submit the tender based strictly on the terms and conditions and specifications contained in the tender documents, and not to stipulate any deviations.

2. (a) Tenders shall be prepared and submitted in soft copies of their bids electronically on the ebid Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the e-Procurement Portal https://mhrd.euniwizarde.com,prepare their bids in accordance with the requirements and submitting their bids online on the e- Procurement Portal.

(b) Insertion, postscript, addition and alteration are allowed till before the time of the closing of tender. In the event of the tender being submitted by a firm, any of the partners may upload and submit the tender.

#### TENDERER TO INFORM HIMSELF FULLY

The tenderer is required to carefully examine the technical specifications and other details relating to the work given in the Tender documents and fully inform himself as to all conditions and matters that may affect the work or the cost thereof. The tenderer shall be deemed to have independently obtained all necessary information for the purpose of submitting the tender and his tender as accepted shall be deemed to have taken into account all contingencies as may arise due to such information or lack of the same.

#### **PARTICULARS OF TENDER:**

Last date of submission	on online of tender:	12-04-2022up to 11.00 A.M.
• Date and Time of onl	ine Technical Bid Opening:	12-04-2022at 11.30 A.M.
• Date and Time of onl	ine Price Bid Opening:	12-04-2022at 12:00 PM

Validity of tender: Tender shall remain valid for acceptance for a period of not less than **90 days**.



## CLARIFICATIONS

The Tender Document issued is complete in all respect and no further clarifications are elaborated. However, in so far Technical Clarifications if any are concerned even though not binding on university can be ascertained from the University.

## **QUOTATION OF PRICE / RATES**

This being item rate tender, the tenderer shall state at what rate he will be willing to undertake the work. Rate should be quoted **in Item Rate Basis**.

#### **COMPLETION TIME**

The completion time is the essence of the contract. The Tenderer shall complete the work within the period indicated in the Notice Inviting e-Tender.

#### TRANSFER OF TENDER DOCUMENTS/ TENDERS

Transfer of tender documents purchased by one tenderer to another is not permissible. Similarly transfer of tenders submitted by one tenderer to another is not permissible under any circumstances. The alteration of essence of tender once submitted is also not permissible.

#### LANGUAGE

The Tender shall be submitted in English language only.

#### EARNEST MONEY DEPOSIT

- The tender must be accompanied by the Earnest Money Deposit pledged in favour of Assam University, Silchar, in the form of Demand Draft / FDR/Call Deposit as indicated in the Notice Inviting Tender. If the tenderer after submitting online his tender release from his offer or modify the Terms and Conditions thereof in a manner not acceptable to the University, the Earnest Money will be forfeited. Tenders not accompanied by the earnest money deposit will not be considered and will be summarily rejected.
- 2. On Non-acceptance of tender, but in any case, not earlier than the expiry date of the period for which the tender is kept open, the Earnest Money shall be discharged.
- 3. Should the Tender in question be withdrawn or cancelled by the University, which the University shall have the right to do at any time, Earnest Money will be discharged.



- 4. Should the successful tenderer fail or refuse to duly sign the contract within the period fixed by the University or fail/refuse to commence the work within the stipulated time, the Earnest Money shall be forfeited without prejudice to his being liable for any further loss or damage incurred in consequence by the University.
- 5. The L-1 Tenderer has to submit 5% performance guarantee of the tendered amount within 15 days of issuing letter of acceptance as per CPWD General Conditions of Contract which must be valid till the finalization of the work and release of SD money. After submission of 5% performance guarantee, the 2% EMD submitted by the bidder during tendering will be released.

#### NO CLAIM FOR COMPENSATION FOR SUBMISSION OF TENDER

The Tenderer whose tender is not accepted shall not be entitled to claim any costs, charges and expenses of any incidental to or incurred by him thorough or in connection with his submission of tender, even though the University may modify/ withdraw the Tender.

#### LOWEST TENDER NOT NECESSARILY TO BE ACCEPTED

The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received by recording clear, logical reasons.

#### **TENDER EVALUATION**

The Tenders received and accepted will be evaluated to ascertain the best and lowest workable tender in the interest of the University, for the complete work covered under the technical specifications and documents.

\*\*\*\*\*



## SECTION – IV: TERMS AND CONDITIONS GOVERNING THE TENDER AND EXECUTION OF CONTRACT THEREOF

## 1. **DEFINITIONS**

- A. Unless otherwise required by the subject or context the terms herein below shall have the following meanings.
  - a) The **Contract** means the documents forming the tender and acceptance thereof and the formal agreement executed between the competent authority on behalf of Assam University and the Contractor, together with the documents referred to therein including these conditions, the specifications, designs, drawings and instructions issued from time to time by the Executive Engineer, Assam University and all the these documents taken together, shall be deemed to form one contract and shall be complementary to one another.
  - **b) Client** means Assam University acting through the Registrar, Assam University, Silchar.
  - c) The **Contractor** shall mean the individual, firm or company, whether incorporated or not, undertaking the works and shall include the legal personal representative of such individual or the persons composing such firm or company, or the successors of such firm or company and the permitted assigns of such individual, firm or company.
  - **d)** The expression **works** or **work** shall, unless there be something either in the subject or context repugnant to such construction, be construed and taken to mean the works by or by virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.
  - e) The site shall mean the land/ or other places, on, into or through which work is to be executed under the contract or any adjacent land, path or street which may be allotted or used for the purpose of carrying out the contract.
  - f) Tender Value means the value of the entire work as stipulated in the letter of award.
  - **g)** Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculine gender shall whenever required include feminine gender and vice versa.
  - h) As stated in Section III, Clause 1.1, the General Conditions of Contract for Central PWD Works shall be the guiding principles for this tender. The Clauses of Contract mentioned therein shall also be applicable herein and only those Clauses that need addition, emphasis and modification in context of this tender are enumerated below. Contractors are once again advised to familiarize themselves with the General Conditions of Contract for Central PWD Works.

#### 2. SIGNING OF CONTRACT AGREEMENT

- a) On the tender being accepted by the Client, a formal contract may be signed
- b) and executed by and between the Client and the successful tenderer within a
- c) time to be fixed by the Client, which shall anyhow be within 15 days from the stipulated date of start of the work.



d) The contractor shall be furnished, free of cost one certified copy of the contract documents except standard specifications, Schedule of Rates and such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of these documents shall be used for any purpose other than that of this contract.

## 3. SCOPE OF WORK

- i. The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plants, equipment and transport which may be required in preparation of and for and in the full and entire execution and completion of the works. The descriptions given in the Schedule of Quantities shall, unless otherwise stated, be held to include wastage on materials, carriage and cartage, carrying and return of empties, hoisting, setting, fitting and fixing in position and all other labours necessary in and for the full and entire execution and completion of en work as a aforesaid in accordance with food practice and recognized principles.
- ii. The contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates and prices quoted in price bid which rates and prices shall, except as otherwise provided, cover all his obligations under the Contract and all matters and things necessary for the proper completion and maintenance of the works.

#### 4. DISCREPANCIES AND ADJUSTMENT OF ERRORS

- i. The several documents forming the Contract are to be taken as mutually explanatory of one another, detailed drawings being followed in preference to small scale, drawing and figured dimensions in preference to scale and special conditions in preference to General Conditions.
- ii. If there are varying or conflicting provisions made in any one document forming part of the contract, the Executive Engineer, Assam University shall be the deciding authority with regard to the intention/ interpretation of the document and his decision shall be final and binding on the contractor.
- iii. Any error in description, quantity or rate in Schedule of Quantities or any omission there from shall not vitiate the contract or release the Contractor from the execution of the whole or any part of the works comprised therein according to drawings and specifications or from any of his obligations under the contracts.



#### 5. TERMS OF PAYMENT

Subject to any deduction, which the client may be entitled to make under the Contract, all payments to contactor for the work will be made on completion of the work as per approved specifications through digital mode by direct credit to the bank account of the contractor on satisfactory completion report and signing of the computerized Measurement Book & bill by Site (i/c) of the proposed work and Executive Engineer without which payment will not be released. The Computerized measurement sheet must be submitted by the concerned contractor of the work for verification by the site i/c and Executive Engineer before finalization of payment of bill. Along with submission of bill in computerized measurement sheet, the bidder should submit labour acquaintance sheet.

#### 6. SECURITY DEPOSIT& PERFORMANCE GURANTEE

05% Security Deposit will be retained by the University from the bill value, which shall be released along with 05% performance guarantee after 01 (One) year from the date of completion of the work. During this defect liability period, any defect(s) in the work done shall be rectified by the Contractor at his/her own cost and expenses, failing which recovery shall be done from the security deposit and performance guarantee in part or full as the case may be.

#### 7. RELEASE OF SECURITY DEPOSIT& PERFORMANCE GUARANTEE

Release of the 05% security deposit and 05% performance guarantee will be done after 12 months of final acceptance of the work by the Assam University, Silchar.

#### 8. SUB CONTRACTING OF THE WORK

The Contractor is not permitted to assign or transfer his/ their obligation or benefit under the contract either in full or in part to other individuals/ firms / agencies. However, under extreme circumstances where sub-contracting of part of the work is unavoidable, prior written permission of Client shall be taken by the Contractor.

\*\*\*\*\*



# **CHECKLIST**

# 1. Proforma of details of Contractor's Registration – 2(a)

2. Proforma of Bank Solvency Certificate – 2 (b)

3. Proforma of Similar works executed during the last 7 years – 3(a)

4. Proforma of list of on-going works – 3 (b)



# DETAILS OF CONTRACTOR'S REGISTRATION

1. Na	me of the agency / Contractor	:
2. Na	me of the department issued	:
Con	tractor's registration	
3.	Registration No.	:
4.	Class of registration	:
5.	Category of registration	:
6.	Tender limit	:
7.	Validity period	:

Copy of Registration certificate to be enclosed Signature of agency / contractor



# FORM OF SOLVENCY CERTIFICATE FROM A SCHEDULED BANK

	This	is	to	certify	that	to	the	best	of	our	knowled	ge and	informati	ion
M/S/S	ri							h	avin	g m	arginally	noted	address,	а
custor	ner of	our	banl	k are/ is	respect	table	e and o	can be	trea	ted as	good for a	any enga	gement up	) to
а							li	imit						of
Rs		•••••			(Rupee	es								
				.).										

This certificate is issued without any guarantee or responsibility on the Bank or any of the officers.

(Signature)

For the Bank

Note : In case of partnership firm, certificate to include all partners as recorded with the Bank.

Signature of agency/contractor



# **EXPERIENCE**

# 3. (a) CIVIL WORKS :

List of similar works executed during preceding 7 years

SI. No.	Name of work with brief particular thereof	Date of commencement	Date of completion as per work order	of	Contract Amount (Rs.)	Name of client, contact with his complete address phone No.

Add extra sheet if required.

Signature of the Company/Contractor Date:

Seal of the company / Contractor with

**NOTE:** Original or self-attested copies of work order & completion certificates from clients shall be attached.



# EXPERIENCE

# 3. (b) LIST OF ONGOING WORKS:

SI. No.	Name of work with brief particular thereof	Date of commencement	Date of completion as per work order	Contract Amount (Rs.)	Name of client, contact with his complete address phone No.

Add extra sheet if required.

Signature of the Company/Contractor

Seal of the company / contractor

Date :

**NOTE :** Original or self-attested copies of work order from clients shall be attached.



## SECTION –V : SPECIAL INSTRUCTION FOR ONLINE BID SUBMISSION

## Special Instructions for Online Bid Submission.

The bidders are required to submit soft copies of their bids electronically on the e-bid Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the e-Procurement Portal <u>https://mhrd.euniwizarde.com</u>, prepare their bids in accordance with the requirements and submitting their bids online on the e- Procurement Portal.

#### REGISTRATION

- Bidders are required to enroll on the e-Procurement Portal (<u>https://mhrd.euniwizarde.com</u>) by clicking on the link "Online bidder Registration" on the e-bid Portal by paying the Registration fee of Rs. 2360/- per year charge.
- 2. As part of the enrolment process, the bidders will be required to choose a unique user name and assign a password for their accounts.
- 3. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication with the bidder.
- 4. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Only Class III Certificates with signing + encryption key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
- 5. Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6. Bidder then logs in to the site through the secured log-in by entering their user ID/password and the password of the DSC / e-Token.
- 7. The scanned copies of all original documents should be uploaded on portal.
- For any Query contact to our helpdesk Number 011-49606060, Email: ewizardhelpdesk@gmail.com, Mr. Anil Kumar –09355030613, eprochelpdesk.29@gmail.com



#### SEARCHING FOR BIDDING DOCUMENTS

- 9. There are various search options built in the e-bid Portal, to facilitate bidders to search active bids by several parameters. These parameters could include Bid ID, Item/work id, Last date of submission, etc.
- 10. Once the bidders have selected the bids they are interested in, the bidder can pay the processing fee by net-banking / Debit / Credit card and then download the required documents / bid schedules, Bid documents etc. as mentioned on website. Once processing fee is paid, it will be moved to the respective "requested" Tab. This would enable the e-bid Portal to intimate the bidders through e-mail in case there is any addendum and corrigendum issued to the bidding document.

#### **PREPARATION OF BIDS**

- 11. Bidder should take into account any addendum and corrigendum published on the bid document before submitting their bids.
- 12. Please go through the bid advertisement and the bid document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 13. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the bid document / schedule and generally, they can be in PDF /JPEG formats. Bid Original documents may be scanned with 100 dpi with Colored option which helps in reducing size of the scanned document.
- 14. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders should use "My Documents" available to them to upload such documents.
- 15. These documents may be directly submitted from the "My Documents" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.



#### SUBMISSION OF BIDS

- 16. Bidder should log into the website well in advance for the submission of the bid so that it gets uploaded well in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 17. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the bidding document.
- 18. Bidder has to select the payment option as "Online mode or Bank Guarantee" as to pay the EMD as applicable and enter details of the instrument.
- 19. In case of Bank Guarantee scanned copy of BG should be uploaded along with bid. . The original Bank Guarantee shall be submitted to office of the concerned official of **Assam University Silchar** as per schedule mentioned in the bid document. Non submission of original Bank Guarantee within the specified period shall lead to summary rejection of bid. The details of the BG, physically submitted should match with the details available in the scanned copy and the data entered during bid submission time. Otherwise bid will be rejected.
- 20. **\*Bidders** are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BOQ format with the bid document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BOQ file, open it and complete (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the bidder, the bid will be rejected.
- 21. The server time (which is displayed on the bidder's dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 22. All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is



subjected to asymmetric encryption using buyers/bid opener public keys. Overall, the uploaded bid documents become readable only after the bid opening by the authorized bid openers.

- 23. The uploaded bid documents become readable only after the bid opening by the authorized bid openers.
- 24. Upon the successful and timely submission of bid click "Complete" (i.e. after Clicking "Submit" in the portal), the portal will give a successful Bid submission acknowledgement & a bid summary will be displayed with the unique id and date & time of submission of the bid with all other relevant details.
- 25. The bid summary has to be printed and kept as an acknowledgement of bid submission.

## ASSISTANCE TO BIDDERS

1. For any Query contact to our helpdesk Number 011-49606060, Mr. Anil Kumar – 09355030613,eprochelpdesk.29@gmail.com, Email ewizardhelpdesk@gmail.com

#### **SPECIAL INSTRUCTIONS TO BIDDERS FOR E-TENDERING**

#### General:

These Special Instructions (for e-Tendering) supplement 'General Instructions to Bidders' (GIB), as given in the Tender Documents. Submission of Bids only through online process is mandatory for this Tender. e-Tendering is a new methodology for conducting Public Procurement in a transparent and secured manner. Suppliers/ Vendors will be the biggest beneficiaries of this new system of procurement. For conducting electronic tendering, **Assam University Silchar** has decided to use the <u>https://mhrd.euniwizarde.com</u> through Central Public Procurement Portal, Ministry of H.R.D., and Government of India. Benefits to Suppliers are outlined on the Homepage of the E-portal.

#### Instructions:

a. Tender Bidding Methodology:

Through electronic tendering.

- b. Broad outline of activities from Bidders prospective:
  - I. Procure a Digital Signing Certificate (DSC)
  - II. Register on https://mhrd.euniwizarde.com
  - III. Create Users and assign roles on <u>https://mhrd.euniwizarde.com</u>



- IV. View Notice Inviting Tender (NIT) on <a href="https://mhrd.euniwizarde.com">https://mhrd.euniwizarde.com</a> or <a href="https://www.aus.ac.in">www.aus.ac.in</a>
- V. Download Official Copy of Tender Documents from https://mhrd.euniwizarde.com or www.aus.ac.in
- VI. Bid-Submission on <u>https://mhrd.euniwizarde.com</u>: Prepare & arrange all document/paper for submission of bid online only.
- VII. Utmost care may be taken to name the files/documents to be uploaded on <a href="https://mhrd.euniwizarde.com">https://mhrd.euniwizarde.com</a>
- VIII. It is advised that all the documents to be submitted are kept scanned or converted to PDF format in a separate folder on your computer before starting online submission. BOQ(Excel Format) shall be filled online only.

For participating in this tender online, the following instructions need to be read carefully.

# c. Digital Certificates:

For integrity of data and its authenticity/ non-repudiation of electronic records, and to be compliant with IT Act 2000, it is necessary for each user to have a Digital Certificate (DC), also referred to as Digital Signature Certificate(DSC), of Class 3, issued by a Certifying Authority (CA) licensed by Controller of Certifying Authorities (CCA).

d. Registration:

To use the MHRD Portal (<u>https://mhrd.euniwizarde.com</u>).Vendor needs to register on the portal. The vendor should visit the home-page of the portal (<u>https://mhrd.euniwizarde.com</u>). Note: Please contact Helpdesk (as given below), to get your registration accepted/activated. Help Desk No.:

Number 011-49606060, Email ewizardhelpdesk@gmail.com,

Mr. Anil Kumar –09355030613

## e. Bid related Information for this Tender

The entire bid-submission would be online on <u>https://mhrd.euniwizarde.com</u>. Broad outline of submissions area follows:

i. Submission of Bid Security/Earnest Money Deposit (EMD)

Note: 1. The Bidder has to upload the Scanned/ self-attested copy of all above

mentioned original documents during Online Bid-Submission.

Note:2. Special Note on Security of Bids: The bid EMD/Bid Security/Security

Deposit can be submitted online only. Through available modes of payment on the e-Procurement portal. Refer to the instructions to the bidders and bidder manuals for more details.



# f. Other Instructions:-

For further instructions, the vendor should visit the home-page of the portal (https://mhrd.euniwizarde.com) or www.aus.ac.in).

The following 'Four Key Instructions' for BIDDERS must be assiduously adhered to –

- a) Obtain individual Digital Signing Certificate (DSC) well in advance of your first tender Submission.Register your organization on https://mhrd.euniwizarde.com well in advance of your first tender submission deadline.
- b) Get your organization's concerned executives trained on <u>https://mhrd.euniwizarde.com</u> using online training module well in advance of your tender submission deadline on https://mhrd.euniwizarde.com.
- c) Submit your bids well in advance of tender submission deadline on <a href="https://mhrd.euniwizarde.com">https://mhrd.euniwizarde.com</a>) (Assam University Silchar should not be responsible any problem arising out of internet connectivity issues).
  Note: While the first three instructions mentioned above are especially relevant to first-time users of the <a href="https://mhrd.euniwizarde.com">https://mhrd.euniwizarde.com</a>, the fourth instruction is relevant at all times.

## g. PRICE SCHEDULE:

**1. PRICE fills online only.** 

2. The rate of items shall be filled online only. Scanned copy of this document is not to be attached along with other enclosures.



# Name of Work: Annual Maintenance Contract (Civil) for University Campus except Boys' & Ladies' Hostels of Assam University Silchar.

Note: Price Bid need not be enclosed with tender document.

Estimated Cost: Rs.47,99,803/-

Assam University Silchar PRICE BID											
Tender No:- Tender Publish Date:- 05-04-2022											
AU/ENGG/MAINT/CIVIL/04/2022											
Tender Closing Date:- 12-	Tender Opening Date:- 12-04-2022 11:30 AM										
04-2022 11:00 AM											
Name of Work:-	Annual Maintenance Contract (Civil) for University										
	Campus except Boys' & Ladies' Hostels of Assam										
		Un	iversity Silchar.								
Estimate Amount		Rs	s. 47,99,803.00								
Name of the Firm / Company /											
Bidder:-											
Address of the Firm / Company /											
Bidder:-											
SI. Description of Item	Quantity	Unit	Rate (Rs)	Unit							



No.				
1	Earth work in surface			
	excavation not exceeding			
	30 cm in depth but			
	exceeding 1.5 m in width as			
	well as 10 sqm on plan			
	including getting out and			
	disposal of excavated earth			
	upto 50 m and lift up to 1.5			
	m, as directed by Engineer-			
	in-Charge:			
a)	All kinds of soil	125.56	Sqm	₹ 0.00
-		125.50	Sym	<b>\ 0.00</b>
2	Earth work in rough			
	excavation, banking			
	excavated earth in layers			
	not exceeding 20 cm in			
	depth, breaking clods,			
	watering, rolling each layer			
	with ½ tonne roller or			
	wooden or steel rammers,			
	and rolling every 3rd and			
	top-most layer with power			
	roller of minimum 8 tonnes			
	and dressing up in			
	embankments for roads,			
	flood banks, marginal			
	banks and guide banks or			
	filling up ground			
	depressions, lead up to 50			



	m and lift up to 1.5 m :			
a)	All kinds of soil	120.45	Cum	₹ 0.00
3	Filling available excavated	68.95	Cum	₹ 0.00
	earth (excluding rock) in			
	trenches, plinth, sides of			
	foundations etc. in layers			
	not exceeding 20cm in			
	depth, consolidating each			
	deposited layer by			
	ramming and watering,			
	lead up to 50 m and lift up			
	to 1.5 m.			
4	Supplying and filling in	19.45	Cum	₹ 0.00
	plinth with sand under			
	floors, including watering,			
	ramming, consolidating			
	and dressing complete.			
5	Surface dressing of the			
	ground including removing			
	vegetation and inequalities			
	not exceeding 15 cm deep			
	and disposal of rubbish,			
	lead up to 50 m and lift			
	upto1.5 m.			



a)	All kinds of soil.	29.44	Sqm	₹ 0.00
6	Clearing jungle including	22.12	Sqm	₹ 0.00
	uprooting of rank			
	vegetation, grass, brush			
	wood, trees and saplings of			
	girth up to 30 cm measured			
	at a height of 1 m above			
	ground level and removal			
	of rubbish up to a distance			
	of 50m outside the			
	periphery of the area			
	cleared.			
7	Filling with available fly ash	5.36	Cum	₹ 0.00
	and earth (excluding rock)			
	in trenches or embankment			
	in layers (each layer should			
	not exceed 15 cm), with			
	intermediate layer of			
	compacted earth (Soil			
	density of 98%) after every			
	four layers of compacted			
	depth of fly ash, sides &			
	top layer of filling shall be			
	done with earth having			
	total minimum compacted			
	thickness 30 cm or as			
	decided by Engineer -in-			
	charge, including			
	compacting each layer by			



	1	E		7	
	rolling/ ramming and				
	watering , all complete as				
	per drawing and direction				
	of Engineer -in - charge.				
8	Providing and laying in				
	position cement concrete				
	of specified grade				
	excluding the cost of				
	centering and shuttering -				
	All work up to plinth level :				
a)	1:1½:3 (1 Cement: 1½	4.56	Cum		₹ 0.00
	coarse sand(zone-III)				
	derived from natural				
	sources : 3 graded stone				
	aggregate 20 mm nominal				
	size derived from natural				
	sources).				
c)	1:2:4 (1 cement : 2 coarse	5.64	Cum		₹ 0.00
	sand(zone-III) derived from				
	natural sources : 4 graded				
	stone aggregate 20 mm				
	nominal size derived from				
	natural sources)				
9	1:3:6 (1 Cement : 3 coarse	3.35	Cum		₹ 0.00
	sand(zone-III) derived from				
	natural sources : 6 graded				



	stone aggregate 20 mm			
	nominal size derived from			
	natural sources).			
10	Centering and shuttering			
	including strutting,			
	propping etc. and removal			
	of form work for :			
a)	Foundations, footings,	25.34	Sqm	₹ 0.00
	bases for columns.			
c)	Columns, piers, abutments,	20.45	Sqm	₹ 0.00
	pillars, posts and struts.			
11	Making plinth protection	150.24	Sqm	₹ 0.00
	50mm thick of cement			
	concrete 1:3:6 (1 cement :			
	3 coarse sand derived from			
	natural sources : 6 graded			
	stone aggregate 20 mm			
	nominal size derived from			
	natural sources) over			
	75mm thick bed of dry			
	brick ballast 40 mm			
	nominal size, well rammed			
	and consolidated and			
	grouted with fine sand,			
	including necessary			
	excavation leveling and			
	dressing and finishing the			
	top smooth.			
L	1			



		E		 
12	Providing and laying in			
	position specified grade of			
	reinforced cement			
	concrete, excluding the			
	cost of centering,			
	shuttering, finishing and			
	reinforcement - All work up			
	to plinth level :			
a)	1:1.5:3 (1 cement : 1.5	12.24	Cum	₹ 0.00
	coarse sand (zone-III)			
	derived from natural			
	sources : 3 graded stone			
	aggregate 20 mm nominal			
	size derived from natural			
	sources)			
c)	1:2:4 (1 cement : 2 coarse	5.65	Cum	₹ 0.00
	sand (zone-III) : 4 graded			
	stone aggregate 20 mm			
	nominal size derived fro			
	natural resources)			
13	Reinforced cement	4.88	Cum	₹ 0.00
	concrete work in beams,			
	suspended floors, roofs			
	having slope up to 15°			
	landings, balconies,			
	shelves, chajjas, lintels,			
	bands, plain window sills,			
	staircases and spiral stair			
	cases above plinth level up			
L			L	



		English		 
	to floor five level, excluding			
	the cost of centering,			
	shuttering, finishing and			
	reinforcement with 1:1.5:3			
	(1 cement : 1.5 coarse			
	sand(zone-III)derived from			
	natural sources : 3 graded			
	stone aggregate 20 mm			
	nominal sizederived from			
	natural sources).			
14	Centering and shuttering			
	including strutting,			
	propping etc. and removal			
	of form for :			
a)	Foundations, footings,	12.34	Sqm	₹ 0.00
	bases of columns, etc. for			
	mass concrete			
b)	Walls (any thickness)	9.54	Sqm	₹ 0.00
	including attached			
	pilasters, butteresses,			
	plinth and string courses			
	etc.			
c)	Suspended floors, roofs,	14.66	Sqm	₹ 0.00
	landings, balconies and			
	access platform			
e)	Lintels, beams, plinth	28.34	Sqm	₹ 0.00
	beams, girders, bressumers			
	and cantilevers			
f)	Columns, Pillars, Piers,	12.56	Sqm	₹ 0.00
L			•	·]



	1		-	1
	Abutments, Posts and			
	Struts			
g)	Stairs, (excluding landings)	22.14	Sqm	₹ 0.00
	except spiral-staircases			
15	Steel reinforcement for			
	R.C.C. work including			
	straightening, cutting,			
	bending, placing in position			
	and binding all complete			
	upto plinth level.			
f)	Thermo-Mechanically	320.00	Kg	₹ 0.00
	Treated bars of grade Fe-			
	500D or more.			
16	Steel reinforcement for			
	R.C.C. work including			
	straightening, cutting,			
	bending, placing in position			
	and binding all complete			
	above plinth level.			
f)	Thermo-Mechanically	250.00	Kg	₹ 0.00
	Treated bars of grade Fe-			
	500D or more.			
a)	All works upto plinth level			
17	Brick work with common			
	burnt clay modular bricks			
	of class designation 7.5 in			
	foundation and plinth in:			
a)	Cement mortar 1:4 (1	4.50	Cum	₹ 0.00
	cement : 4 coarse sand)			
L	·		ıI	I



common (non modu designatic	x 7 cm thick with burnt clay F.P.S. lar) brick of class on 7.5 in cement :3 (1 cement : 3 se sand) in	50.68	Sqm	₹ 0.00
(non modu designatio	lar) brick of class on 7.5 in cement 3 (1 cement : 3			
designatio	on 7.5 in cement 3 (1 cement : 3			
	3 (1 cement : 3			
	-			
coar				
superst	ructure above			
plinth leve	el and upto floor			
fiv	ve level.			
19 Half brick	c masonry with			
common	burnt clay F.P.S.			
(non mo	dular) bricksof			
class des	ignation 7.5 in			
foundatio	ns and plinth in :			
b) Cement	mortar 1:4 (1	45.88	Sqm	₹ 0.00
cement :	4 coarse sand)			
20 Providi	ng and fixing			
plywood	4 mm thick, one			
side dec	orative veneer			
conform	ing to IS: 1328			
(type-1), t	for plain lining /			
cladding	with necessary			
screws, in	cluding priming			
coat on un	exposed surface			
	with :			
a) Decorativ	e veneer facings	14.68	Sqm	₹ 0.00
of approv	ed manufacture			



-			-	I	
21	Providing and fixing Ist	24.56	Sqm		₹ 0.00
	quality ceramic glazed wall				
	tiles conforming to IS:				
	15622 (thickness to be				
	specified by the				
	manufacturer), of				
	approvedmake, in all				
	colours, shades except				
	burgundy, bottle green,				
	black of any size as				
	approved by Engineer-in-				
	Charge, in skirting, risers of				
	steps and dados, over 12				
	mm thick bed of cement				
	mortar 1:3 (1 cement : 3				
	coarse sand) and jointing				
	with grey cement slurry @				
	3.3kg per sqm, including				
	pointing in white cement				
	mixed with pigment of				
	matching shade complete.				
22	Providing wood work in				
	frames of doors, windows,				
	clerestory windows and				
	other frames, wrought				
	framed and fixed in				
	position with hold fast lugs				
	or with dash fasteners of				
	required dia & length ( hold				
I		1	1	1	



		E		
	fast lugs or dash fastener			
	shall be paid for			
	separately).			
b)	Sal wood	1.36	Cum	₹ 0.00
c)	Kiln seasoned and	1.21	Cum	₹ 0.00
	chemically treated hollock			
	wood.			
23	Providing wood work in			
	frames of false ceiling,			
	partitions etc. sawn and			
	fixed in position with			
	necessary stainless steel			
	screws etc.			
a)	Sal wood	0.22	Cum	₹ 0.00
b)	Kiln seasoned and	0.34	Cum	₹ 0.00
	chemically treated hollock			
	wood.			
24	Providing and fixing ISI			
	marked flush door shutters			
	conforming to IS : 2202			
	(Part I) non-decorative			
	type, core of block board			
	construction with frame of			
	1st class hard wood and			
	well matched commercial 3			
	ply veneering with vertical			
	grains or cross bands and			
	face veneers on both faces			
L	1			I



		English		
	of shutters:			
a)	35 mm thick including ISI	44.24	Sqm	₹ 0.00
	marked Stainless Steel butt			
	hinges with necessary			
	screws.			
25	Providing and fixing M.S.			
	grills of required pattern in			
	frames of windows etc.			
	with M.S. flats, square or			
	round bars etc. including			
	priming coat with approved			
	steel primer all complete.			
a)	Fixed to steel windows by	130.00	Kg	₹ 0.00
	welding.			
b)	Fixed to openings /wooden	76.00	Kg	₹ 0.00
	frames with rawl plugs			
	screws etc.			
26	Providing and fixing ISI			
	marked oxidised M.S.			
	handles conforming to			
	IS:4992 with necessary			
	screws etc. complete :			
a)	125 mm	50.00	No.	₹ 0.00
b)	100 mm	25.00	No.	₹ 0.00
c)	75 mm	14.00	No.	₹ 0.00
<u> </u>	1		1 I	



27	Providing and fixing			
	oxidised M.S. casement			
	stays (straight peg type)			
	with necessary screws etc.			
	complete.			
b)	250 mm weighing not less	25.00	No.	₹ 0.00
	than 150 gms.			
c)	200 mm weighing not less	14.00	No.	₹ 0.00
	than 120 gms.			
28	Providing and fixing			
	aluminium sliding door			
	bolts ISI marked anodised			
	(anodic coating not less			
	than grade AC 10 as per IS :			
	1868) transparent or dyed			
	to required colour or shade			
	with nuts and screws etc.			
	complete :			
a)	300x16 mm	12.00	No.	₹ 0.00
b)	250x16 mm	36.00	No.	₹ 0.00
29	Providing and fixing			
	aluminium tower bolts ISI			
	marked anodised (anodic			
	coating not less than grade			
	AC 10 as per IS : 1868 )			
	transparent or dyed to			
	required colour or shade			
	with necessary screws etc.			
	complete :			
			· ·	I



a)	300x10 mm	45.00	No.	₹ 0.00
b)	250x10 mm	35.00	No.	₹ 0.00
c)	200x10 mm	23.00	No.	₹ 0.00
d)	150x10 mm	22.00	No.	₹ 0.00
e)	100x10 mm	12.00	No.	₹ 0.00
30	Providing and fixing			
	aluminium handles ISI			
	marked, anodised (anodic			
	coating not less than grade			
	AC 10 as per IS : 1868)			
	transparent or dyed to			
	required colour or shade			
	with necessary screws etc.			
	complete :			
a)	125 mm	75.00	No.	₹ 0.00
b)	100 mm	56.00	No.	₹ 0.00
31	Providing and fixing			
	aluminium hanging floor			
	door stopper, ISI marked,			
	anodised (anodic coating			
	not less than grade AC 10			
	as per IS : 1868)			
	transparent or dyed to			
	required colour and shade,			
	with necessary screws etc.			
	complete.			
	Single rubber stopper	21.00	No.	₹ 0.00



32	Providing and fixing		
02	partition upto ceiling		
	height consisting of G.I.		
	frame and required board,		
	including providing and		
	fixing of frame work made		
	of special section power		
	pressed/ roll form G.I.		
	sheet with zinc coating of		
	120 gms/ sqm(both side		
	inclusive), consisting of		
	floor and ceiling channel		
	50mm wide having equal		
	flanges of 32 mm and 0.50		
	mm thick, fixed to the floor		
	and ceiling at the spacing		
	of 610 mm centre to centre		
	with dash fastener of 12.5		
	mm dia meter 50 mm		
	length or suitable anchor		
	fastener or metal screws		
	with nylon plugs and the		
	studs 48 mm wide having		
	one flange of 34 mm and		
	other flange 36 mm and		
	0.50 mm thick fixed		
	vertically within flanges of		
	floor and ceiling channel		
	and placed at a spacing of		



610 mm centre to centre by			
6 mm dia bolts and nuts,			
including fixing of studs			
along both ends of			
partition fixed flush to wall			
with suitable anchor			
fastener or metal screws			
with nylon plugs at spacing			
of 450 mm centre to			
centre, and fixing of boards			
to both side of frame work			
by 25 mm long dry wall			
screws			
on studs, floor and ceiling			
channels at the spacing of			
300 mm centre to centre.			
The boards are to be fixed			
to the frame work with			
joints staggered to avoid			
through cracks, Galvanised			
M.S. fixing channel of 99			
mm width (0.9 mm thick			
having two flanges of 9.5			
mm each with zinc coating			
of 120 gms/sqm(both side			
inclusive)) to be provided			
at the horizontal joints of			
two boards, fixed to the			
		1	



	studs using metal to metal				
	flat head screws, including				
	jointing and finishing to a				
	flush finish with				
	recommended jointing				
	compound, jointing tape,				
	angle beads at corners (25				
	mm x 25 mm x 0.5 mm),				
	joint finisher and two coats				
	of primer suitable for				
	board as per manufacture's				
	specification and direction				
	of engineer in charge all				
	complete.				
b)	75mm overall thickness	32.12	Sqm		₹ 0.00
	partition with 12.5 mm				
	thick double skin tapered				
	edged plain Gypsum board				
	conforming to IS: 2095:				
	(part 1) : 1996 (Board with				
	BIS certification marks)				
L	1		I	1	1



33	25 mm thick PVC flush door	12.76	Sqm	₹ 0.00
	shutters made out of a one			
	piece Multi chamber			
	extruded PVC section of			
	the size of 762 mm X 25			
	mm or less as per			
	requirement with an			
	average wall thickness of 1			
	mm (± 0.3 mm). PVC foam			
	end cap of size 23x10 mm			
	are provided on both			
	vertical edges to ensure the			
	overall thickness of 25 mm.			
	M.S. tube having			
	dimensions 19 mm x 19			
	mm and 1.0 mm (± 0.1 mm)			
	is inserted along the hinge			
	side of the door. Core of			
	the door shutter should be			
	filled with High Density			
	Polyurethane foam. The			
	Top & Bottom edges of the			
	shutter are covered with an			
	end-cap of the size 25 mm			
	X 11 mm. Door shutter			
	shall be reinforced with			
	special polymeric			
	reinforcements as per			
	manufacturer's			



	specification and direction			
	of Engineer- in-charge to			
	take up necessary			
	hardware and fixtures.			
	Stickers indicating the			
	locations of hardware will			
	be pasted at appropriate			
	places.			
34	Providing and fixing factory			
	made shutters of Pre-			
	laminated particle board			
	flat pressed three layer or			
	graded wood particle			
	board with one side			
	decorative finish and other			
	side balancing lamination			
	conforming to IS: 12823			
	Grade I Type II, of approved			
	design, and edges sealed			
	with water resistant paint			
	and lipped with aluminium			
	'U' type edge beading all-			
	round the shutter,			
	including fixing with angle			
	cleat, grip strip, cadmium			



	plated steel screws				
	including fixing of				
	aluminium hinges				
	100x63x4 mm etc.				
	complete as per				
	architectural drawing and				
	direction of Engineer-in-				
	Charge (Cost of 'U' beading				
	and hinges will be paid for				
	separately).				
a)	25 mm thick.	12.44	Sqm		₹ 0.00
35	Structural steel work in	221.00	Kg		₹ 0.00
	single section, fixed with or				
	without connecting				
	plate, including cutting,				
	hoisting, fixing in position				
	and applying a priming coat				
	of approved steel primer all				
	complete				
36	Providing and fixing 1 mm	24.66	Sqm		₹ 0.00
	thick M.S. sheet sliding-				
	shutters, with frame and				
	diagonal braces of 40x40x6				
	mm angle iron, 3 mm M.S.				
	gusset plates at the				
	junctions and corners, 25				
	mm dia pulley, 40x40x6				
	mm angle and T- iron guide				
	at the top and bottom				
L	1		l	I	1



	respectively, including			
	applying a priming coat of			
	approved steel primer.			
37	Providing and fixing 1mm			
	thick M.S. sheet door with			
	frame of 40x40x6 mm			
	angle iron and 3 mm M.S.			
	gusset plates at the			
	junctions and corners, all			
	necessary fittings			
	complete, including			
	applying a priming coat of			
	approved steel primer.			
a)	Using M.S. angels 40x40x6	6.42	Sqm	₹ 0.00
	mm for diagonal braces			
b)	Using flats 30x6mm for	4.46	Sqm	₹ 0.00
	diagonal braces and central			
	cross piece			
38	Supplying and fixing rolling			
	shutters of approved make,			
	made of required size M.S.			
	laths, interlocked together			
	through their entire length			
	and jointed together at the			
	end by end locks, mounted			
	on specially designed pipe			
	shaft with brackets, side			
	· · · · · · · · · · · · · · · · · · ·			



	guides and arrangements			
	for inside and outside			
	locking with push and pull			
	operation complete,			
	including the cost of			
	providing and fixing			
	necessary 27.5 cm long			
	wire springs manufactured			
	from high tensile steel wire			
	of adequate strength			
	conforming to IS: 4454 -			
	part 1 and M.S. top cover			
	of required thickness for			
	rolling shutters.			
a)	80x1.25 mm M.S. laths	4.56	Sqm	₹ 0.00
	with 1.25 mm thick top			
	cover.			
39	Providing and fixing T-iron			
	frames for doors, windows			
	and ventilators of mild			
	steel Tee-sections, joints			
	mitred and welded,			
	including fixing of			
	necessary butt hinges and			
	screws and applying a			
	priming coat of approved			
	steel primer.			



		E		
a)	Fixing with 15x3 mm lugs	5500.44	Kg	₹ 0.00
	10 cm long embedded in			
	cement concrete block			
	15x10x10 cm of C.C. 1:3:6			
	(1 Cement : 3 coarse sand :			
	6 graded stone aggregate			
	20 mm nominal size).			
40	Welding by gas or electric	11000.25	cm	₹ 0.00
	plant including			
	transportation of plant at			
	site etc. complete.			
41	Steel work welded in built			
	up sections/ framed work,			
	including cutting, hoisting,			
	fixing in position and			
	applying a priming coat of			
	approved steel primer			
	using structural steel etc.			
	as required.			
a)	In stringers, treads,	250.00	Кд	₹ 0.00
	landings etc. of stair cases,			
	including use of chequered			
	plate wherever required,			
	all complete.			
42	Providing & fixing fly proof			
	wire gauze to windows,			
	clerestory windows &			
	doors with M.S. Flat 15 x			
	3mm and nuts & bolts			
			I I	



	complete.	~~~~		
	p			
	Galvanised M.S. Wire	22 44	Sam	₹0.00
a)		22.44	Sqm	₹ 0.00
	gauze with 0.63mm dia			
	wire and 1.4 mm aperture			
	on both sides.			
43	Providing & fixing glass			
	panes with putty and			
	glazing clips in steel doors,			
	windows, clerestory			
	windows all complete with			
	:			
a)	4.0 mm thick glass panes.	95.00	Sqm	₹ 0.00
44	Providing and fixing angle	93.00	Kg	₹ 0.00
	iron frames for doors,			
	windows and ventilators of			
	mild steel Angle sections of			
	size 35x35x5 mm, joints			
	mitred and welded by			
	angle iron 35x35x5 mm or			
	35x 5 mm flat pieces to the			
	existing T-iron frame or to			
	the wall with dash			
	fastener, including fixing of			
	necessary butt hinges and			
	screws and applying a			
	priming coat of approved			
	steel primer, all complete			
	as per the direction of			



		E		· · · · · · · · · · · · · · · · · · ·
	Engineer-In-charge.			
45	Brick on edge flooring with			
	bricks of class designation			
	7.5 on a bed of 12 mm			
	cement mortar, including			
	filling the joints with same			
	mortar, with common			
	burnt clay non modular			
	bricks:			
a)	1:4 (1 cement : 4 coarse	85.44	Sqm	₹ 0.00
	sand)			
46	Cement concrete flooring			
	1:2:4 (1 cement : 2 coarse			
	sand : 4 graded stone			
	aggregate) finished with a			
	floating coat of neat			
	cement, including cement			
	slurry, but excluding the			
	cost of nosing of steps etc.			
	complete.			
a)	40 mm thick with 20 mm	45.68	Sqm	₹ 0.00
	nominal size stone			
	aggregate			



,		Feileradu		,
47	52 mm thick cement	1.00	Sqm	₹ 0.00
	concrete flooring with			
	concrete hardener topping,			
	under layer 40 mm thick			
	cement concrete 1:2:4 (1			
	cement : 2 coarse sand : 4			
	graded stone aggregate 20			
	mm nominal size) and top			
	layer 12 mm thick cement			
	hardener consisting of mix			
	1:2 (1 cement hardener mix			
	: 2 graded stone aggregate			
	6 mm nominal size) by			
	volume, hardening			
	compound mixed @ 2 litre			
	per 50 kg of cement or as			
	per manufacturer's			
	specifications. This includes			
	cost of cement slurry, but			
	excluding the cost of nosing			
	of steps etc. complete.			
48	Cement plaster skirting up			
	to 30 cm height, with			
	cement mortar 1:3 (1			
	cement : 3 coarse sand),			
	finished with a floating			
	coat of neat cement.			
a)	18 mm thick.	16.22	Sqm	₹ 0.00
			1	1



49	Cement concrete pavement	2.24	Cum	<u>г</u>	₹ 0.00
49	_	2.24	Cum		N 0.00
	with 1:2:4 (1 cement : 2				
	coarse sand : 4 graded				
	stone aggregate 20 mm				
	nominal size), including				
	finishing complete.				
50	Extra for making chequers	57.80	Sqm		₹ 0.00
	of approved pattern on				
	cement concrete floors,				
	steps, landing, pavements				
	etc.				
51	Providing and fixing glass				
	strips in joints of terrazzo/				
	cement concrete floors.				
a)	40 mm wide and 4 mm	57.80	m		₹ 0.00
	thick.				
52	Chequerred precast cement				
	concrete tiles 22 mm thick				
	in footpath &courtyard,				
	jointed with neat cement				
	slurry mixed with pigment				
	to match the shade of tiles,				
	including rubbing and				
	cleaning etc. complete, on				
	20mm thick bed of cement				
	mortar 1:4 (1 cement: 4				
	coarse sand).				
a)	Light shade pigment using	34.56	Sqm		₹ 0.00
	white cement.				
L	<u> </u>		<u>ı</u>	<u>ı                                    </u>	



b)	Medium shade pigment	12.44	Sqm	₹ 0.00
	using 50% white cement			
	50% Grey cement.			
53	Providing and laying	34.56	Sqm	₹ 0.00
	Ceramic glazed floor tiles of			
	size 300x300 mm(thickness			
	to be specified by the			
	manufacturer), of 1st			
	quality conforming to IS :			
	15622, of approved make,			
	in all colours, shades,			
	except White, Ivory, Grey,			
	Fume Red Brown, laid on			
	20 mm thick bed of cement			
	mortar1:4 (1 Cement : 4			
	Coarse sand), jointing with			
	grey cement slurry			
	@3.3kg/sqm including			
	pointing the joints with			
	white cement and			
	matching pigments etc.,			
	complete.			
54	Providing and laying			
	vitrified floor tiles in			
	different sizes (thickness to			
	be specified by the			
	manufacturer) with water			
	absorption less than			
	0.08% and conforming to IS			
	<u> </u>			



			-		
	: 15622 , of approved				
	make, in all colours and				
	shades, laid on 20mm thick				
	cement mortar 1:4 (1				
	cement : 4 coarse sand)				
	jointing with grey cement				
	slurry @ 3.3kg/sqm				
	including grouting the				
	joints with white cement				
	and matching pigments				
	etc., complete.				
a)	Size of Tile 500x500 mm	6.75	Sqm		₹ 0.00
b)	Size of Tile 600x600 mm	7.94	Sqm		₹ 0.00
55	Fixing glazed/ Ceramic/	30.22	Sqm		₹ 0.00
	Vitrified floor tiles with				
	cement based high polymer				
	modified quick-set tile				
	adhesive (Water based)				
	conforming to IS: 15477, in				
	average 3mm thickness.				
56	Providing corrugated G.S.				
	sheet roofing including				
	vertical/curved surface				
	fixed with polymer coated J				
	or L hooks, bolts and nuts 8				
	mm diameter with bitumen				
	and G.I. limpet washers or				
	with G.I. limpet washers				
	filled with white lead,				
·	1		1	1	ſ



		An a state of the			
	including a coat of				
	approved steel primer and				
	two coats of approved				
	paint on overlapping of				
	sheets complete (up to any				
	pitch in horizontal/ vertical				
	or curved surfaces),				
	excluding the cost of				
	purlins, rafters and trusses				
	and including cutting to				
	size and shape wherever				
	required.				
c)	0.63 mm thick with zinc	12.34	Sqm		₹ 0.00
	coating not less than 275				
	gm/ m²				
57	Providing ridges or hips of				
	width 60 cm overall width				
	plain G.S. sheet fixed with				
	polymer coated J. or L				
	hooks, bolts and nuts 8 mm				
	dia. G.I. limpet and				
	bitumen washers				
	complete.				
b)	0.63 mm thick with zinc	10.00	Rm		₹ 0.00
	coating not less than 275				
	gm/m²				
58	Providing valleys of 90 cm				
	wide overall in plain G.S.				
	sheet fixed with polymer				
			•	•	·



	coated J, or L hooks, bolts			
	and nuts 8 mm dia. G.I.			
	limpet and bitumen			
	washers complete :			
a)	1.60 mm thick with zinc	11.00	Rm	₹ 0.00
	coating not less than 350			
	gm/m²			
59	Painting top of roofs with			
	bitumen of approved			
	quality @ 17 kg per 10 sqm			
	impregnated with a coat of			
	coarse sand at 60 cudm per			
	10 sqm including cleaning			
	the slab surface with			
	brushes and finally with a			
	piece of cloth lightly			
	soaked in kerosene oil			
	complete :			
a)	With residual type	12.68	Sqm	₹ 0.00
	petroleum bitumen of			
	grade VG - 10			
60	Providing and fixing			
	insulating board ceiling of			
	approved quality with			
	necessary nails etc.			
	complete (frame work to			
	be paid separately) :			
a)	Natural colour insulating			
	board			
	·		•	1



(i)	12 mm thick	14.56	Sqm	₹ 0.00
61	Providing and fixing false			
	ceiling at all height			
	including providing and			
	fixing of frame work made			
	of special sections, power			
	pressed from M.S. sheets			
	and galvanized with zinc			
	coating of 120 gms/sqm			
	(both side inclusive) as per			
	IS : 277 and consisting of			
	angle cleats of size 25 mm			
	wide x 1.6 mm thick with			
	flanges of 27 mm and 37			
	mm, at 1200 mm centre to			
	centre, one flange fixed to			
	the ceiling with dash			
	fastener 12.5 mm dia x 50			
	mm long with 6 mm dia			
	bolts, other flange of cleat			
	fixed to the angle hangers			
	of 25x10x0.50 mm of			
	required length with nuts &			
	bolts of required size and			
	other end of angle hanger			
	fixed with intermediate G.I.			
	channels 45x15x0.9 mm			
	running at the spacing of			
	1200 mm centre to centre,			



to which the ceiling section		
0.5 mm thick bottom		
wedge of 80 mm with		
tapered flanges of 26 mm		
each having lips of 10.5		
mm, at 450 mm centre to		
centre,		



shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm centre, with 25mm long dry wall screws @ 230 mm interval, including fixing of gypsum board to ceiling section and perimeter channel with the help of dry wall screws of size 3.5 x 25 mm at 230 mm c/c, including jointing and finishing to a flush finish of tapered and square edges of the board with recommended jointing compound, jointing tapes, finishing with jointing



,		E contraction		ı
	compound in 3 layers			
	covering upto 150 mm on			
	both sides of joint and two			
	coats of primer suitable for			
	board, all as per			
	manufacturer's			
	specification and also			
	including the cost of			
	making openings for light			
	fittings, grills, diffusers,			
	cutouts made with frame			
	of perimeter channels			
	suitably fixed, all complete			
	as per drawings,			
	specification and direction			
	of the Engineer in Charge			
	but excluding the cost of			
	painting with :			
a)	12.5 mm thick tapered	10.24	Sqm	₹ 0.00
	edge gypsum plain board			
	conforming to IS: 2095-			
	(Part I) : 2011 (Board with			
	BIS certification marks)			
62	15 mm cement plaster on			
	rough side of single or half			
	brick wall finished with a			
	floating coat of neat			
	cement of mix :			
b)	1:4 (1 cement: 4 fine sand)	120.24	Sqm	₹ 0.00
D)	1:4 (1 cement: 4 fine sand)	120.24	Sqm	₹ 0.00



63	Cement plaster 1:3 (1			
	cement: 3 coarse sand)			
	finished with a floating			
	coat of neat cement.			
a)	12 mm cement plaster	120.44	Sqm	₹ 0.00
64	Neat cement punning	50.34	Sqm	₹ 0.00
65	Providing and applying	100.88	Sqm	₹ 0.00
	plaster of paris putty of 2			
	mm thickness over			
	plastered surface to			
	prepare the surface even			
	and smooth complete.			
66	Distempering with oil			
	bound washable distemper			
	of approved brand and			
	manufacture to give an			
	even shade.			
a)	New work (two or more	56.88	Sqm	₹ 0.00
	coats) over and including			
	water thinnable priming			
	coat with cement primer.			
67	Finishing with Epoxy paint			
	(two or more coats) at all			
	locations prepared and			
	applied as per			
	manufacturer's			
	specifications including			
	appropriate priming coat,			
	preparation of surface, etc.			



	complete.			
a)	On steel work	61.24	Sqm	₹ 0.00
68	Painting on G.S. sheet with			
	synthetic enamel paint of			
	approved brand and			
	manufacture of required			
	colour to give an even			
	shade :			
a)	New work (two or more	125.67	Sqm	₹ 0.00
	coats) including a coat of			
	approved steel primer but			
	excluding a coat of			
	mordant solution.			
69	Painting with synthetic			
	enamel paint of approved			
	brand and manufacture to			
	give an even shade :			
a)	Two or more coats on new	167.78	Sqm	₹ 0.00
	work.			
70	Painting with synthetic			
	enamel paint of approved			
	brand and manufacture of			
	required colour to give an			
	even shade:			
a)	Two or more coats on new	121.56	Sqm	₹ 0.00
	work over an under coat of			
	suitable shade with			
L				



	ordinary paint of approved			
	brand and manufacture.			
71	Removing dry or oil bound	134.45	Sqm	₹ 0.00
	distemper, water proofing			
	cement paint and the like			
	by scrapping, sand			
	papering and preparing the			
	surface smooth including			
	necessary repairs to			
	scratches etc. complete.			
72	Finishing walls with water			
	proofing cement paint of			
	required shade :			
a)	Old work (one or more	156.65	Sqm	₹ 0.00
	coats applied @ 2.20 kg/10			
	sqm) over priming coat of			
	primer applied @ 0.80			
	litrs/10 sqm complete			
	including cost of Priming			
	coat.			
73	Repairs to plaster of			
	thickness 12 mm to 20 mm			
	in patches of area 2.5 sq.			
	meters and under,			
	including cutting the patch			
	in proper shape, raking out			
	joints and preparing and			
	plastering the surface of			
	the walls complete,			
L				



including disposal of				
_	350 56	Sam		₹ 0.00
	330.30	3411		(0.00
-				
_				
_				
_				
-				
_				
cement : 3 coarse sand : 6				
graded stone aggregate 20				
mm nominal size), painting				
two coats of approved				
wood preservative to sides				
of chowkhats and making				
good the damages to walls				
and floors as required				
complete, including				
disposal of rubbish to the				
dumping ground, all				
complete as per directions				
of Engineer-In-Charge.				
	rubbish to the dumping ground , all complete as per directions of Engineer- In-Charge. With cement mortar 1:4 (1 cement : 4 fine sand). Fixing chowkhats in existing opening including embedding chowkhats in floors or walls cutting masonry for holdfasts, embedding hold fasts in cement concrete blocks of size 15 x 10 x 10 cm with cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size), painting two coats of approved wood preservative to sides of chowkhats and making good the damages to walls and floors as required complete, including disposal of rubbish to the dumping ground, all complete as per directions	rubbish to the dumping ground , all complete as per directions of Engineer- In-Charge.With cement mortar 1:4 (1350.56cement : 4 fine sand).5Fixing chowkhats in existing opening including embedding chowkhats in floors or walls cutting masonry for holdfasts, embedding hold fasts in cement concrete blocks of size 15 x 10 x 10 cm with cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size), painting two coats of approved wood preservative to sides of chowkhats and making good the damages to walls and floors as required complete, including disposal of rubbish to the dumping ground, all complete as per directions	rubbish to the dumping ground, all complete as per directions of Engineer- In-Charge.InIn-Charge.350.56SqmWith cement mortar 1:4 (1350.56Sqmcement : 4 fine sand).Fixing chowkhats in existing opening including embedding chowkhats in floors or walls cutting masonry for holdfasts, embedding hold fasts in cement concrete blocks of 	rubbish to the dumping ground, all complete as per directions of Engineer- In-Charge.In-Charge.With cement mortar 1:4 (1)350.56Sqmcement : 4 fine sand).SqmIn-Charge.Fixing chowkhats in existing opening including embedding chowkhats in floors or walls cutting masonry for holdfasts, ement concrete blocks of size 15 x 10 x 10 cm with cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size), painting two coats of approved wood preservative to sides of chowkhats and making good the damages to walls and floors as required complete, including disposal of rubbish to the dumping ground, all complete as per directionsIn-Charge.



a)	Door chowkhats .	30.00	No.	3	t 0.00
c)	Clerestory window	20.00	No.	3	t 0.00
	chowkhats .				
75	Fixing chowkhat in existing	12.00	No.	3	t 0.00
	opening in brick / RCC wall				
	with dash				
	fasteners/Chemical				
	fasteners of appropriate				
	size (3 nos on each vertical				
	member of door chowkhat				
	and 2 nos on each vertical				
	member of window				
	chowkhats), including Cost				
	of dash fasteners/ chemical				
	fastener.				
76	Making the opening in				
	brick masonry including				
	dismantling in floor or				
	walls by cutting masonry				
	and making good the				
	damages to walls, flooring				
	and jambs complete, to				
	match existing surface i/c				
	disposal of mulba/rubbish				
	to the nearest municipal				
	dumping ground, all				
	complete as per directions				
	of Engineer-In-Charge.				
a)	For door/ window/	13.44	Sqm	3	ŧ 0.00



	clerestory window.			
77	Renewing glass panes, with			
	putty and nails wherever			
	necessary including racking			
	out the old putty:			
a)	Float glass panes of	200.24	Sqm	₹ 0.00
	nominal thickness 4 mm			
	(weight not less than			
	10kg/sqm).			
78	Refixing old glass panes	210.44	Sqm	₹ 0.00
	with putty and nails .			
79	Providing and fixing 25 mm			
	thick shutters for cup board			
	etc. :			
a)	Panelled or panelled &			
	glazed shutters :			
	Ist class teak wood	5.42	Sqm	₹ 0.00
(ii)	including nickel plated			
	bright finished M.S. piano			
	hinges with necessary			
	screws.			
80	Disconnecting damaged	25.00	No.	₹ 0.00
	overhead/terrace PVC			
	water storage tank of any			
	size from water supply line			
	and removing from the			
	terrace including shifting at			
	ground level as per			
	direction of Engineer-in-			
L			· ·	L



					Γ
	charge.				
81	Providing & fixing White				
	vitreous china water closet				
	squatting pan (Indian type)				
	along with "S" or "P" trap				
	including dismantling of old				
	WC seat and "S" or "P" trap				
	at site complete with all				
	operations including all				
	necessary materials, labour				
	and disposal of dismantled				
	material i/c malba, all				
	complete as per the				
	direction of Engineer-in				
	charge.				
b)	Orissa pattern W.C Pan of	34.00	No.		₹ 0.00
	size 580x440 mm				
82	Cutting holes of required	10.00	No.		₹ 0.00
	size in brick masonry wall				
	for fixing of exhaust fan				
	including providing and				
	fixing 300 mm dia PVC pipe				
	conforming BIS-12818 and				
	making good the same etc.				
	complete as per direction				
	of Engineer-in-charge.				
L			l	I	l



83	Dismantling W.C. Pan of all	23.00	No.	₹ 0.00
	sizes including disposal of			
	dismantled materials i/c			
	malba all complete as per			
	directions of Engineer-in-			
	Charge.			
84	Hacking of CC flooring	100.24	Sqm	₹ 0.00
	including cleaning for			
	surface etc. complete as			
	per direction of the			
	Engineer-in-Charge.			
85	Taking out existing wooden	15.00	No.	₹ 0.00
	door shutter, repair by			
	cutting, painting etc. and			
	refixing of repaired door			
	shutters to existing door			
	frames, including			
	replacement of hinges with			
	screws, etc. as required, all			
	complete as per the			
	direction of the Engineer-			
	in-charge.			
86	Demolishing cement			
	concrete manually/ by			
	mechanical means			
	including disposal of			
	material within 50 metres			
	lead as per direction of			
	Engineer - in - charge.			



a)    Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)    5.33    Cum      87    Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.    2.33    Cum      88    Demolishing brick work manually/ by mechanical means including stacking of serviceable material disposal of unserviceable material within 50 metres    Image: Cum	₹ 0.00
design mix)    2.33    Cum      87    Demolishing R.C.C. work    2.33    Cum      manually/ by mechanical    means including stacking of    steel bars and disposal of    steel bars and disposal of      unserviceable material    within 50 metres lead as    sper direction of Engineer -    in- charge.      88    Demolishing brick work    means including stacking of    serviceable material      means including stacking of    serviceable material and    disposal of unserviceable      material within 50 metres    in- charge    in- charge	
87    Demolishing R.C.C. work    2.33    Cum      manually/ by mechanical    means including stacking of    steel bars and disposal of      unserviceable material    within 50 metres lead as    ser direction of Engineer -      in- charge.    in- charge.      88    Demolishing brick work      means including stacking of    serviceable material      means including stacking of    serviceable material and      disposal of unserviceable    material within 50 metres	
manually/ by mechanical      means including stacking of      steel bars and disposal of      unserviceable material      within 50 metres lead as      per direction of Engineer -      in- charge.      88      Demolishing brick work      manually/ by mechanical      means including stacking of      serviceable material and      disposal of unserviceable      material within 50 metres	
means including stacking of      steel bars and disposal of      unserviceable material      within 50 metres lead as      per direction of Engineer -      in- charge.      88      Demolishing brick work      manually/ by mechanical      means including stacking of      serviceable material and      disposal of unserviceable      material within 50 metres	₹ 0.00
steel bars and disposal of      unserviceable material      within 50 metres lead as      per direction of Engineer -      in- charge.      88    Demolishing brick work      manually/ by mechanical      means including stacking of      serviceable material and      disposal of unserviceable      material within 50 metres	
unserviceable material      within 50 metres lead as      per direction of Engineer -      in- charge.      88      Demolishing brick work      manually/ by mechanical      means including stacking of      serviceable material and      disposal of unserviceable      material within 50 metres	
within 50 metres lead as per direction of Engineer - in- charge.88Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres	
per direction of Engineer -    in- charge.      in- charge.    88      Demolishing brick work    manually/ by mechanical      means including stacking of    serviceable material and      disposal of unserviceable    material within 50 metres	
in- charge.      88    Demolishing brick work      manually/ by mechanical      means including stacking of      serviceable material and      disposal of unserviceable      material within 50 metres	
88    Demolishing brick work      manually/ by mechanical      means including stacking of      serviceable material and      disposal of unserviceable      material within 50 metres	
manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres	
means including stacking of serviceable material and disposal of unserviceable material within 50 metres	
serviceable material and disposal of unserviceable material within 50 metres	
disposal of unserviceable material within 50 metres	
material within 50 metres	
lead as per direction of	
Engineer-in-charge	
d) In cement mortar 1.25 Cum	₹ 0.00
89 Dismantling doors,	
windows and clerestory	
windows (steel or wood)	
shutter including	
chowkhats, architrave,	
holdfasts etc. complete and	
stacking within 50 metres	
lead :	
a) Of area 3 sq. metres and 23.00 No.	₹ 0.00



<u> </u>				
	below			
90	Taking out doors, windows			
	and clerestory window			
	shutters (steel or wood)			
	including stacking within 50			
	metres lead:			
a)	Of area 3 sq. metres and	32.00	No.	₹ 0.00
	below			
91	Dismantling tile work in			
	floors and roofs laid in			
	cement mortar including			
	stacking material within 50			
	metres lead.			
a)	For thickness of tiles 10	43.24	Sqm	₹ 0.00
	mm to 25 mm			
92	Dismantling of flushing	11.00	No.	₹ 0.00
	cistern of all types			
	(C.I./PVC/Vitreous China)			
	including stacking of useful			
	materials near the site and			
	disposal of unserviceable			
	materials within 50 metres			
	lead.			
93	Providing and fixing water			
	closet squatting pan			
	(Indian type W.C.pan ) with			
	100 mm sand cast Iron P or			
	S trap, 10 litre low level			
	white P.V.C. flushing			



	cistern, including flush			
	pipe, with manually			
	controlled device (handle			
	lever) conforming to IS :			
	7231, with all fittings and			
	fixtures complete,			
	including cutting and			
	making good the walls and			
	floors wherever required:			
a)	White Vitreous china Orissa	27.00	No.	₹ 0.00
	pattern W.C. pan of size			
	580x440 mm with integral			
	type foot rests			
b)	Stainless Steel AISI-	4.00	No.	₹ 0.00
	304(18/8) Orissa pattern			
	W.C. pan of size 585x480			
	mm with flush pipe and			
	integrated type foot rests			
94	Providing and fixing white			
	vitreous china pedestal			
	type water closet			
	(European type W.C. pan)			
	with seat and lid, 10 litre			
	low level white P.V.C.			
	flushing cistern, including			
	flush pipe, with manually			
	controlled device (handle			
	lever), conforming to IS :			
	7231, with all fittings			
L	1		1	



	andfixtures complete,			
	including cutting and			
	making good the walls and			
	floors wherever required :			
a)	W.C. pan with ISI marked	5.00	No.	 ₹ 0.00
	white solid plastic seat and			
	lid			
b)	W.C. pan with ISI marked	6.00	No.	₹ 0.00
	black solid plastic seat and			
	lid			
95	Providing and fixing white			
	vitreous china pedestal			
	type water closet			
	(European type) with seat			
	and lid, 10 litre low level			
	white vitreous china			
	flushing cistern & C.P. flush			
	bend with fittings & C.I.			
	brackets, 40 mm flush			
	bend, overflow			
	arrangement with specials			
	of standard make and			
	mosquito proof coupling of			
	approved municipal design			
	complete, including			
	painting of fittings and			
	brackets, cutting and			
	making good the walls and			
L	1			



		English		
	floors wherever required :			
a)	W.C. pan with ISI marked	5.00	No.	₹ 0.00
	white solid plastic seat and			
	lid			
96	Providing and fixing white			
	vitreous china flat back or			
	wall corner type lipped			
	front urinal basin of			
	430x260x350 mm and			
	340x410x265 mm sizes			
	respectively with			
	automatic flushing cistern			
	with standard flush pipe			
	and C.P. brass spreaders			
	with brass unions and G.I			
	clamps complete, including			
	painting of fittings and			
	brackets, cutting and			
	making good the walls and			
	floors wherever required :			
a)	One urinal basin with 5	4.00	No.	₹ 0.00
	litre white P.V.C. automatic			
	flushing cistern			



		ALC: NOT		
97	Providing and fixing wash			
	basin with C.I. brackets, 15			
	mm C.P. brass pillar taps,			
	32 mm C.P. brass waste of			
	standard pattern, including			
	painting of fittings and			
	brackets, cutting and			
	making good the walls			
	wherever require:			
b)	White Vitreous China Wash	7.00	No.	₹ 0.00
	basin size 630x450 mm			
	with a single 15 mm C.P.			
	brass pillar tap			
98	Providing and fixing PTMT			
	pillar cock of approved			
	quality and colour.			
a)	15 mm nominal bore, 107	13.00	No.	₹ 0.00
	mm long, weighing not less			
99	Providing and fixing white	6.00	No.	₹ 0.00
	vitreous china pedestal for			
	wash basin etc.			
100	Providing and fixing C.P.			
	brass bib cock of approved			
	quality conforming			
	to IS:8931 :			
a)	15 mm nominal bore	128.00	No.	₹ 0.00
101	Providing and fixing white	14.00	No.	₹ 0.00
	vitreous china pedestal			
	type (European type/ wash			
			· · · · · · · · · · · · · · · · · · ·	1



	down type) water closet			
	pan.			
102	Providing and fixing P.V.C.			
	low level flushing cistern			
	with manually controlled			
	device (handle lever)			
	conforming to IS : 7231,			
	with all fittings and fixtures			
	complete.			
a)	10 litre capacity - White	35.00	No.	₹ 0.00
103	Providing and fixing white			
	vitreous china wash basin			
	including making all			
	connections but excluding			
	the cost of fittings :			
a)	Flat back wash basin of size	25.00	No.	₹ 0.00
	630x450 mm.			
104	Providing and fixing kitchen			
	sink including making all			
	connections excluding cost			
	of fittings.			
a)	White glazed fire clay sink	14.00	No.	₹ 0.00
	of size 600x450x250 mm.			
105	Providing and fixing P.V.C.			
	waste pipe for sink or wash			
	basin including P.V.C.			
	waste fittings complete.			
a)	Semi rigid pipe			
(i)	32 mm dia	5.00	No.	₹ 0.00
<u>.</u>	1		I	I



	40 mm dia	6.00	No.	₹ 0.00
(ii)				
b)	Flexible pipe			
(i)	32 mm dia	6.00	No.	₹ 0.00
	40 mm dia	5.00	No.	₹ 0.00
(ii)				
106	Providing and fixing 100	9.00	No.	₹ 0.00
	mm sand cast Iron grating			
	for gully trap.			
107	Providing and fixing	29.00	No.	₹ 0.00
	600x450 mm beveled edge			
	mirror of superior glass (of			
	approved quality) complete			
	with 6 mm thick hard			
	board ground fixed to			
	wooden cleats with C.P.			
	brass screws and washers			
	complete.			
108	Providing and fixing	22.00	No.	₹ 0.00
	600x120x5 mm glass shelf			
	with edges round off,			
	supported on anodised			
	aluminium angle frame			
	with C.P. brass brackets			
	and guard rail complete			
	fixed with 40 mm long			
	screws, rawl plugs etc.,			
	complete.			
109	Providing and fixing toilet			



	• ••			
	paper holder :			
a)	C.P. brass	9.00	No.	₹ 0.00
b)	Vitreous china	9.00	No.	₹ 0.00
110	Providing and fixing soil,			
	waste and vent pipes :			
a)	100 mm dia.			
(i)	Sand cast iron S&S pipe as	9.34	Rm	₹ 0.00
	per IS: 1729.			
111	Providing and fixing plain			
	bend of required degree.			
a)	100 mm dia			
(i)	Sand cast iron S&S as per IS	12.00	No.	₹ 0.00
	- 1729			
112	Providing and fixing			
	vitreous china dual purpose			
	closet suitable for use as			
	squatting pan or European			
	type water closet (Anglo			
	Indian W.C pan) with seat			
	& lid fixed with C.P. brass			
	hinges and rubber buffers,			
	10 litre low level flushing			
	cistern with fitting and			
	brackets, 40 mm flush			
	bend, 20 mm over flow			
	pipe, with specials of			
	standard make and			
	mosquito proof coupling of			
	approved municipal design			
<u> </u>			II	



r				
	complete, including			
	painting of fittings and			
	brackets, cutting and			
	making good the walls and			
	floors wherever required:			
a)	White vitreous china dual	2.00	No.	₹ 0.00
	purpose WC pan with			
	white solid plastic seat and			
	lid with white vitreous			
	china flushing cistern and			
	C.P. flush bend.			
b)	600 mm long towel rail	12.00	No.	₹ 0.00
	with total length of 645			
	mm, width 78 mm and			
	effective height of 88 mm,			
	weighing not less than 190			
	gms.			
113	Providing and fixing PTMT	12.00	No.	₹ 0.00
	shelf 440 mm long, 124 mm			
	width and 36 mm height of			
	approved quality and			
	colour, weighing not less			
	than 300 gms.			
•	•		•	



114	Providing and fixing				
	Chlorinated Polyvinyl				
	Chloride (CPVC) pipes,				
	having thermal stability for				
	hot & cold water supply,				
	including all CPVC plain &				
	brass threaded fittings,				
	including fixing the pipe				
	with clamps at 1.00 m				
	spacing. This includes				
	jointing of pipes & fittings				
	with one step CPVC solvent				
	cement and testing of				
	joints complete as per				
	direction of Engineer in				
	Charge. : Internal work -				
	Exposed on wall				
b)	20 mm nominal outer dia.	54.32	m		₹ 0.00
	Pipes.				
c)	25 mm nominal outer dia	45.66	m		₹ 0.00
	.Pipes.				
d)	32 mm nominal outer dia.	74.22	m		₹ 0.00
	Pipes.				
e)	40 mm nominal outer dia.	12.34	m		₹ 0.00
	Pipes.				
115	Providing and fixing G.I.				
	pipes complete with G.I.				
	fittings and clamps, i/c				
	cutting and making good				
L			1	i	



c)	25 mm dia. nominal bore	56.44	m	₹ 0.00
, 116	Making connection of G.I.			
	distribution branch with			
	G.I. main of following sizes			
	by providing and fixing tee,			
	including cutting and			
	threading the pipe etc.			
	complete :			
a)	25 to 40 mm nominal bore	12.00	No.	₹ 0.00
117	Providing and fixing gun			
	metal gate valve with C.I.			
	wheel of approved quality			
	(screwed end) :			
a)	25 mm nominal bore	6.00	No.	₹ 0.00
e)	50 mm nominal bore	5.00	No.	₹ 0.00
118	Providing and fixing G.I.			
	Union in existing G.I. pipe			
	line, cutting and threading			
	the pipe and making long			
	screws including			
	excavation, refilling the			
	earth or cutting of wall and			
	making good the same			
	complete wherever			
	required :			



			-	
d)	32 mm nominal bore.	9.00	No.	₹ 0.00
119	Providing and placing on	15000.00	Ltr	₹ 0.00
	terrace (at all floor levels)			
	polyethylene water storage			
	tank, IS : 12701 marked,			
	with cover and suitable			
	locking arrangement and			
	making necessary holes for			
	inlet, outlet and overflow			
	pipes but without fittings			
	and the base support for			
	tank.			
120	Providing and laying S&S			
	C.I. Standard specials such			
	as tees, bends, collars			
	tapers and caps etc,			
	suitable for flanged jointing			
	as per IS :1538:			
a)	Up to 300 mm dia	0.56	Qtl	₹ 0.00
b)	Above 300 mm dia	0.85	Qtl	₹ 0.00
D)	Above soo mini dia	0.85	Qli	<b>~ 0.00</b>



121	Providing and fixing		
	aluminium work for doors,		
	windows, ventilators and		
	partitions with extruded		
	built up standard tubular		
	sections/appropriate Z		
	sections and other sections		
	of approved make		
	conforming to IS: 733 and		
	IS: 1285, fixing with dash		
	fasteners of required dia		
	and size, including		
	necessary filling up the		
	gaps at junctions, i.e. at		
	top, bottom and sides with		
	required EPDM		
	rubber/neoprene gasket		
	etc. Aluminium sections		
	shall be smooth, rust free,		
	straight, mitred and jointed		
	mechanically wherever		
	required including cleat		
	angle, Aluminium snap		
	beading for glazing /		
	paneling, C.P. brass/		
	stainless steel screws, all		
	complete as per		
	architectural drawings and		
	the directions of Engineer-		



	in-charge. (Glazing,				
	paneling and dash				
	fasteners to be paid for				
	separately) :				
a)	For fixed portion				
		42.42	14-		<b>T</b> 0 00
(i)	Anodised aluminium	12.12	Kg		₹ 0.00
	(anodised transparent or				
	dyed to required shade				
	according to IS: 1868,				
	Minimum anodic coating of				
	grade AC 15)				
b)	For shutters of doors,				
	windows & ventilators				
	including providing and				
	fixing hinges/ pivots and				
	making provision for fixing				
	of fittings wherever				
	required including the cost				
	of EPDM rubber /				
	neoprene gasket required				
	(Fittings shall be paid for				
	separately).				
				I	



(i)	Anodised aluminium	56.68	Kg		₹ 0.00
	(anodised transparent or				
	dyed to required shade				
	according to IS: 1868,				
	Minimum anodic coating of				
	grade AC 15)				
122	Providing and fixing 12mm				
	thick prelaminated particle				
	board flat pressed three				
	layer or graded wood				
	particle board conforming				
	to IS:12823 Grade   Type II,				
	in panelling fixed in				
	aluminum doors, windows				
	shutters and partition				
	frames with C.P. brass /				
	stainless steel screws etc.				
	complete as per				
	architectural drawings and				
	directions of engineer-in-				
	charge.				
a)	Pre-laminated particle	11.44	Sqm		₹ 0.00
	board with decorative				
	lamination on one side and				
	balancing lamination on				
	other side.				
	Item Description	LS	Percenta	% in Figures	Total Cost
		Amount	ge above		
		(Rs)	or below		



			the				
			estimate				
			d cost				
123	Any other item of DSR 2021	Rs.			₹ 0.00		
		20,000.00					
	Total Amount (Rs.)				₹ 0.00		
Thi	This is a computer-generated price bid and						
	does not require signature.						