

### **ASSAM UNIVERSITY: SILCHAR NOTICE INVITING e-TENDER**

Assam University, Silchar, invites online tender with a validity period of 90 (Ninety) days from the date of receipt of tender in prescribed format available in website <a href="http://www.aus.ac.in">http://www.aus.ac.in</a> https://eprocure.gov.in/eprocure/app from the Govt. registered contractors having Civil Registration of APWD/CPWD/MES/PSU of appropriate class and category having valid registration for the work as mentioned below: -

| Name of Work  | Estimated<br>Cost | Time of<br>Completi<br>on | EMD<br>(In Rupees) | Applica<br>tion /<br>Form<br>Fee | Last date of<br>submission<br>of e-tender | Date and Time of online Technical Bid Opening | Date and Time of online Financial Bid Opening                 |
|---|-------------------|---------------------------|--------------------|----------------------------------|---|---|---|
| E-Tender for REPAIRING WORK IN GROUND FLOOR ROOMS AND TOILETS AND REPAIRING OF APPROACH ROAD SPORTS FIELD PAVILLION AT ASSAM UNIVERSITY SILCHAR | Rs.<br>9,06,377/- | 60 Days                   | Rs.<br>18,128/-    | Rs.<br>500/-                     | 17-10-2023<br>to 11.00<br>A.M             | 18-10-2023<br>At 11.00<br>A.M                 | To be announced after completion of technical bid evaluation. |

The eligible Contractor who are financially sound and proficient in the similar nature of works are to quote their rate in Item Rate basis and rate should be inclusive of all taxes & incidental charges. Selfattested copy of (i) Valid registration certificate (ii) PAN Card (Where PAN of the deducted is not available, Tax at higher of the prescribed rate or 20% will be deducted on all transactions) (iii) GST Registration (iv) Work experience on similar nature of work, (v) Bank solvency certificate, (vi) ESI certificate (with last challan receipt copy), (vii) EPF registration (with last challan receipt copy),(viii) Certificate and undertaking in original from the Engineer employed duly signed are to be enclosed/uploaded with the tender without which the tender will not be accepted. The interested bidder may examine the nature of work available in Engineering Section and visit the site to satisfy them about the scope of the work before submitting the tender. The duly filled in tenders can be submitted online up to 11:00 AM of 17-10-2023. Tenders will be opened on 18-10-2023 at 11.00 AM in presence of the tenderers or their authorized representatives.

university website www.aus.ac.in NIT may be downloaded from detail https://eprocure.gov.in/eprocure/app Mandatory Tender application/Form fee of Rs.500/- (Five hundred only) in the form of demand draft drawn in favour of Assam University, Silchar, payable at Silchar from a scheduled /nationalized bank only, failing which the tender will not be accepted. Kindly submit your bid / tender giving rate in Item Rate basis along with terms and conditions through online mode only on e-Procurement portal https://eprocure.gov.in/eprocure/app on or before last date of submission of bid. If the office remains close for any reason, the tender will be received/opened on next working day at same time and place. The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received by recording clear, logical reasons. Canvassing in any form will be a disqualification for submission of the tender including submission of tender to the university in future.

> Sd/-**Executive Engineer**

> > Date: 11-10-2022

#### File No. AU/ENGG/MAINT/CIVIL/64/2023

Copy to: -

- 1. PS to VC for kind information of the Hon'ble Vice-Chancellor
- 2. PS to Registrar for kind information of the Registrar
- 3. PS to Finance Officer for kind information of the Finance Officer
- 4. Director, Computer Centre for information & with a request to upload the aforesaid notice in university website
- 5. Notice Board.
- 6. File.

Signature Not Verified Digitally signed by DEBANON DEY PÜRKÁYASTHA Date: 2023.10.11 11:2<del>2.</del>37 IST

Location: eProcure-EPROC



## **ASSAM UNIVERSITY: SILCHAR**

# **E-TENDER**

Name of Work: E-Tender for REPAIRING WORK IN GROUND FLOOR ROOMS AND TOILETS AND REPAIRING OF APPROACH ROAD SPORTS FIELD PAVILLION AT ASSAM UNIVERSITY SILCHAR

| Estimated Amount: Rs. 9,06,377/-  |                 |
|---|-----------------|
| Certified that this technical tender document contains (43) pages incl<br>page. | uding the cover |
| Tender issued to:   |                 |
| Date of issue:  |                 |

**Signature of issuing Officer of the University** 



### **ASSAM UNIVERSITY: SILCHAR**

(A Central University Constituted under Act. XXIII of 1989)

#### e-TENDER DOCUMENT

# Name of Work: E-Tender for REPAIRING WORK IN GROUND FLOOR ROOMS AND TOILETS AND REPAIRING OF APPROACH ROAD SPORTS FIELD PAVILLION AT ASSAM UNIVERSITY SILCHAR

• Application/Form Fee: Rs. 500/-

• Estimated Cost: Rs. **9,06,377**/-

• Earnest Money: Rs. 18,128/-

• Last date of submission online of tender: 17-10-2023 up to 11.00 A.M.

• Date and Time of online Technical Bid Opening: 18-10-2023 at 11.00 A.M.

• Date and Time of Online Financial Bid Opening: To be announced after

completion of technical bid evaluation.



#### **CHECK LIST OF DOCUMENTS**

Following Self-attested Certificates along with self-attested copy of tender document must be scanned and uploaded:

Note: The Technical Bid shall be instantly rejected, if the following documents are not scanned, uploaded online and submitted offline.

1 Valid registration certificate of Central Govt / State Govt /PSIL

#### **Check List:**

| Τ. | valid registration certificate or central dover, state dover, 150 |          |
|----|---|----------|
|    | [Proforma 2(a)]   | : Yes/No |

- Experience certificate: Experience of executing similar nature works
   During the last seven years with the record of completion [Proforma 3(a)]: Yes/No
   (Within seven years from date of publication of NIT)
- 3. Bank solvency from nationalized/ scheduled Bank within one year from date of publication of NIT as per Prescribed [Proforma-2(b)] : Yes/No

#### [At least 40% of the Estimated Cost has to be mentioned in the certificate]

- 4. Ongoing works statement [Proforma 3(b)] : Yes/No
- 5. PAN CARD : Yes/No
- 6. GSTIN : Yes/No
- 7. EPF registration certificate with latest deposit challan copy : Yes/No

#### (Payment of wage month must be within two months from last date of submission of bid)

- 8. Certificate and undertaking from the Engineer employed : Yes/No
- 9. Self-attested copy of tender document : Yes/ No
- 10. ESI registration certificate with latest deposit challan copy : Yes/ No

# (Payment of wage month must be within two months from last date of submission of bid) Note:

a. The Bidders are required to submit the print copy of the above uploaded documents duly self-certified along with the proof towards payment of tender document cost and EMD submitted.



b. Works completion Certificate should be issued by officer not below the rank of Executive Engineer or equivalent/ Head of any Institution. Work order shall not be considered as proof for works completion.

Signature of Agency / Contractor

#### **ASSAM UNIVERSITY: SILCHAR**

(A Central University Constituted under Act. XXIII of 1989)

# Name of Work: E-Tender for REPAIRING WORK IN GROUND FLOOR ROOMS AND TOILETS AND CONSTRUCTION OF APPROACH ROAD SPORTS FIELD PAVILLION AT ASSAM UNIVERSITY SILCHAR

#### **CONTENTS**

SECTION - I : NOTICE INVITING E-TENDER

SEC TION – II : PROFORMA OF SUBMISSION OF QUOTATION

SECTION – III : GENERAL RULES & DIRECTIONS

SECTION -IV : TERMS AND CONDITIONS GOVERNING THE TENDER AND

**EXECUTION OF CONTRACT THEREOF** 

SECTION -V : SPECIAL INSTRUCTION FOR ONLINE BID SUBMISSION



# **ASSAM UNIVERSITY, SILCHAR**

#### File No. <u>AU/ENGG/MAINT/CIVIL/64/2023</u>

#### NOTICE INVITING E-TENDER

Online tenders in two bid systems valid for 90 days are invited from Registered Civil Contractors having valid registration of CPWD/MES/State PWD/PSU of appropriate class and category for the following work at Assam University, Silchar.

| Name of Work  | Estimated<br>Cost | Time of<br>Completi<br>on | EMD<br>(In<br>Rupees) | Applicatio<br>n / Form<br>Fee | Last date of<br>submission<br>of e-tender | Date and Time<br>of online<br>Technical Bid<br>Opening | Date and Time<br>of online<br>Financial Bid<br>Opening        |
|---|-------------------|---------------------------|-----------------------|-------------------------------|---|--|---|
| E-Tender for REPAIRING WORK IN GROUND FLOOR ROOMS AND TOILETS AND REPAIRING OF APPROACH ROAD SPORTS FIELD PAVILLION AT ASSAM UNIVERSITY SILCHAR | Rs.<br>9,06,377/- | 60 Days                   | Rs.<br>18,128<br>/-   | Rs. 500/-                     | 17-10-2023<br>to 11.00<br>A.M             | 18-10-2023<br>At 11.00 A.M                             | To be announced after completion of technical bid evaluation. |

The eligible contractors who are financially sound and proficient in the similar nature of works are to quote their **rate in Item Rate Basis**. Rate should be inclusive of all taxes & incidental charges.

The tender documents and other details can be obtained from the websites <a href="www.aus.ac.in">www.aus.ac.in</a>. <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a> for which nonrefundable tender fees of Rs. 500/- per tender payable in DD (Drawn in favour of Assam University, Silchar) to be enclosed as application fees along with tender document. The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received by recording clear, logical reasons.

Sd/-Executive Engineer

Date: 11-10-2023



- 1. The Tenderer shall quote his rate as per NIT & the Terms and Conditions enclosed in the Tender document.
- Tender Documents can be downloaded from <u>www.aus.ac.in</u>. or <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a> Mandatory Tender application/Form fee of Rs.500/- (Five hundred only) in the form of demand draft drawn (DD) in favor of Assam University, Silchar, payable at Silchar from a scheduled /nationalized bank only, failing which the tender will not be accepted.
- 3. Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the University and local conditions and other factors having bearing on the execution of the work.
- 4. The Earnest Money Deposit (EMD) of Rs. 18,128/-mentioned above is absolutely mandatory. EMD may be submitted in the form of Bank Draft/ FDR /Call Deposit drawn in favor of the Assam University, Silchar from a scheduled /nationalized bank only, failing which the tender will not be accepted. Soft copy of such EMD be uploaded while submitting the tender and hard copy of the EMD has to be submitted to Engineering Section, AUS on or before the Day of tender opening.



- 5. Mode of Submission (Offline) of tender Document within 11.30 AM (17-10-2023):
  - a. EMD to be sealed in Envelop No-1
  - b. Envelop No-2 should contain following documents:
    - i. Self-attested registration certificate,
    - ii. Self-attested PAN Card,
    - iii. Self-attested GST Registration,
    - iv. Self-attested EPF registration, copy of latest challan,
    - v. Self-attested work experience certificate for similar nature of work,
    - vi. Self-attested bank solvency certificate.
    - vii. Self-attested ESI certificate, copy of latest challan.
    - viii. Self-attested Certificate and undertaking in original from the Engineer employed
      - ix. Self-attested copy of tender document.
  - c. Envelop No-1 & 2 to be inserted in a single Envelop No-3 properly sealed with wax and super scribing Name of Work, Closing Date & Name of Agency/Contractor on the cover of the Envelop No-3.
    - NB: If any Bidder is found to submit any misleading information regarding their credentials, during or afterwards, of tendering procedure and execution of work, then disciplinary action will be taken against those bidders as per GOI rules.
- 6. Tenders should be valid for 90 days from the date of opening of the tenders and may have to be extended further if considered necessary by the University. No reasons will be assigned for extension and no withdrawal shall be allowed. If any tenderer withdraws his tender before the said period or issue of letter of acceptance, which-ever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the University, then the University shall, without prejudice to any other right or remedy, be at liberty to forfeit the said Earnest Money Deposit.
- 7. The time allowed for completing the work will be 60 days from the issue of work order.
- 8. No Telex/ Tele fax/ Telegram/ E-mail of the Techno-Commercial and Price bids will be accepted. The University is not responsible for Postal/ Courier delays. The parties have to ensure the receipt of bids well in time.
- 9. If the date of tender submission and opening happens to be unforeseen holiday, the same will be postponed to the next working day without any further intimation.
- 10. The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received without assigning of any reason thereof. All tenders in which



any of the prescribed condition is not fulfilled or any condition put forth by the tenderer, shall be summarily rejected.

- 11. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tender submitted by the contractors who resort to canvassing will be summarily rejected.
- 12. The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received by recording clear, logical reasons.
- 13. This Notice Inviting Tender shall form a part of the contract document.
- 14. The successful tenderer/ contractor, on acceptance of his tender by the University, shall within 15 days from the stipulated date of start of the work sign the contract agreement in standard form consisting of the notice inviting tender, all the documents including additional conditions, specifications and drawings, if any, forming the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.
- 15. No materials will be supplied by the University.
- 16. In case of delay in completion of the work within the stipulated time due to reasons attributable to the contractor, Standard Liquidated Damage @ 0.1% of the final bill value shall be recovered for each day of delay from the final bill or the part there of subject to a maximum of 10%.
- 17. The contractor shall obtain a valid license under the contract labour (R&A) Act, 1970, and the contract labour central rules 1971, during the commencement of the work, and continue to have a valid license until the completion of the work. The contractor shall also abide by the provisions of the Child Labour (Prohibition and Regulation) Act, 1986 and other labour laws. Any failure to fulfill this requirement shall attract the penal provisions of this contract arising out of the resultant no execution of the work. No labour below the age of fourteen years shall be employed on the work.
- 18. The contractor should have experience of successfully completing similar nature of government work either (i) single work which has 80% of estimated value, or (ii) at least two works each of 60% of estimated value, or (iii) at least three works each of 40% of



estimated value, put to tender with some Central Government Department/ State Government Department/ Central Autonomous Body/ Central Public Sector undertaking. The work order as well as completion certificate (original/ self-attested copy) for similar nature of works should be attached failing which the bid will not be considered.

- 19. EPF registration is mandatory which is to be submitted along with the latest challan receipt during submission of tender document. The latest challan copy means payment receipt of wage month within two months of last date of submission of the bid.
- **20.** During Opening of tender only representative duly authorized by the agency / contractor will be allowed to be present.
- **21.** All relevant documents submitted with the tender should be self-attested (by the agency/contractor) and on demand original copy must be produced failing which tender will not be considered.
- **22.** Authenticity of signatory (contractor) of tender document will be verified before finalization of tender document.
- **23.** Tax at higher of prescribed rate or 20% will be deducted on all transactions liable to TDS, where the permanent Account Number (PAN) of the deductee is not available.
- **24.** In case of any dispute, it would be referred to a sole Arbitrator to be appointed by the University authority. The decision of the sole Arbitrator will be final and binding to both the parties.
- **25.** 10% security money will be retained by the University from the bill value which shall be released after 01(one) year of satisfactory completion of work.
- **26.** EMD of unsuccessful bidder shall be released within 02 (two) months after issue of work order to the successful bidders.
- **27.** If the work is found not as per specification or abandoned by the executing contractor/agency, same will be cancelled and remaining work will be done through other contractor/agency at their cost & risk.
- 28. An Engineer (Civil), diploma with minimum five years' experience in the required field or B.E. (Civil Engg.) must be engaged by the contractor (Whose certificate duly self-attested, one copy photo & an undertaking by the Engineer in original is to be enclosed with the



technical bid failing which the tender will not be considered) to supervise the work. The Engineer engaged must be familiar with all the works specified in the contract & must be acquainted with CPWD specification, manual etc. The engagement of engineer is not mandatory for Contractor possessing technical qualification.

- **29.** Detailed computerized measurement entry in the measurement sheet (location wise) has to be made by the contractor and to be submitted to Engineering Section (AUS) for joint verification by the University Engineers and the Contractor. The joint verification has to be arranged by the Contractor.
- **30.** Before procuring any major items like cement/ steel/ tiles/ coarse & fine sand/ stone aggregate etc., the Contractor must take prior permission/ submit test report as per the direction of engineering section.
- **31.** The Contractor has to arrange water supply at his own cost for his site office as well as for all construction works to be executed by him. As the University has acute water crisis problem, so University will not be able to supply water.
- **32.** Bank solvency certificate as per our enclosed format is to be issued by any schedule/ nationalized bank which is to be enclosed by the Contractor in the Technical Bid, failing which the Bid will be rejected.
- **33.** Arbitration: In case of dispute or difference between the parties in the contract or its execution thereof, the same will be sorted out amicably, mutually. In the event that an amicable settlement cannot be reached, any dispute arising out of or relating to this Agreement shall be settled by a sole Arbitrator appointed by mutual agreement, the place of Arbitration shall be Assam University Silchar and in case of failure to settle the matter through arbitration the provisions of Arbitration and Conciliation Act, 1996 will be applicable and subject to jurisdiction of civil court of Silchar at the request of either party. This Agreement shall be guided by relevant applicable Laws of land.
- 34. At any time prior to the deadline for submission of bids, the University may, if necessary, modify the tender document by a written amendment. All prospective Tenders will be notified of the amendment which will be binding to all the bidders. The amendments will be notified on the websites, <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a> or www.aus.ac.in.



- 35. The bidders are advised to get themselves registered on the e-Procurement portal at least a week before the scheduled date and time of bid submission. This will help the new bidders/vendors to get familiar with the e-Procurement portal. The bidders must arrange computers/laptop, high speed internet and other equipment etc. required for bid submission... For more details visit <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a>
- 36. Those bidders who accept the above terms and conditions, may submit their tender along with all relevant documents and a copy of above terms and conditions of the tender duly signed.
- 37. The bidders are directed to complete the works strictly within the stipulated time, failing which Assam University may not be in a position to make payment after the fund validity is over.

Sd/-

**Executive Engineer** 



#### SECTION - II: PROFORMA FOR SUBMISSION OF TENDER

To, Executive Engineer Assam University, Silchar – 788 011

# <u>Subject:-</u> E-Tender for REPAIRING WORK IN GROUND FLOOR ROOMS AND TOILETS AND REPAIRING OF APPROACH ROAD SPORTS FIELD PAVILLION AT ASSAM UNIVERSITY SILCHAR

Sir.

Having carefully examined and read the Notice Inviting e-Tender, Tender documents and all other documents attached regarding **Tender No.** <u>AU/ENGG/MAINT/CIVIL/64/2023</u> dated......I/We hereby tender for the execution of the work specified for Assam University, Silchar in the documents as per the conditions mentioned therein.

I/We certify that we have carefully read each and every condition and technical specifications given in this Tender Documents and understood the same, and I/ We conform our acceptance of the same.

I/We agree to abide by this tender initially for a period of **90 days** from the last day fixed for opening of Tender by the University and it shall remain binding on me/us and order may be accepted at any time before the expiry of that period.

I/We hereby undertake not to withdraw from this Tender, during this period of **90 days**. However, if I/ We withdraw it, the University shall have right to invoke the Earnest Money without reference to me/us.

Should this Tender be accepted by the University I/we hereby agree to abide by and fulfill all terms and conditions of Tender Documents and in default thereof.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/ confidential documents and shall not communicate information derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the University.

Signature of tenderer: -----



#### SECTION - III: GENERAL RULES AND DIRECTIONS

#### 1. SUBMISSION OF TENDER

- a) The General Conditions of Contract for Central PWD /APWD Works shall be the guiding principles for this work. Tenderer are advised to procure the same and familiarize themselves with the provisions of the above-mentioned Conditions of Contract.
- b) The University reserves the right to alter, modify any Tender Conditions, technical specifications etc., before tender opening and may seek fresh quotation depending upon necessity, and may even withdraw/ cancel the tender, without assigning any reason.
- c) All amendments/ revisions to tender documents issued by the University, if any, must be signed and submitted along with the tender. The tenderer are advised to submit the tender based strictly on the terms and conditions and specifications contained in the tender documents, and not to stipulate any deviations.
- 2. (a) Tenders shall be prepared and submitted in soft copies of their bids electronically on the e-bid Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the e-Procurement Portal <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a>, prepare their bids in accordance with the requirements and submitting their bids online on the e-Procurement Portal.
- (b) Insertion, postscript, addition and alteration are allowed till before the time of the closing of tender. In the event of the tender being submitted by a firm, any of the partners may upload and submit the tender.

#### TENDERER TO INFORM HIMSELF FULLY

The tenderer is required to carefully examine the technical specifications and other details relating to the work given in the Tender documents and fully inform himself as to all conditions and matters that may affect the work or the cost thereof. The tenderer shall be deemed to have independently obtained all necessary information for the purpose of submitting the tender and his tender as accepted shall be deemed to have taken into account all contingencies as may arise due to such information or lack of the same.

#### **PARTICULARS OF TENDER:**

• Last date of submission online of tender: 17-10-2023 up to 11.00 A.M.

• Date and Time of online Technical Bid Opening: 18-10-2023 at 11.30 A.M.



• Financial Bid Opening Date:

to be announced after

completion of technical bid evaluation.

Validity of tender: Tender shall remain valid for acceptance for a period of not less than **90** days.

#### CLARIFICATIONS

The Tender Document issued is complete in all respect and no further clarifications are elaborated. However, in so far Technical Clarifications if any are concerned even though not binding on university can be ascertained from the University.

#### **QUOTATION OF PRICE / RATES**

This being item rate tender, the tenderer shall state at what rate he will be willing to undertake the work. Rate should be quoted **in Item Rate Basis**.

#### **COMPLETION TIME**

The completion time is the essence of the contract. The Tenderer shall complete the work within the period indicated in the Notice Inviting e-Tender.

#### TRANSFER OF TENDER DOCUMENTS/ TENDERS

Transfer of tender documents purchased by one tenderer to another is not permissible. Similarly transfer of tenders submitted by one tenderer to another is not permissible under any circumstances. The alteration of essence of tender once submitted is also not permissible.

#### LANGUAGE

The Tender shall be submitted in English language only.

#### **EARNEST MONEY DEPOSIT**

 The tender must be accompanied by the Earnest Money Deposit pledged in favour of Assam University, Silchar, in the form of Demand Draft / FDR/Call Deposit as indicated in the Notice Inviting Tender. If the tenderer after submitting online his tender release from his offer or modify the Terms and Conditions thereof in a manner not acceptable to the University, the



Earnest Money will be forfeited. Tenders not accompanied by the earnest money deposit will not be considered and will be summarily rejected.

- 2. On Non-acceptance of tender, but in any case, not earlier than the expiry date of the period for which the tender is kept open, the Earnest Money shall be discharged.
- 3. Should the Tender in question be withdrawn or cancelled by the University, which the University shall have the right to do at any time, Earnest Money will be discharged.
- 4. Should the successful tenderer fail or refuse to duly sign the contract within the period fixed by the University or fail/refuse to commence the work within the stipulated time, the Earnest Money shall be forfeited without prejudice to his being liable for any further loss or damage incurred in consequence by the University.

#### NO CLAIM FOR COMPENSATION FOR SUBMISSION OF TENDER

The Tenderer whose tender is not accepted shall not be entitled to claim any costs, charges and expenses of any incidental to or incurred by him thorough or in connection with his submission of tender, even though the University may modify/ withdraw the Tender.

#### LOWEST TENDER NOT NECESSARILY TO BE ACCEPTED

The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received by recording clear, logical reasons.

#### **TENDER EVALUATION**

The Tenders received and accepted will be evaluated to ascertain the best and lowest workable tender in the interest of the University, for the complete work covered under the technical specifications and documents.



# SECTION – IV: TERMS AND CONDITIONS GOVERNING THE TENDER AND EXECUTION OF CONTRACT THEREOF

#### 1. DEFINITIONS

- A. Unless otherwise required by the subject or context the terms herein below shall have the following meanings.
  - a) The **Contract** means the documents forming the tender and acceptance thereof and the formal agreement executed between the competent authority on behalf of Assam University and the Contractor, together with the documents referred to therein including these conditions, the specifications, designs, drawings and instructions issued from time to time by the Executive Engineer, Assam University and all the these documents taken together, shall be deemed to form one contract and shall be complementary to one another.
  - **b) Client** means Assam University acting through the Registrar, Assam University, Silchar.
  - c) The Contractor shall mean the individual, firm or company, whether incorporated or not, undertaking the works and shall include the legal personal representative of such individual or the persons composing such firm or company, or the successors of such firm or company and the permitted assigns of such individual, firm or company.
  - d) The expression works or work shall, unless there be something either in the subject or context repugnant to such construction, be construed and taken to mean the works by or by virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.
  - e) The site shall mean the land/ or other places, on, into or through which work is to be executed under the contract or any adjacent land, path or street which may be allotted or used for the purpose of carrying out the contract.
  - **f) Tender Value** means the value of the entire work as stipulated in the letter of award.
  - g) Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculine gender shall whenever required include feminine gender and vice versa.
  - h) As stated in Section III, Clause 1.1, the General Conditions of Contract for Central PWD Works shall be the guiding principles for this tender. The Clauses of Contract mentioned therein shall also be applicable herein and only those Clauses that need addition, emphasis and modification in context of this tender are enumerated below. Contractors are once again advised to familiarize themselves with the General Conditions of Contract for Central PWD Works.



#### 2. SIGNING OF CONTRACT AGREEMENT

- a) On the tender being accepted by the Client, a formal contract may be signed
- b) and executed by and between the Client and the successful tenderer within a
- c) time to be fixed by the Client, which shall anyhow be within 15 days from the stipulated date of start of the work.
- d) The contractor shall be furnished, free of cost one certified copy of the contract documents except standard specifications, Schedule of Rates and such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of these documents shall be used for any purpose other than that of this contract.

#### 3. SCOPE OF WORK

- i. The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plants, equipment and transport which may be required in preparation of and for and in the full and entire execution and completion of the works. The descriptions given in the Schedule of Quantities shall, unless otherwise stated, be held to include wastage on materials, carriage and cartage, carrying and return of empties, hoisting, setting, fitting and fixing in position and all other labours necessary in and for the full and entire execution and completion of eh work as a aforesaid in accordance with food practice and recognized principles.
- ii. The contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates and prices quoted in price bid which rates and prices shall, except as otherwise provided, cover all his obligations under the Contract and all matters and things necessary for the proper completion and maintenance of the works.

#### 4. DISCREPANCIES AND ADJUSTMENT OF ERRORS

- i. The several documents forming the Contract are to be taken as mutually explanatory of one another, detailed drawings being followed in preference to small scale, drawing and figured dimensions in preference to scale and special conditions in preference to General Conditions.
- ii. If there are varying or conflicting provisions made in any one document forming part of the contract, the Executive Engineer, Assam University shall be the deciding authority with regard to the intention/ interpretation of the document and his decision shall be final and binding on the contractor.



iii. Any error in description, quantity or rate in Schedule of Quantities or any omission there from shall not vitiate the contract or release the Contractor from the execution of the whole or any part of the works comprised therein according to drawings and specifications or from any of his obligations under the contracts.

#### 5. TERMS OF PAYMENT

Subject to any deduction, which the client may be entitled to make under the Contract, all payments to contactor for the work will be made on completion of the work as per approved specifications through digital mode by direct credit to the bank account of the contractor on satisfactory completion report and signing of the computerized Measurement Book & bill by Site (i/c) of the proposed work and Executive Engineer without which payment will not be released. The Computerized measurement sheet must be submitted by the concerned contractor of the work for verification by the site i/c and Executive Engineer before finalization of payment of bill. Along with submission of bill in computerized measurement sheet, the bidder should submit labour acquaintance sheet.

#### 6. SECURITY DEPOSIT & PERFORMANCE GUARNTEE

5% Security Deposit & 5% Performance guarantee will be retained by the University from the bill value, which shall be released after 01 (One) year from the date of completion of the work. During this defect liability period, any defect(s) in the work done shall be rectified by the Contractor at his/her own cost and expenses, failing which recovery shall be done from the security deposit in part or full as the case may be.

#### 7. RELEASE OF SECURITY DEPOSIT & PERFORMANCE GUARNTEE

Release of the security deposit will be done after 12 months of final acceptance of the work by the Assam University, Silchar and Performance Guarente will be release after completion of the work.

#### 8. SUB CONTRACTING OF THE WORK

The Contractor is not permitted to assign or transfer his/ their obligation or benefit under the contract either in full or in part to other individuals/ firms / agencies. However, under extreme circumstances where sub-contracting of part of the work is unavoidable, prior written permission of Client shall be taken by the Contractor.

\*\*\*\*\*\*\*\*\*\*\*



## **ANNEXURE - I**

# **CHECKLIST**

- 1. Proforma of details of Contractor's Registration 2(a)
- 2. Proforma of Bank Solvency Certificate 2 (b)
- 3.Proforma of Similar works executed during the last 7 years 3(a)
- 4. Proforma of list of on-going works 3 (b)

# **DETAILS OF CONTRACTOR'S REGISTRATION**

| 1. Na          | . Name of the agency / Contractor : |   |  |  |  |  |  |
|----------------|-------------------------------------|---|--|--|--|--|--|
| <b>2. Na</b> i | me of the department issued         | : |  |  |  |  |  |
| Con            | tractor's registration              |   |  |  |  |  |  |
| 3.             | Registration No.                    | : |  |  |  |  |  |
| 4.             | Class of registration               | : |  |  |  |  |  |
| 5.             | Category of registration            | : |  |  |  |  |  |
| 6.             | Tender limit                        | : |  |  |  |  |  |
| 7.             | Validity period                     | : |  |  |  |  |  |

Copy of Registration certificate to be enclosed Signature of agency / contractor



# FORM OF SOLVENCY CERTIFICATE FROM A SCHEDULED BANK

|                 | This  | is   | to    | certify    | that    | to   | the     | best    | of   | our     | knowledge     | and     | information                    |
|-----------------|---|------|-------|------------|---------|------|---------|---------|------|---------|---------------|---------|--------------------------------|
| M/S/Sı          | ri  |      |       |            |         |      |         |         | ]    | havin   | g marginally  | y note  | d address, a                   |
| custom          | customer of our bank are/ is respectable and can be treated as good for any engagement up |      |       |            |         |      |         |         |      |         |               |         |                                |
| to              |   |      |       |            | a       |      |         |         |      | lir     | nit           |         | of                             |
| Rs              |   |      |       |            | (Ruj    | pees |         |         |      |         |               |         |                                |
|                 |   |      |       | ).         |         |      |         |         |      |         |               |         |                                |
| of the c        |   |      | ifica | te is issu | ıed wi  | thou | ıt any  | guara   | ntee | e or re | esponsibility | on the  | e Bank or any                  |
|                 |   |      |       |            |         |      |         |         |      |         |               | For t   | <b>(Signature)</b><br>the Bank |
| Note :<br>Bank. | In (  | case | of p  | oartners   | hip fir | m, c | ertific | cate to | incl | ude a   | ll partners a | s recoi | rded with the                  |
|                 |   |      |       |            |         |      |         |         |      | S       | ignature of   | agenc   | y/contractor                   |



### **EXPERIENCE**

# 3. (a) CIVIL WORKS:

List of similar works executed during preceding 7 years

| Sl. No. | Name of<br>work with<br>brief<br>particular<br>thereof | Date of commencement | Date of completion as per work order | of | Contract<br>Amount<br>(Rs.) | Name of client, contact with his complete address phone No. |
|---------|--|----------------------|--------------------------------------|----|-----------------------------|---|
|         |  |                      |                                      |    |                             |   |
|         |  |                      |                                      |    |                             |   |

| Add extra sheet if required |
|-----------------------------|
|-----------------------------|

Seal of the company / Contractor with

Signature of the Company/Contractor Date:

**NOTE:** Original or self-attested copies of work order & completion certificates from clients shall be attached.

# 3. (b) LIST OF ONGOING WORKS:

| Sl.<br>No. | Name of work with brief particular thereof | Date of commencement |  | Name of client,<br>contact with his<br>complete address<br>phone No. |
|------------|--|----------------------|--|--|
|            |  |                      |  |  |
|            |  |                      |  |  |

| Add ex | tra sheet if required. |            |                |                  |
|--------|------------------------|------------|----------------|------------------|
|        |                        | Ci an atuu | of the Comm    | any/Contractor   |
|        |                        | Signature  | e oj tne comp  | any/Contractor   |
|        |                        | Sea        | nl of the comp | any / contractor |
| Date : |                        |            |                |                  |

 $\textbf{NOTE:} \ \textbf{O} \textbf{riginal or self-attested copies of work order from clients shall be attached.}$ 



#### SECTION -V : SPECIAL INSTRUCTION FOR ONLINE BID SUBMISSION

#### Special Instructions for Online Bid Submission.

The bidders are required to submit soft copies of their bids electronically on the e-bid Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the e-Procurement Portal <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a>, prepare their bids in accordance with the requirements and submitting their bids online on the e-Procurement Portal.

#### REGISTRATION

- 1. Bidders are required to enroll on the e-Procurement Portal (<a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a>) by clicking on the link "Online bidder Registration" on the e-bid Portal.
- 2. As part of the enrolment process, the bidders will be required to choose a unique user name and assign a password for their accounts.
- 3. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication with the bidder.
- 4. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Only Class III Certificates with signing + encryption key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
- 5. Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6. Bidder then logs in to the site through the secured log-in by entering their user ID/password and the password of the DSC / e-Token.
- 7. The scanned copies of all original documents should be uploaded on portal.
- 8. For any Query contact to, Mr. Anil Kumar 7903810198.



#### SEARCHING FOR BIDDING DOCUMENTS

- 9. There are various search options built in the e-bid Portal, to facilitate bidders to search active bids by several parameters. These parameters could include Bid ID, Item/work id, Last date of submission, etc.
- 10. Once the bidders have selected the bids they are interested in, the bidder can pay the processing fee by net-banking / Debit / Credit card and then download the required documents / bid schedules, Bid documents etc. as mentioned on website. Once processing fee is paid, it will be moved to the respective "requested" Tab. This would enable the e-bid Portal to intimate the bidders through e-mail in case there is any addendum and corrigendum issued to the bidding document.

#### PREPARATION OF BIDS

- 11. Bidder should take into account any addendum and corrigendum published on the bid document before submitting their bids.
- 12. Please go through the bid advertisement and the bid document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 13. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the bid document / schedule and generally, they can be in PDF /JPEG formats. Bid Original documents may be scanned with 100 dpi with Colored option which helps in reducing size of the scanned document.
- 14. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders should use "My Documents" available to them to upload such documents.
- 15. These documents may be directly submitted from the "My Documents" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.



#### **SUBMISSION OF BIDS**

- 16. Bidder should log into the website well in advance for the submission of the bid so that it gets uploaded well in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 17. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the bidding document.
- 18. Bidder has to select the payment option as "Online mode or Bank Guarantee" as to pay the EMD as applicable and enter details of the instrument.
- 19. In case of Bank Guarantee scanned copy of BG should be uploaded along with bid. . The original Bank Guarantee shall be submitted to office of the concerned official of **Assam University Silchar** as per schedule mentioned in the bid document. Non submission of original Bank Guarantee within the specified period shall lead to summary rejection of bid. The details of the BG, physically submitted should match with the details available in the scanned copy and the data entered during bid submission time. Otherwise bid will be rejected.
- 20.\*Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BOQ format with the bid document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BOQ file, open it and complete (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the bidder, the bid will be rejected.
- 21. The server time (which is displayed on the bidder's dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 22. All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric



- key. Further this key is subjected to asymmetric encryption using buyers/bid opener public keys. Overall, the uploaded bid documents become readable only after the bid opening by the authorized bid openers.
- 23. The uploaded bid documents become readable only after the bid opening by the authorized bid openers.
- 24. Upon the successful and timely submission of bid click "Complete" (i.e. after Clicking "Submit" in the portal), the portal will give a successful Bid submission acknowledgement & a bid summary will be displayed with the unique id and date & time of submission of the bid with all other relevant details.
- 25. The bid summary has to be printed and kept as an acknowledgement of bid submission.

#### **ASSISTANCE TO BIDDERS**

1. for any Query contact to Mr. Anil Kumar 7903810198

#### SPECIAL INSTRUCTIONS TO BIDDERS FOR E-TENDERING

#### General:

These Special Instructions (for e-Tendering) supplement 'General Instructions to Bidders' (GIB), as given in the Tender Documents. Submission of Bids only through online process is mandatory for this Tender. e-Tendering is a new methodology for conducting Public Procurement in a transparent and secured manner. Suppliers/ Vendors will be the biggest beneficiaries of this new system of procurement. For conducting electronic tendering, **Assam University Silchar** has decided to use the <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a> through Central Public Procurement Portal and Government of India. Benefits to Suppliers are outlined on the Homepage of the E-portal.

#### **Instructions:**

a. Tender Bidding Methodology:

Through electronic tendering.

- b. Broad outline of activities from Bidders prospective:
  - I. Procure a Digital Signing Certificate (DSC)
  - II. Register on https://eprocure.gov.in/eprocure/app
  - III. Create Users and assign roles on https://eprocure.gov.in/eprocure/app



- IV. View Notice Inviting Tender (NIT) on <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a> or <a href="https://eprocure.gov.in/eprocure/app">www.aus.ac.in</a>
- V. Download Official Copy of Tender Documents from <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a> or <a href="https://eprocure.gov.in/eprocure/app">www.aus.ac.in</a>
- VI. Bid-Submission on <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a> Prepare & arrange all document/paper for submission of bid online only.
- VII. Utmost care may be taken to name the files/documents to be uploaded on <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a> It is advised that all the documents to be submitted are kept scanned or converted to PDF format in a separate folder on your computer before starting online submission. BOQ (Excel Format) shall be filled online only.

For participating in this tender online, the following instructions need to be read carefully..

#### c. Digital Certificates:

For integrity of data and its authenticity/ non-repudiation of electronic records, and to be compliant with IT Act 2000, it is necessary for each user to have a Digital Certificate (DC), also referred to as Digital Signature Certificate (DSC), of Class 3, issued by a Certifying Authority (CA) licensed by Controller of Certifying Authorities (CCA).

#### d. Registration:

To use the MHRD Portal (<a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a>). Vendor needs to register on the portal. The vendor should visit the home-page of the portal (<a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a>).

Note: Please contact Helpdesk (as given below), to get your registration

Mr. Anil Kumar -7903810198.

#### e. Bid related Information for this Tender

The entire bid-submission would be online on <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a> Broad outline of submissions area follows:

i. Submission of Bid Security/Earnest Money Deposit (EMD)

**Note:** 1. The Bidder has to upload the Scanned/ self-attested copy of all above mentioned original documents during Online Bid-Submission.

Note: 2. Special Note on Security of Bids: The bid EMD/Bid Security/Security

Deposit can be submitted online only. Through available modes of payment on the e-Procurement portal. Refer to the instructions to the bidders and bidder manuals for more details.



#### f. Other Instructions:-

For further instructions, the vendor should visit the home-page of the portal (<a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a>) or <a href="https://eprocure.gov.in/eprocure/app">www.aus.ac.in</a>).

The following 'Four Key Instructions' for BIDDERS must be assiduously adhered to –

- a) Obtain individual Digital Signing Certificate (DSC) well in advance of your first tender Submission. Register your organization on https://mhrd.euniwizarde.com well in advance of your first tender submission deadline.
- b) Get your organization's concerned executives trained on <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a> using online training module well in advance of your tender submission deadline on https://mhrd.euniwizarde.com.
- c) Submit your bids well in advance of tender submission deadline on <a href="mailto:(https://eprocure.gov.in/eprocure/app">(https://eprocure.gov.in/eprocure/app</a>) (Assam University Silchar should not be responsible any problem arising out of internet connectivity issues).
  - **Note:** While the first three instructions mentioned above are especially relevant to first-time users of the <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a>, the fourth instruction is relevant at all times.

#### g. PRICE SCHEDULE:

- 1. PRICE fills online only.
- 2. The rate of items shall be filled online only. Scanned copy of this document is not to be attached along with other enclosures.



Name of Work: E-Tender for REPAIRING WORK IN GROUND FLOOR ROOMS AND TOILETS AND REPAIRING OF APPROACH ROAD SPORTS FIELD PAVILLION AT ASSAM UNIVERSITY SILCHAR

**Estimated Cost: Rs. 9,06,377/-**

| Validat  | Print<br>Item Rate BoQ  | Н      | elp    |          |          |                  |  |  |  |
|--|---|--------|--------|----------|----------|------------------|--|--|--|
| Tend   | Tender Inviting Authority: Executive Engineer, Engineering Section, Assam   |        |        |          |          |                  |  |  |  |
|  | Univeristy Silchar  |        |        |          |          |                  |  |  |  |
| Name o   | Name of Work: REPAIRING WORK IN GROUND FLOOR ROOMS AND TOILETS AND          |        |        |          |          |                  |  |  |  |
| REPAIRI  | NG OF APPROACH RO   | AD SPO | RTS FI | ELD PAVI | LLION AT | ASSAM UNIVERSITY |  |  |  |
|  | SILCHAR   |        |        |          |          |                  |  |  |  |
| Contract No: AU/ENGG/MAINT/CIVIL/64/2023   |   |        |        |          |          |                  |  |  |  |
| Name of  | of  |        |        |          |          |                  |  |  |  |
| the  |   |        |        |          |          |                  |  |  |  |
| Bidder/  |   |        |        |          |          |                  |  |  |  |
| Bidding  |   |        |        |          |          |                  |  |  |  |
| Firm /   |   |        |        |          |          |                  |  |  |  |
| Compan   |   |        |        |          |          |                  |  |  |  |
| <b>y</b> :   |   |        |        |          |          |                  |  |  |  |
| PRICE SCHEDULE   |   |        |        |          |          |                  |  |  |  |
| (This B  | (This BOQ template must not be modified/replaced by the bidder and the same |        |        |          |          |                  |  |  |  |
| should be uploaded after filling the relevent columns, else the bidder is liable to be |   |        |        |          |          |                  |  |  |  |
| rejected for this tender. Bidders are allowed to enter the Bidder Name and Values      |   |        |        |          |          |                  |  |  |  |
|  |   |        | only   | )        |          |                  |  |  |  |
| NUMBER   | TEXT #  | NUM    | TE     | NUMBE    | NUMBE    | TEXT #           |  |  |  |



| DUNT |
|------|
| ds   |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
| Only |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
| Only |
|      |
|      |
|      |
|      |
|      |
|      |
|      |
|      |



|   |                      | 2:5      | गाकृति |   |      |               |
|---|----------------------|----------|--------|---|------|---------------|
|   | level :              |          |        |   |      |               |
|   | 1:3:6 (1 Cement : 3  |          |        |   |      |               |
|   | coarse sand(zone-    |          |        |   |      |               |
|   | III) derived from    |          |        |   |      |               |
|   | natural sources : 6  |          |        |   |      |               |
|   | graded stone         |          |        |   |      |               |
|   | aggregate 20 mm      |          |        |   |      |               |
|   | nominal size         |          |        |   |      |               |
|   | derived from         |          |        |   |      |               |
|   | natural sources).    |          |        |   |      |               |
| 3 | 15 mm cement         | 48.7     | sq     |   | 0.00 | INR Zero Only |
|   | plaster on the       | 2        | m      |   |      |               |
|   | rough side of        |          |        |   |      |               |
|   | single or half brick |          |        |   |      |               |
|   | wall of mix:         |          |        |   |      |               |
|   |                      |          |        |   |      |               |
|   | 1:4 (1 cement: 4     |          |        |   |      |               |
|   | fine sand)           |          |        |   |      |               |
| 4 | Applying one coat    | 82.3     | sq     |   | 0.00 | INR Zero Only |
|   | of water thinnable   |          | m      |   |      |               |
|   | cement primer of     |          |        |   |      |               |
|   | approved brand       |          |        |   |      |               |
|   | and manufacture      |          |        |   |      |               |
|   | on wall surface :    |          |        |   |      |               |
|   |                      |          |        |   |      |               |
|   | Water thinnable      |          |        |   |      |               |
|   | cement primer.       |          |        |   |      |               |
|   |                      | <u> </u> | l      | l | l    |               |



| 5 | Distempering with | 1322 | sq |   | 0.00 | INR Zero Only |
|---|-------------------|------|----|---|------|---------------|
|   | oil bound         | .6   | m  |   |      |               |
|   | washable          |      |    |   |      |               |
|   | distemper of      |      |    |   |      |               |
|   | approved brand    |      |    |   |      |               |
|   | and manufacture   |      |    |   |      |               |
|   | to give an even   |      |    |   |      |               |
|   | shade.            |      |    |   |      |               |
|   |                   |      |    |   |      |               |
|   | New work (two or  |      |    |   |      |               |
|   | more coats) over  |      |    |   |      |               |
|   | and including     |      |    |   |      |               |
|   | water thinnable   |      |    |   |      |               |
|   | priming coat with |      |    |   |      |               |
|   | cement primer.    |      |    |   |      |               |
| 6 | Removing white    | 1404 | sq |   | 0.00 | INR Zero Only |
|   | or colour wash by | .9   | m  |   |      |               |
|   | scrapping and     |      |    |   |      |               |
|   | sand papering and |      |    |   |      |               |
|   | preparing the     |      |    |   |      |               |
|   | surface smooth    |      |    |   |      |               |
|   | including         |      |    |   |      |               |
|   | necessary repairs |      |    |   |      |               |
|   | to scratches etc. |      |    |   |      |               |
|   | complete          |      |    |   |      |               |
| L | 1                 | L    | l  | l | l .  | I             |



| 7 | Drawiding and       |      | 00  | 0.00 | IND Zoro Onler |
|---|---------------------|------|-----|------|----------------|
| / | Providing and       | 10.2 | sq  | 0.00 | INR Zero Only  |
|   | fixing ISI marked   | 5    | m   |      |                |
|   | flush door          |      |     |      |                |
|   | shutters            |      |     |      |                |
|   | conforming to IS:   |      |     |      |                |
|   | 2202 (Part I) non-  |      |     |      |                |
|   | decorative type,    |      |     |      |                |
|   | core of block       |      |     |      |                |
|   | board               |      |     |      |                |
|   | construction with   |      |     |      |                |
|   | frame of 1st class  |      |     |      |                |
|   | hard wood and       |      |     |      |                |
|   | well matched        |      |     |      |                |
|   | commercial 3 ply    |      |     |      |                |
|   | veneering with      |      |     |      |                |
|   | vertical grains or  |      |     |      |                |
|   | cross bands and     |      |     |      |                |
|   | face veneers on     |      |     |      |                |
|   | both faces of       |      |     |      |                |
|   | shutters:           |      |     |      |                |
|   |                     |      |     |      |                |
|   | 35 mm thick         |      |     |      |                |
|   | including ISI       |      |     |      |                |
|   | marked Stainless    |      |     |      |                |
|   | Steel butt hinges   |      |     |      |                |
|   | with necessary      |      |     |      |                |
|   | screws.             |      |     |      |                |
| 8 | Dismantling of      | 12   | eac | 0.00 | INR Zero Only  |
|   | flushing cistern of |      | h   |      |                |
|   | all types           |      |     |      |                |
|   |                     |      |     |      |                |



|   |                     |    |    | - |      |               |
|---|---------------------|----|----|---|------|---------------|
|   | (C.I./PVC/Vitreous  |    |    |   |      |               |
|   | China) including    |    |    |   |      |               |
|   | stacking of useful  |    |    |   |      |               |
|   | materials near the  |    |    |   |      |               |
|   | site and disposal   |    |    |   |      |               |
|   | of unserviceable    |    |    |   |      |               |
|   | materials within    |    |    |   |      |               |
|   | 50 metres lead.     |    |    |   |      |               |
| 9 | Providing and       | 65 | rm |   | 0.00 | INR Zero Only |
|   | fixing Chlorinated  |    |    |   |      |               |
|   | Polyvinyl Chloride  |    |    |   |      |               |
|   | (CPVC) pipes,       |    |    |   |      |               |
|   | having thermal      |    |    |   |      |               |
|   | stability for hot & |    |    |   |      |               |
|   | cold water supply,  |    |    |   |      |               |
|   | including all CPVC  |    |    |   |      |               |
|   | plain & brass       |    |    |   |      |               |
|   | threaded fittings,  |    |    |   |      |               |
|   | including fixing    |    |    |   |      |               |
|   | the pipe with       |    |    |   |      |               |
|   | clamps at 1.00 m    |    |    |   |      |               |
|   | spacing. This       |    |    |   |      |               |
|   | includes jointing   |    |    |   |      |               |
|   | of pipes & fittings |    |    |   |      |               |
|   | with one step       |    |    |   |      |               |
|   | CPVC solvent        |    |    |   |      |               |
|   | cement and          |    |    |   |      |               |
|   | testing of joints   |    |    |   |      |               |
|   | complete as per     |    |    |   |      |               |
|   | direction of        |    |    |   |      |               |
|   | •                   |    |    |   | •    |               |



|    | Engineer in        |    |     |      |               |
|----|--------------------|----|-----|------|---------------|
|    | Charge. : Internal |    |     |      |               |
|    | work - Exposed on  |    |     |      |               |
|    | wall               |    |     |      |               |
|    |                    |    |     |      |               |
|    | 40 mm nominal      |    |     |      |               |
|    | outer dia. Pipes.  |    |     |      |               |
| 10 | 50 mm nominal      | 65 | rm  | 0.00 | INR Zero Only |
|    | outer dia. Pipes.  |    |     |      |               |
| 11 | Providing and      | 16 | eac | 0.00 | INR Zero Only |
|    | fixing C.P. brass  |    | h   |      |               |
|    | bib cock of        |    |     |      |               |
|    | approved quality   |    |     |      |               |
|    | conforming to      |    |     |      |               |
|    | IS:8931:           |    |     |      |               |
|    |                    |    |     |      |               |
|    | 15 mm nominal      |    |     |      |               |
|    | bore.              |    |     |      |               |
| 12 | Providing and      | 12 | eac | 0.00 | INR Zero Only |
|    | fixing C.P. brass  |    | h   |      |               |
|    | stop cock          |    |     |      |               |
|    | (concealed) of     |    |     |      |               |
|    | standard design    |    |     |      |               |
|    | and of approved    |    |     |      |               |
|    | make conforming    |    |     |      |               |
|    | to IS:8931.        |    |     |      |               |
|    |                    |    |     |      |               |
|    | 15 mm nominal      |    |     |      |               |
|    | bore.              |    |     |      |               |
|    | 50.01              |    |     |      |               |



| 13 | Droviding and      | 54.8 | CC | 0.00 | IND Zoro Only |
|----|--------------------|------|----|------|---------------|
| 13 | Providing and      | 34.8 | sq | 0.00 | INR Zero Only |
|    | laying factory     |      | m  |      |               |
|    | made chamfered     |      |    |      |               |
|    | edge Cement        |      |    |      |               |
|    | Concrete paver     |      |    |      |               |
|    | blocks In foot     |      |    |      |               |
|    | path, park & lawns |      |    |      |               |
|    | driveway or light  |      |    |      |               |
|    | & traffic parking  |      |    |      |               |
|    | etc. of required   |      |    |      |               |
|    | strength,          |      |    |      |               |
|    | thickness & size/  |      |    |      |               |
|    | shape, made by     |      |    |      |               |
|    | table vibratory    |      |    |      |               |
|    | method using PU    |      |    |      |               |
|    | mould, laid in     |      |    |      |               |
|    | required colour &  |      |    |      |               |
|    | pattern over       |      |    |      |               |
|    | 50mm thick         |      |    |      |               |
|    | compacted bed of   |      |    |      |               |
|    | course sand,       |      |    |      |               |
|    | compacting and     |      |    |      |               |
|    | proper             |      |    |      |               |
|    | embedding/         |      |    |      |               |
|    | laying of inter    |      |    |      |               |
|    | locking paver      |      |    |      |               |
|    | blocks into the    |      |    |      |               |
|    | sand bedding       |      |    |      |               |
|    | layer through      |      |    |      |               |
|    | vibratory          |      |    |      |               |
|    |                    |      |    |      |               |



| compaction by      |  |  |  |
|--------------------|--|--|--|
| using plate        |  |  |  |
| vibrator, filling  |  |  |  |
| the joints with    |  |  |  |
| sand and cutting   |  |  |  |
| of paver blocks as |  |  |  |
| per required size  |  |  |  |
| and pattern,       |  |  |  |
| finishing and      |  |  |  |
| sweeping extra     |  |  |  |
| sand, all complete |  |  |  |
| as per             |  |  |  |
| manufacturer's     |  |  |  |
| specifications &   |  |  |  |
| direction of       |  |  |  |
| Engineer in-       |  |  |  |
| Charge.            |  |  |  |
|                    |  |  |  |
| 80mm thick         |  |  |  |
| Cement concrete    |  |  |  |
| paver block of M-  |  |  |  |
| 30 grade with      |  |  |  |
| approved colour,   |  |  |  |
| design & pattern.  |  |  |  |
|                    |  |  |  |



| 14 | Providing and      | 12 | eac | 0.00 | INR Zero Only |
|----|--------------------|----|-----|------|---------------|
|    | fixing white       |    | h   |      | J             |
|    | vitreous china     |    |     |      |               |
|    | pedestal type      |    |     |      |               |
|    | water closet       |    |     |      |               |
|    | (European type     |    |     |      |               |
|    | W.C. pan) with     |    |     |      |               |
|    | seat and lid, 10   |    |     |      |               |
|    | litre low level    |    |     |      |               |
|    | white P.V.C.       |    |     |      |               |
|    | flushing cistern,  |    |     |      |               |
|    | including flush    |    |     |      |               |
|    | pipe, with         |    |     |      |               |
|    | manually           |    |     |      |               |
|    | controlled device  |    |     |      |               |
|    | (handle lever),    |    |     |      |               |
|    | conforming to IS:  |    |     |      |               |
|    | 7231, with all     |    |     |      |               |
|    | fittings           |    |     |      |               |
|    | andfixtures        |    |     |      |               |
|    | complete,          |    |     |      |               |
|    | including cutting  |    |     |      |               |
|    | and making good    |    |     |      |               |
|    | the walls and      |    |     |      |               |
|    | floors wherever    |    |     |      |               |
|    | required :         |    |     |      |               |
|    |                    |    |     |      |               |
|    | W.C. pan with ISI  |    |     |      |               |
|    | marked white       |    |     |      |               |
|    | solid plastic seat |    |     |      |               |



|    | ,                   | 1  |     | T | 1    |               |
|----|---------------------|----|-----|---|------|---------------|
|    | and lid             |    |     |   |      |               |
|    |                     |    |     |   |      |               |
|    |                     |    |     |   |      |               |
|    |                     |    |     |   |      |               |
|    |                     |    |     |   |      |               |
|    |                     |    |     |   |      |               |
|    |                     |    |     |   |      |               |
| 15 | Providing and       | 4  | eac |   | 0.00 | INR Zero Only |
|    | fixing wash basin   |    | h   |   |      |               |
|    | with C.I. brackets, |    |     |   |      |               |
|    | 15 mm C.P. brass    |    |     |   |      |               |
|    | pillar taps, 32 mm  |    |     |   |      |               |
|    | C.P. brass waste of |    |     |   |      |               |
|    | standard pattern,   |    |     |   |      |               |
|    | including painting  |    |     |   |      |               |
|    | of fittings and     |    |     |   |      |               |
|    | brackets, cutting   |    |     |   |      |               |
|    | and making good     |    |     |   |      |               |
|    | the walls           |    |     |   |      |               |
|    | wherever require:   |    |     |   |      |               |
|    | White Vitreous      |    |     |   |      |               |
|    | China Wash basin    |    |     |   |      |               |
|    | size 630x450 mm     |    |     |   |      |               |
|    | with a pair of 15   |    |     |   |      |               |
|    | mm C.P. brass       |    |     |   |      |               |
|    | pillar taps         |    |     |   |      |               |
| 16 | Providing and       | 12 | eac |   | 0.00 | INR Zero Only |
|    | fixing controlled   |    | h   |   |      |               |
|    | flush, low level    |    |     |   |      |               |
|    | cistern made of     |    |     |   |      |               |
| L  |                     | L  | ·   |   |      |               |



| _  |                       |     |          | ,    |               |
|----|-----------------------|-----|----------|------|---------------|
|    | vitreous china        |     |          |      |               |
|    | with all fittings     |     |          |      |               |
|    | complete.             |     |          |      |               |
|    | •                     |     |          |      |               |
|    | 40 lt (6-ll dl-)      |     |          |      |               |
|    | 10 litre (full flush) |     |          |      |               |
|    | capacity-white        |     |          |      |               |
| 17 | Providing and         | 16  | eac      | 0.00 | INR Zero Only |
|    | fixing P.V.C. waste   |     | h        |      |               |
|    | pipe for sink or      |     |          |      |               |
|    | wash basin            |     |          |      |               |
|    | including P.V.C.      |     |          |      |               |
|    |                       |     |          |      |               |
|    | waste fittings        |     |          |      |               |
|    | complete.             |     |          |      |               |
|    |                       |     |          |      |               |
|    | Semi rigid pipe       |     |          |      |               |
|    |                       |     |          |      |               |
|    | 32 mm dia             |     |          |      |               |
| 18 | Providing & fixing    | 8.5 | sq       | 0.00 | INR Zero Only |
|    | glass panes with      |     | m        |      |               |
|    | putty and glazing     |     |          |      |               |
|    | clips in steel        |     |          |      |               |
|    | doors, windows,       |     |          |      |               |
|    |                       |     |          |      |               |
|    | clerestory            |     |          |      |               |
|    | windows all           |     |          |      |               |
|    | complete with :       |     |          |      |               |
|    |                       |     |          |      |               |
|    | 4.0 mm thick glass    |     |          |      |               |
|    | panes.                |     |          |      |               |
|    | 1                     | 1   | <u> </u> | l    |               |

| SSAM, | ERS<br>V | GILCHA |
|-------|----------|--------|
| 4     | शक्ति    | -      |

| 19 | Preparation and     | 54.8 | sq   | 0.00 | INR Zero Only     |
|----|---------------------|------|------|------|-------------------|
|    | consolidation of    |      | m sq | 3100 | Title Zol o Olliy |
|    | sub grade with      |      | 111  |      |                   |
|    | power road roller   |      |      |      |                   |
|    | of 8 to 12 tonne    |      |      |      |                   |
|    |                     |      |      |      |                   |
|    | capacity after      |      |      |      |                   |
|    | excavating earth    |      |      |      |                   |
|    | to an average of    |      |      |      |                   |
|    | 22.5 cm depth,      |      |      |      |                   |
|    | dressing to         |      |      |      |                   |
|    | camber and          |      |      |      |                   |
|    | consolidating with  |      |      |      |                   |
|    | road roller         |      |      |      |                   |
|    | including making    |      |      |      |                   |
|    | good the            |      |      |      |                   |
|    | undulations etc.    |      |      |      |                   |
|    | and re- olling the  |      |      |      |                   |
|    | sub grade and       |      |      |      |                   |
|    | disposal of surplus |      |      |      |                   |
|    | earthwith lead      |      |      |      |                   |
|    | upto 50 metres.     |      |      |      |                   |
| 20 | Centering and       | 25.2 | sq   | 0.00 | INR Zero Only     |
|    | shuttering          | 2    | m    |      |                   |
|    | including           |      |      |      |                   |
|    | strutting,          |      |      |      |                   |
|    | propping etc. and   |      |      |      |                   |
|    | removal of form     |      |      |      |                   |
|    | work for :          |      |      |      |                   |
|    |                     |      |      |      |                   |
|    | Foundations,        |      |      |      |                   |



|          |                     |               | The The |  |      |               |
|----------|---------------------|---------------|---------|--|------|---------------|
|          | footings, bases for |               |         |  |      |               |
|          | columns             |               |         |  |      |               |
|          |                     |               |         |  |      |               |
| 21       | Earth work in       | 54.8          | sq      |  | 0.00 | INR Zero Only |
|          | surface excavation  |               | m       |  |      |               |
|          | not exceeding 30    |               |         |  |      |               |
|          | cm in depth but     |               |         |  |      |               |
|          | exceeding 1.5 m in  |               |         |  |      |               |
|          | width as well as 10 |               |         |  |      |               |
|          | sqm on plan         |               |         |  |      |               |
|          | including getting   |               |         |  |      |               |
|          | out and disposal of |               |         |  |      |               |
|          | excavated earth     |               |         |  |      |               |
|          | upto 50 m and lift  |               |         |  |      |               |
|          | up to 1.5 m, as     |               |         |  |      |               |
|          | directed by         |               |         |  |      |               |
|          | Engineer-in-        |               |         |  |      |               |
|          | Charge:             |               |         |  |      |               |
|          |                     |               |         |  |      |               |
|          | All kinds of soil   |               |         |  |      |               |
| 22       | Any Other Item      | 1000          | LS      |  | 0.00 | INR Zero Only |
|          |                     | 0             |         |  |      |               |
| Total in |                     |               |         |  | 0.00 | INR Zero Only |
| Figures  |                     |               |         |  |      |               |
| Quoted   |                     | INR Zero Only |         |  |      |               |
| Rate in  |                     |               |         |  |      |               |
| Words    |                     |               |         |  |      |               |