

ASSAM UNIVERSITY: SILCHAR NOTICE INVITING e-TENDER

Assam University, Silchar, invites online tender with a validity period of 90 (Ninety) days from the date of receipt of tender in prescribed format available in website https://eprocure.gov.in/eprocure/app from the Govt. registered contractors having Civil Registration of APWD/CPWD/MES/PSU of appropriate class and category having valid registration for the work as mentioned below: -

Name of Work	Estimated Cost	Time of Comple tion	EMD (In Rupees)	Application / Form Fee	Last date of submission of e-tender	Date and Time of online Technical Bid Opening	Date and Time of online Price Bid Opening
Repairing of toilet and Bathroom of quarter NTC-1(Nazrul Islam), NT-08 (Utpal Das) to control seepage from upper bathroom & toilets, Repairing Drain apron and misc.of Qtr. NT-01 (Sabina Yasmin), NT B-8 (Robin Khaba), NT-09 (Poulami Devnath), NT-10 (Chandrima Das), NT-03(Nayan mazumder) at Assam University Silchar.	Rs. 8,68,046/-	30 Days	Rs. 17,360/-	Rs. 1000/-	14-12-2023 to 11.00 A.M	15-12-2023 At 11.00 A.M	To be announced after completion of technical bid evaluation.

The eligible Contractor who are financially sound and proficient in the similar nature of works are to quote their rate **in Item Rate basis** and rate should be inclusive of all taxes & incidental charges. Self-attested copy of (i) Valid registration certificate (ii) PAN Card (Where PAN of the deducted is not available, Tax at higher of the prescribed rate or 20% will be deducted on all transactions) (iii) GST Registration (iv) Work experience on similar nature of work, (v) Bank solvency certificate, (vi) ESI certificate (vii) EPF registration (with last challan receipt copy), (viii) ESI registration (with last challan receipt copy) (ix) Certificate and undertaking in original from the Engineer employed duly signed are to be enclosed/uploaded with the tender without which the tender will not be accepted. The interested bidder may examine the nature of work available in Engineering Section and visit the site to satisfy them about the scope of the work before submitting the tender. The duly filled in tenders can be submitted online up to **11:00 AM of 14-12-2023.** Tenders will be opened on **15-12-2023 at 11.00 AM** in presence of the tenderers or their authorized representatives.

may be downloaded from detail NIT university website <u>www.aus.ac.in</u> Mandatory Tender application/Form fee of Rs.1000/- (One https://eprocure.gov.in/eprocure/app Thousand only) in the form of demand draft drawn in favour of Assam University, Silchar, payable at Silchar from a scheduled /nationalized bank only, / Cash Counter Assam University Silchar failing which the tender will not be accepted. Kindly submit your bid / tender giving rate in Item Rate basis along with terms conditions through online only e-Procurement https://eprocure.gov.in/eprocure/app on or before last date of submission of bid. If the office remains close for any reason, the tender will be received/opened on next working day at same time and place. The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received by recording clear, logical reasons. Canvassing in any form will be a disqualification for submission of the tender including submission of tender to the university in future.

> Sd/-Executive Engineer

> > Date: 07-12-2023

File No. au/engg/maint/civil/76/2023

Copy to:-

- 1. PS to VC for kind information of the Hon'ble Vice-Chancellor
- 2. PS to Registrar for kind information of the Registrar
- 3. PS to Finance Officer for kind information of the Finance Officer
- 4. Director, Computer Centre for information & with a request to upload the aforesaid notice in university website
- 5. Notice Board.
- 6. File.

Signature Not Verified

Digitally signed by DEBANON DEY PURKAYASTHA
Date: 2023.12.07 12:29.02 IST Location: eProcure-EPROC



ASSAM UNIVERSITY: SILCHAR

E-TENDER

Name of Work: Repairing of toilet and Bathroom of quarter NTC-1(Nazrul Islam), NT-08 (Utpal Das) to control seepage from upper bathroom & toilets, Repairing Drain apron and misc.of Qtr. NT-01 (Sabina Yasmin) ,NT B-8 (Robin Khaba) , NT-09 (Poulami Devnath), NT-10 (Chandrima Das),NT-03(Nayan mazumder) at Assam University Silchar.

Estimated Amount: Rs. 8, 68,046/-
Certified that this technical tender document contains (42) pages including the cover page.
Tender issued to:
Date of issue:

Signature of issuing Officer of the University



ASSAM UNIVERSITY: SILCHAR

(A Central University Constituted under Act. XXIII of 1989)

e-TENDER DOCUMENT

Name of Work: Repairing of toilet and Bathroom of quarter NTC-1(Nazrul Islam), NT-08 (Utpal Das) to control seepage from upper bathroom & toilets, Repairing Drain apron and misc.of Qtr. NT-01 (Sabina Yasmin), NT B-8 (Robin Khaba), NT-09 (Poulami Devnath), NT-10 (Chandrima Das), NT-03 (Nayan mazumder) at Assam University Silchar.

• Application/Form Fee: Rs. 1000/-

• Estimated Cost: Rs. 8, 68,046/-

• Earnest Money: Rs. 17,360/-

Last date of submission online of tender: 14-12-2023 up to 11.00 A.M.

• Date and Time of online Technical Bid Opening: 15-12-2023 at 11.00 A.M.

Date and Time of online Price Bid Opening: To be announced after

completion of technical bid evaluation.



CHECK LIST OF DOCUMENTS

Following Self-attested Certificates along with self-attested copy of tender document must be scanned and uploaded:

Note: The Technical Bid shall be instantly rejected, if the following documents are not scanned, uploaded online and submitted offline.

Check List:

1.	Valid registration certificate of Central Govt./ State Govt./PSU	
	[Proforma 2(a)]	: Yes/No
2.	Experience certificate: Experience of executing similar nature works	
	During the last seven years with the record of completion [Proforma 3(a)]	: Yes/No
	(Within seven years from date of publication of NIT)	
3.	Bank solvency from nationalized/ scheduled Bank within one year from date of	
	publication of NIT as per Prescribed [Proforma-2(b)]	: Yes/No
	[At least 40% of the Estimated Cost has to be mentioned in the certificate]	
4.	Ongoing works statement [Proforma 3(b)]	: Yes/No
5.	PAN CARD	: Yes/No
6.	GSTIN	: Yes/No
7.	EPF registration certificate with latest deposit challan copy	: Yes/No
	(Payment of wage month must be within two months from last date of submission of	bid)
8.	Certificate and undertaking from the Engineer employed	: Yes/No
9.	Self-attested copy of tender document	: Yes/ No
10.	ESI registration certificate with latest deposit challan copy	: Yes/ No

Note:

- a. The Bidders are required to submit the print copy of the above uploaded documents duly self-certified along with the proof towards payment of tender document cost and EMD submitted.
- b. Works completion Certificate should be issued by officer not below the rank of Executive Engineer or equivalent/ Head of any Institution. Work order shall not be considered as proof for works completion.

Signature of Agency / Contractor



ASSAM UNIVERSITY: SILCHAR

(A Central University Constituted under Act. XXIII of 1989)

Name of Work: Repairing of toilet and Bathroom of quarter NTC-1(Nazrul Islam), NT-08 (Utpal Das) to control seepage from upper bathroom & toilets, Repairing Drain apron and misc.of Qtr. NT-01 (Sabina Yasmin) ,NT B-8 (Robin Khaba) , NT-09 (Poulami Devnath), NT-10 (Chandrima Das),NT-03(Nayan mazumder) at Assam University Silchar.

CONTENTS

SECTION - I : NOTICE INVITING E-TENDER

SEC TION – II : PROFORMA OF SUBMISSION OF QUOTATION

SECTION – III : GENERAL RULES & DIRECTIONS

SECTION -IV : TERMS AND CONDITIONS GOVERNING THE TENDER AND

EXECUTION OF CONTRACT THEREOF

SECTION -V : SPECIAL INSTRUCTION FOR ONLINE BID SUBMISSION

ASSAM UNIVERSITY, SILCHAR

File No. au/engg/maint/civil/76/2023

NOTICE INVITING E-TENDER

Online tenders in two bid systems valid for 90 days are invited from Registered Civil Contractors having valid registration of CPWD/MES/State PWD/PSU of appropriate class and category for the following work at Assam University, Silchar.

Name of Work	Estimate d Cost	Time of Comple tion	EMD (In Rupees)	Applicati on / Form Fee	Last date of submission of e-tender	Date and Time of online Technical Bid Opening	Date and Time of online Price Bid Opening
Repairing of toilet and Bathroom of quarter NTC-1(Nazrul Islam), NT-08 (Utpal Das) to control seepage from upper bathroom & toilets, Repairing Drain apron and misc.of Qtr. NT-01 (Sabina Yasmin) ,NT B-8 (Robin Khaba) , NT-09 (Poulami Devnath), NT-10 (Chandrima Das),NT-03(Nayan mazumder) at Assam University Silchar.	Rs. 8,68,04 6/-	30 Days	Rs. 17,360/-	Rs. 1000/-	14-12-2023 to 11.00 A.M	15-12-2023 At 11.00 A.M	To be announced after completion of technical bid evaluation.

The eligible contractors who are financially sound and proficient in the similar nature of works are to quote their **rate in Item Rate Basis**. Rate should be inclusive of all taxes & incidental charges.

The tender documents and other details can be obtained from the websites www.aus.ac.in. or https://eprocure.gov.in/eprocure/app for which nonrefundable tender fees of Rs. 1000/- per tender payable in DD (Drawn in favor of Assam University, Silchar) / Cash Counter Assam University Silchar to be enclosed as application fees along with tender document. The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received by recording clear, logical reasons.

Sd/Executive Engineer

Date: 07-12-2023



- The Tenderer shall quote his rate as per NIT & the Terms and Conditions enclosed in the Tender document.
- 2. Tender Documents can be downloaded from www.aus.ac.in. or https://eprocure.gov.in/eprocure/app Mandatory Tender application/Form fee of Rs.1000/- in the form of demand draft drawn (DD) of in favor of Assam University, Silchar, payable at Silchar from a scheduled /nationalized bank only / Cash Counter Assam University Silchar failing which the tender will not be accepted.
- 3. Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the University and local conditions and other factors having bearing on the execution of the work.
- 4. The Earnest Money Deposit (EMD) of Rs. 17,360/-mentioned above is absolutely mandatory. EMD may be submitted in the form of Bank Draft/ FDR /Call Deposit drawn in favor of the Assam University, Silchar from a scheduled /nationalized bank only, failing which the tender will not be accepted. Soft copy of such EMD be uploaded while submitting the tender and hard copy of the EMD has to be submitted to Engineering Section, AUS on or before the Day of tender opening.



- 5. Mode of Submission (Offline) of tender Document at Engineering Section, Assam University Silchar within 03.00 PM (14-12-2023):
 - a. EMD to be sealed in Envelop No-1
 - b. Envelop No-2 should contain following documents:
 - i. Self-attested registration certificate,
 - ii. Self-attested PAN Card,
 - iii. Self-attested GST Registration,
 - iv. Self-attested EPF registration, copy of latest chalan,
 - v. Self-attested work experience certificate for similar nature of work,
 - vi. Self-attested bank solvency certificate.
 - vii. Self-attested ESI certificate, copy of latest chalan
 - viii. Self-attested Certificate and undertaking in original from the Engineer employed
 - ix. Self-attested copy of tender document.
 - c. Envelop No-1 & 2 to be inserted in a single Envelop No-3 properly sealed with wax and super scribing Name of Work, Closing Date & Name of Agency/Contractor on the cover of the Envelop No-3.
 - NB:- If any Bidder is found to submit any misleading information regarding their credentials, during or afterwards, of tendering procedure and execution of work, then disciplinary action will be taken against those bidders as per GOI rules.
- 6. Tenders should be valid for 90 days from the date of opening of the tenders and may have to be extended further if considered necessary by the University. No reasons will be assigned for extension and no withdrawal shall be allowed. If any tenderer withdraws his tender before the said period or issue of letter of acceptance, which-ever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the University, then the University shall, without prejudice to any other right or remedy, be at liberty to forfeit the said Earnest Money Deposit.
- 7. The time allowed for completing the work will be 30 days from the issue of work order.
- 8. No Telex/ Tele fax/ Telegram/ E-mail of the Techno-Commercial and Price bids will be accepted. The University is not responsible for Postal/ Courier delays. The parties have to ensure the receipt of bids well in time.
- 9. If the date of tender submission and opening happens to be unforeseen holiday, the same will be postponed to the next working day without any further intimation.
- 10. The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received without assigning of any reason thereof. All tenders in which



any of the prescribed condition is not fulfilled or any condition put forth by the tenderer, shall be summarily rejected.

- 11. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tender submitted by the contractors who resort to canvassing will be summarily rejected.
- 12. The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received by recording clear, logical reasons.
- 13. This Notice Inviting Tender shall form a part of the contract document.
- 14. The successful tenderer/ contractor, on acceptance of his tender by the University, shall within 15 days from the stipulated date of start of the work sign the contract agreement in standard form consisting of the notice inviting tender, all the documents including additional conditions, specifications and drawings, if any, forming the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.
- 15. No materials will be supplied by the University.
- 16. In case of delay in completion of the work within the stipulated time due to reasons attributable to the contractor, Standard Liquidated Damage @ 0.1% of the final bill value shall be recovered for each day of delay from the final bill or the part there of subject to a maximum of 10%.
- 17. The contractor shall obtain a valid license under the contract labour (R&A) Act, 1970, and the contract labour central rules 1971, during the commencement of the work, and continue to have a valid license until the completion of the work. The contractor shall also abide by the provisions of the Child Labour (Prohibition and Regulation) Act, 1986 and other labour laws. Any failure to fulfill this requirement shall attract the penal provisions of this contract arising out of the resultant no execution of the work. No labour below the age of fourteen years shall be employed on the work.
- 18. An Graduate Engineer/Diploma with minimum five years' experience in the required field must be engaged by the contractor for all Civil works of value greater than or equal to 5.00 Lakhs. The Degree/Diploma certificate duly signed by Engineer mentioning full name and date, the signature date should be within two months from last date of submission of bid and without any overwriting.



The Engineers undertaking as per prescribed format at Annexure B should be accompanied by Engineers PAN Card/Driving License/Equivalent Document Issued by GOI for signature verification. The Site Engineer engaged must be familiar with all the works specified in the contract & must be acquainted with CPWD specification The engagement of engineer is not mandatory for Contractor possessing equivalent technical qualification in the required field. During execution of the site works if site supervisor Engineer with adequate knowledge and qualification is not found, the contractor shall be liable for penalty payment @ 1% of the tender accepted value for each day of such noncompliance on record. Subject to a maximum of 10% of tender acceptance value.

- 19. The successful bidder shall be required to maintain site order book at each site as per CPWD format. The site order book for the concerned works and the labour acquaintance records must be submitted along with each RA Bill accounts /first & final bill claims by the contractor.
- **20.** The bidder shall be required to sign the all the hardcopy bid documents with full signature and with seal and date. The bid should be accompanied by bidders PAN Card/Driving License/Equivalent Document Issued by GOI for signature verification.
- 21. The work experience certificate/credential must be of similar nature unless otherwise specifically mentioned in the NIT. Ambiguous Work experience credential where the nature and value of relevant/similar nature of works cannot be ascertained may lead the technical disqualification of the bid.
- 22. The contractor should have experience of successfully completing similar nature of government work either (i) single work which has 80% of estimated value, or (ii) at least two works each of 60% of estimated value, or (iii) at least three works each of 40% of estimated value, put to tender with some Central Government Department/ State Government Department/ Central Autonomous Body/ Central Public Sector undertaking. The work order as well as completion certificate (original/ self-attested copy) for similar nature of works should be attached failing which the bid will not be considered.
- 23. EPF & ESIC registration is mandatory which is to be submitted along with the latest challan receipt during submission of tender document. The latest challan copy means payment receipt of wage month within two months of last date of submission of the bid.
- **24.** During Opening of tender only representative duly authorized by the agency / contractor will be allowed to be present.



- **25.** All relevant documents submitted with the tender should be self-attested (by the agency/contractor) and on demand original copy must be produced failing which tender will not be considered.
- **26.** Authenticity of signatory (contractor) of tender document will be verified before finalization of tender document.
- **27.** Tax at higher of prescribed rate or 20% will be deducted on all transactions liable to TDS, where the permanent Account Number (PAN) of the deductee is not available.
- **28.** In case of any dispute, it would be referred to a sole Arbitrator to be appointed by the University authority. The decision of the sole Arbitrator will be final and binding to both the parties.
- **29.** 10% security money will be retained by the University from the bill value which shall be released after 01(one) year of satisfactory completion of work.
- **30.** EMD of unsuccessful bidder shall be released within 02 (two) months after issue of work order to the successful bidders.
- **31.** If the work is found not as per specification or abandoned by the executing contractor/agency, same will be cancelled and remaining work will be done through other contractor/agency at their cost & risk.
- **32.** An Engineer (Civil), diploma with minimum five years' experience in the required field or B.E. (Civil Engg.) must be engaged by the contractor (Whose certificate duly self-attested, one copy photo & an undertaking by the Engineer in original is to be enclosed with the technical bid failing which the tender will not be considered) to supervise the work. The Engineer engaged must be familiar with all the works specified in the contract & must be acquainted with CPWD specification, manual etc. The engagement of engineer is not mandatory for Contractor possessing technical qualification.
- **33.** Detailed computerized measurement entry in the measurement sheet (location wise) has to be made by the contractor and to be submitted to Engineering Section (AUS) for joint verification by the University Engineers and the Contractor. The joint verification has to be arranged by the Contractor.



- **34.** Before procuring any major items like cement/ steel/ tiles/ coarse & fine sand/ stone aggregate etc., the Contractor must take prior permission/ submit test report as per the direction of engineering section.
- **35.** The Contractor has to arrange water supply at his own cost for his site office as well as for all construction works to be executed by him. As the University has acute water crisis problem, so University will not be able to supply water.
- **36.** Bank solvency certificate as per our enclosed format is to be issued by any schedule/ nationalized bank which is to be enclosed by the Contractor in the Technical Bid, failing which the Bid will be rejected.
- **37.** Arbitration: In case of dispute or difference between the parties in the contract or its execution thereof, the same will be sorted out amicably, mutually. In the event that an amicable settlement cannot be reached, any dispute arising out of or relating to this Agreement shall be settled by a sole Arbitrator appointed by mutual agreement, the place of Arbitration shall be Assam University Silchar and in case of failure to settle the matter through arbitration the provisions of Arbitration and Conciliation Act, 1996 will be applicable and subject to jurisdiction of civil court of Silchar at the request of either party. This Agreement shall be guided by relevant applicable Laws of land.
- 38. At any time prior to the deadline for submission of bids, the University may, if necessary, modify the tender document by a written amendment. All prospective Tenders will be notified of the amendment which will be binding to all the bidders. The amendments will be notified on the websites, https://eprocure.gov.in/eprocure/app or www.aus.ac.in.
- 39. The bidders are advised to get themselves registered on the e-Procurement portal at least a week before the scheduled date and time of bid submission. This will help the new bidders/vendors to get familiar with the e-Procurement portal. The bidders must arrange computers/laptop, high speed internet and other equipment etc. required for bid submission... For more details visit https://eprocure.gov.in/eprocure/app



- 40. Those bidders who accept the above terms and conditions, may submit their tender along with all relevant documents and a copy of above terms and conditions of the tender duly signed.
- 41. The bidders are directed to complete the works strictly within the stipulated time, failing which Assam University may not be in a position to make payment after the fund validity is over.

Sd/-

Executive Engineer



SECTION - II: PROFORMA FOR SUBMISSION OF TENDER

To, Executive Engineer Assam University, Silchar – 788 011

<u>Subject: -</u> Repairing of toilet and Bathroom of quarter NTC-1(Nazrul Islam), NT-08 (Utpal Das) to control seepage from upper bathroom & toilets, Repairing Drain apron and misc.of Qtr. NT-01 (Sabina Yasmin), NT B-8 (Robin Khaba), NT-09 (Poulami Devnath), NT-10 (Chandrima Das), NT-03 (Nayan mazumder) at Assam University Silchar.

Sir.

Having carefully examined and read the Notice Inviting e-Tender, Tender documents and all other documents attached regarding **Tender No.** au/engg/maint/civil/76/2023 dated......I/We hereby tender for the execution of the work specified for Assam University, Silchar in the documents as per the conditions mentioned therein.

I/We certify that we have carefully read each and every condition and technical specifications given in this Tender Documents and understood the same, and I/ We conform our acceptance of the same.

I/We agree to abide by this tender initially for a period of **90 days** from the last day fixed for opening of Tender by the University and it shall remain binding on me/us and order may be accepted at any time before the expiry of that period.

I/We hereby undertake not to withdraw from this Tender, during this period of **90 days**. However, if I/ We withdraw it, the University shall have right to invoke the Earnest Money without reference to me/us.

Should this Tender be accepted by the University I/we hereby agree to abide by and fulfill all terms and conditions of Tender Documents and in default thereof.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/ confidential documents and shall not communicate information derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the University.

Signature of tenderer: -----



SECTION - III: GENERAL RULES AND DIRECTIONS

1. SUBMISSION OF TENDER

- a) The General Conditions of Contract for Central PWD /APWD Works shall be the guiding principles for this work. Tenderer are advised to procure the same and familiarize themselves with the provisions of the above-mentioned Conditions of Contract.
- b) The University reserves the right to alter, modify any Tender Conditions, technical specifications etc., before tender opening and may seek fresh quotation depending upon necessity, and may even withdraw/ cancel the tender, without assigning any reason.
- c) All amendments/ revisions to tender documents issued by the University, if any, must be signed and submitted along with the tender. The tenderer are advised to submit the tender based strictly on the terms and conditions and specifications contained in the tender documents, and not to stipulate any deviations.
- 2. (a) Tenders shall be prepared and submitted in soft copies of their bids electronically on the e-bid Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the e-Procurement Portal https://eprocure.gov.in/eprocure/app, prepare their bids in accordance with the requirements and submitting their bids online on the e-Procurement Portal.
- (b) Insertion, postscript, addition and alteration are allowed till before the time of the closing of tender. In the event of the tender being submitted by a firm, any of the partners may upload and submit the tender.

TENDERER TO INFORM HIMSELF FULLY

The tenderer is required to carefully examine the technical specifications and other details relating to the work given in the Tender documents and fully inform himself as to all conditions and matters that may affect the work or the cost thereof. The tenderer shall be deemed to have independently obtained all necessary information for the purpose of submitting the tender and his tender as accepted shall be deemed to have taken into account all contingencies as may arise due to such information or lack of the same.

Validity of tender: Tender shall remain valid for acceptance for a period of not less than **90** days.



CLARIFICATIONS

The Tender Document issued is complete in all respect and no further clarifications are elaborated. However, in so far Technical Clarifications if any are concerned even though not binding on university can be ascertained from the University.

QUOTATION OF PRICE / RATES

This being item rate tender, the tenderer shall state at what rate he will be willing to undertake the work. Rate should be quoted **in Item Rate Basis**.

COMPLETION TIME

The completion time is the essence of the contract. The Tenderer shall complete the work within the period indicated in the Notice Inviting e-Tender.

TRANSFER OF TENDER DOCUMENTS/ TENDERS

Transfer of tender documents purchased by one tenderer to another is not permissible. Similarly transfer of tenders submitted by one tenderer to another is not permissible under any circumstances. The alteration of essence of tender once submitted is also not permissible.

LANGUAGE

The Tender shall be submitted in English language only.

EARNEST MONEY DEPOSIT

- 1. The tender must be accompanied by the Earnest Money Deposit pledged in favour of Assam University, Silchar, in the form of Demand Draft / FDR/Call Deposit as indicated in the Notice Inviting Tender. If the tenderer after submitting online his tender release from his offer or modify the Terms and Conditions thereof in a manner not acceptable to the University, the Earnest Money will be forfeited. Tenders not accompanied by the earnest money deposit will not be considered and will be summarily rejected.
- 2. On Non-acceptance of tender, but in any case, not earlier than the expiry date of the period for which the tender is kept open, the Earnest Money shall be discharged.
- 3. Should the Tender in question be withdrawn or cancelled by the University, which the University shall have the right to do at any time, Earnest Money will be discharged.



4. Should the successful tenderer fail or refuse to duly sign the contract within the period fixed by the University or fail/refuse to commence the work within the stipulated time, the Earnest Money shall be forfeited without prejudice to his being liable for any further loss or damage incurred in consequence by the University.

NO CLAIM FOR COMPENSATION FOR SUBMISSION OF TENDER

The Tenderer whose tender is not accepted shall not be entitled to claim any costs, charges and expenses of any incidental to or incurred by him thorough or in connection with his submission of tender, even though the University may modify/ withdraw the Tender.

LOWEST TENDER NOT NECESSARILY TO BE ACCEPTED

The University does not bind itself to accept lowest tender and reserves the right to reject any or all the tenders received by recording clear, logical reasons.

TENDER EVALUATION

The Tenders received and accepted will be evaluated to ascertain the best and lowest workable tender in the interest of the University, for the complete work covered under the technical specifications and documents.



SECTION – IV: TERMS AND CONDITIONS GOVERNING THE TENDER AND EXECUTION OF CONTRACT THEREOF

1. DEFINITIONS

- A. Unless otherwise required by the subject or context the terms herein below shall have the following meanings.
 - a) The Contract means the documents forming the tender and acceptance thereof and the formal agreement executed between the competent authority on behalf of Assam University and the Contractor, together with the documents referred to therein including these conditions, the specifications, designs, drawings and instructions issued from time to time by the Executive Engineer, Assam University and all the these documents taken together, shall be deemed to form one contract and shall be complementary to one another.
 - **b) Client** means Assam University acting through the Registrar, Assam University, Silchar.
 - c) The Contractor shall mean the individual, firm or company, whether incorporated or not, undertaking the works and shall include the legal personal representative of such individual or the persons composing such firm or company, or the successors of such firm or company and the permitted assigns of such individual, firm or company.
 - d) The expression works or work shall, unless there be something either in the subject or context repugnant to such construction, be construed and taken to mean the works by or by virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.
 - e) The site shall mean the land/ or other places, on, into or through which work is to be executed under the contract or any adjacent land, path or street which may be allotted or used for the purpose of carrying out the contract.
 - **f) Tender Value** means the value of the entire work as stipulated in the letter of award.
 - g) Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculine gender shall whenever required include feminine gender and vice versa.
 - h) As stated in Section III, Clause 1.1, the General Conditions of Contract for Central PWD Works shall be the guiding principles for this tender. The Clauses of Contract mentioned therein shall also be applicable herein and only those Clauses that need addition, emphasis and modification in context of this tender are enumerated below. Contractors are once again advised to familiarize themselves with the General Conditions of Contract for Central PWD Works.



2. SIGNING OF CONTRACT AGREEMENT

- a) On the tender being accepted by the Client, a formal contract may be signed
- b) and executed by and between the Client and the successful tenderer within a
- c) time to be fixed by the Client, which shall anyhow be within 15 days from the stipulated date of start of the work.
- d) The contractor shall be furnished, free of cost one certified copy of the contract documents except standard specifications, Schedule of Rates and such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of these documents shall be used for any purpose other than that of this contract.

3. SCOPE OF WORK

- i. The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plants, equipment and transport which may be required in preparation of and for and in the full and entire execution and completion of the works. The descriptions given in the Schedule of Quantities shall, unless otherwise stated, be held to include wastage on materials, carriage and cartage, carrying and return of empties, hoisting, setting, fitting and fixing in position and all other labours necessary in and for the full and entire execution and completion of eh work as a aforesaid in accordance with food practice and recognized principles.
- ii. The contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates and prices quoted in price bid which rates and prices shall, except as otherwise provided, cover all his obligations under the Contract and all matters and things necessary for the proper completion and maintenance of the works.

4. DISCREPANCIES AND ADJUSTMENT OF ERRORS

- i. The several documents forming the Contract are to be taken as mutually explanatory of one another, detailed drawings being followed in preference to small scale, drawing and figured dimensions in preference to scale and special conditions in preference to General Conditions.
- ii. If there are varying or conflicting provisions made in any one document forming part of the contract, the Executive Engineer, Assam University shall be the deciding authority with regard to the intention/ interpretation of the document and his decision shall be final and binding on the contractor.



iii. Any error in description, quantity or rate in Schedule of Quantities or any omission there from shall not vitiate the contract or release the Contractor from the execution of the whole or any part of the works comprised therein according to drawings and specifications or from any of his obligations under the contracts.

5. TERMS OF PAYMENT

Subject to any deduction, which the client may be entitled to make under the Contract, all payments to contactor for the work will be made on completion of the work as per approved specifications through digital mode by direct credit to the bank account of the contractor on satisfactory completion report and signing of the computerized Measurement Book & bill by Site (i/c) of the proposed work and Executive Engineer without which payment will not be released. The Computerized measurement sheet must be submitted by the concerned contractor of the work for verification by the site i/c and Executive Engineer before finalization of payment of bill. Along with submission of bill in computerized measurement sheet, the bidder should submit labour acquaintance sheet.

6. SECURITY DEPOSIT

10% Security Deposit will be retained by the University from the bill value, which shall be released after 01 (One) year from the date of completion of the work. During this defect liability period, any defect(s) in the work done shall be rectified by the Contractor at his/her own cost and expenses, failing which recovery shall be done from the security deposit in part or full as the case may be.

7. RELEASE OF SECURITY DEPOSIT

Release of the security deposit will be done after 12 months of final acceptance of the work by the Assam University, Silchar.

8. SUB CONTRACTING OF THE WORK

The Contractor is not permitted to assign or transfer his/ their obligation or benefit under the contract either in full or in part to other individuals/ firms / agencies. However, under extreme circumstances where sub-contracting of part of the work is unavoidable, prior written permission of Client shall be taken by the Contractor.



ANNEXURE - I

CHECKLIST

- 1. Proforma of details of Contractor's Registration 2(a)
- 2. Proforma of Bank Solvency Certificate 2 (b)
- 3.Proforma of Similar works executed during the last 7 years 3(a)
- 4. Proforma of list of on-going works 3 (b)



PROFORMA - 2 (a)

DETAILS OF CONTRACTOR'S REGISTRATION

1. Na	me of the agency / Contractor	:
2. Na	me of the department issued	:
Con	tractor's registration	
3.	Registration No.	:
4.	Class of registration	:
5.	Category of registration	:
6.	Tender limit	:
7.	Validity period	:

Copy of Registration certificate to be enclosed Signature of agency / contractor $\,$



PROFORMA-2 (b)

Annexure A

BANK SOLVENCY CERTIFICATE

То		Date
	Executive Engineer	
	m University Silchar '88011	
	is to state that to the best of our knowledge and i	
	,is a customer of	f our bank, is respectable and can
be tre	eated as good for a sum of up to Rs, La	akhs/Crores.
It is c	clarified that this information is furnished witho	out any risk and responsibility on
our pa	art in any respect, whatsoever more particularly	either as guarantor or otherwise.
This c	certificate is issued at the specific request of the c	customer.
Thi of the offic	nis certificate is issued without any guarantee or icers.	responsibility on the Bank or any
Manag	ager	Signature of Branch
		Date
		Seal
_	In case of partnership firm, certificate to include Bank.	all partners as recorded with the
	Bank solvency certificate in original to submitted	l with each tender.
		Signature of agency/contractor



EXPERIENCE

3. (a) CIVIL WORKS:

List of similar works executed during preceding 7 years

Sl. No.	Name of work with brief particular thereof	Date of commencement	Date of completion as per work order	Actual date of completion	Contract Amount (Rs.)	Name of client, contact with his complete address phone No.

Add extra sheet if required	Add	extra	sheet i	f rea	uired
-----------------------------	-----	-------	---------	-------	-------

Seal of the company / Contractor with

Signature of the Company/Contractor Date:

NOTE: Original or self-attested copies of work order & completion certificates from clients shall be attached.



3. (b) LIST OF ONGOING WORKS:

Sl. No.	Name of work with brief particular thereof	Date of commencement	Contract Amount (Rs.)	Name of client, contact with his complete address phone No.

Add extra sheet if required.

Signature of the Company/Contractor

Seal of the company / contractor

Date:

NOTE: Original or self-attested copies of work order from clients shall be attached.



Annexure B

Undertaking of Site Supervisor Engineer

То	Self Attested	
The Executive Engineer	Photo of Site	
Assam University Silchar Pin-788011	Engineer	
1111-700011		
Ref:		
Name of Work: [Subject]		
NIT No: [Company Address]		
I hereby	certify that I possess a Civil Degree/Diplo	oma
certificate to act as a Site Supervisor Engineer. I also		
under the firm/Contractor		
site. I am fully conversant of my duties and responsibile Bye-laws/Electricity Acts/Technical specification as a		
respect.	applicable and assure that I shan furth them in	an
•		
I also certify that, I am not employed in any Government of stoff	ment/Semi Government/Private organization as	an
Engineer or staff.		
It is also certified that I shall be present at site during the	_	
instruction from the department Engineers as required.		
at site during execution of works and any noncompliand to my future disqualification to works as site supervisor		
fit by appropriate authority.	of for Civil works at Assam University as deer	neu
•		
I also certify that the information given therein is factor depotenting	ctually correct to the best of my knowledge	and
understanding.		
Signature of the Contractor with date and seal.	Signature of the Site Engineer with d	ate.
Full Name in Block letters:	Full Name in Block letters:	
Address:	Address:	
addiess.	7 Mai C 55.	••



SECTION -V : SPECIAL INSTRUCTION FOR ONLINE BID SUBMISSION

Special Instructions for Online Bid Submission.

The bidders are required to submit soft copies of their bids electronically on the e-bid Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the e-Procurement Portal https://eprocure.gov.in/eprocure/app, prepare their bids in accordance with the requirements and submitting their bids online on the e-Procurement Portal.

REGISTRATION

- 1. Bidders are required to enrol on the e-Procurement Portal (https://eprocure.gov.in/eprocure/app) by clicking on the link "Online bidder Registration" on the e-bid Portal.
- 2. As part of the enrolment process, the bidders will be required to choose a unique user name and assign a password for their accounts.
- 3. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication with the bidder.
- 4. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Only Class III Certificates with signing + encryption key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
- 5. Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6. Bidder then logs in to the site through the secured log-in by entering their user ID/password and the password of the DSC / e-Token.
- 7. The scanned copies of all original documents should be uploaded on portal.
- 8. For any Query contact to Mr. Anil Kumar -07903810198.

SEARCHING FOR BIDDING DOCUMENTS

9. There are various search options built in the e-bid Portal, to facilitate bidders to search active bids by several parameters. These parameters could include Bid ID, Item/work id, Last date of submission, etc.

PREPARATION OF BIDS

- 10. Bidder should take into account any addendum and corrigendum published on the bid document before submitting their bids.
- 11. Please go through the bid advertisement and the bid document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.



12. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the bid document / schedule and generally, they can be in PDF /JPEG formats. Bid Original documents may be scanned with 100 dpi with Colored option which helps in reducing size of the scanned document.

SUBMISSION OF BIDS

- 13. Bidder should log into the website well in advance for the submission of the bid so that it gets uploaded well in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 14. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the bidding document.
- 15. *Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BOQ format with the bid document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BOQ file, open it and complete (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the bidder, the bid will be rejected.
- 16. The server time (which is displayed on the bidder's dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 17. All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid opener public keys. Overall, the uploaded bid documents become readable only after the bid opening by the authorized bid openers.
- 18. The uploaded bid documents become readable only after the bid opening by the authorized bid openers.
- 19. Upon the successful and timely submission of bid click "Complete "(i.e., after Clicking "Submit" in the portal), the portal will give a successful Bid submission acknowledgement & a bid summary will be displayed with the unique id and date & time of submission of the bid with all other relevant details.
- 20. The bid summary has to be printed and kept as an acknowledgement of bid submission.
- 21. PRICE SCHEDULE:
 - a) PRICE fills online only.
 - b) The rate of items shall be filled online only. Scanned copy of this document is not to be attached along with other enclosures.

Note:- Site Compatibility

d) Browser used undefined



- e) Full version
- f) Your OS
- g) Cookies Enabled
- h) Your Screen Resolution
- i) Java Enabled

119 Windows Latest Version Yes 1536 x 864 No

Note: The portal is compatible for the following browser version

Firefox	42 to 49
Firefox ESR	52
Edge	Kindly follow the Configuration instructions given in the download section at eprocurement website https://eprocure.gov.in/eprocure/app .
Microsoft Office	Microsoft Office Latest Version

You are using a web browser not supported by this website. This means that some functionality may not work as intended.

The Browser is not Java enabled. Please enable Java For Best results the Screen resolution should be set to 1024 x 768



Name of Work: Repairing of toilet and Bathroom of quarter NTC-1(Nazrul Islam), NT-08 (Utpal Das) to control seepage from upper bathroom & toilets, Repairing Drain apron and misc.of Qtr. NT-01 (Sabina Yasmin), NT B-8 (Robin Khaba), NT-09 (Poulami Devnath), NT-10 (Chandrima Das), NT-03 (Nayan mazumder) at Assam University Silchar.

Note: Price Bid need not be enclosed with tender document.

Estimated Cost: Rs. 8, 68,046/-

Va	Print Help Item Rate BoQ						
	Tender Inviting Authority: Assam University Silchar						
Nan	e of Work: Repairing of toilet and Bathroom of quarter NTC	-1(Nazru	l Islam), N	T-08			
(Utpal Das) to control seepage from upper bathroom & toilets, Repairing Drain apron and							
misc.of Qtr. NT-01 (Sabina Yasmin) ,NT B-8 (Robin Khaba) , NT-09 (Poulami Devnath), NT-10							
(Chandrima Das),NT-03(Nayan mazumder) at Assam University Silchar.							
	Contract No: au/engg/maint/civil/76/202	23					
Name							
of the							
Bidd							
er/							
Biddi							
ng							



Firm	
/	
Comp	
any:	

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUM	TEXT #	NUMBER	TEXT	NUMB	NUMB	TEXT #
BER		#	#	ER#	ER#	
#						
Sl.	Item Description	Quantity	Units	BASIC	TOTAL	TOTAL
No.				RATE	AMOU	AMOU
				In	NT	NT
				Figure		In
				s To be	in	Words
				entere	Rs.	
				d by	P	
				the		
				Bidder		
				in		
				Rs.		
				P		
1	2	4	5	13	53	55



in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 metres lead. (Demolishing mosaic floor) 2 Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia - 50.00 Rm. 2.01 15 mm dia - 30.00 Rm. 30.00 rm 0.00 INR	1	Dismantling stone slab flooring laid	72.90	sqm	0.00	INR
stacking of serviceable material and disposal of unserviceable material within 50 metres lead. (Demolishing mosaic floor) 2 Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia – 50.00 Rm.				4		
within 50 metres lead. (Demolishing mosaic floor) 2 Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia - 50.00 Rm.						Only
2 Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & Cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia - 50.00 Rm.		disposal of unserviceable material				
2 Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia – 50.00 Rm.		within 50 metres lead. (Demolishing				
Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia – 50.00 Rm.		mosaic floor)				
Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia – 50.00 Rm.						
Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia – 50.00 Rm.						
Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia – 50.00 Rm.						
Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia – 50.00 Rm.						
Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia – 50.00 Rm.						
Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia – 50.00 Rm.						
Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia – 50.00 Rm.						
having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia – 50.00 Rm.	2		50.00	rm	0.00	
cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia – 50.00 Rm.		Polyvinyl Chloride (CPVC) pipes,				Zero
CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia - 50.00 Rm.		having thermal stability for hot &				Only
i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia – 50.00 Rm.		cold water supply, including all				
at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia – 50.00 Rm.		CPVC plain & brass threaded fittings,				
jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia – 50.00 Rm.		i/c fixing the pipe with clamps				
step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia – 50.00 Rm.		at 1.00 m spacing. This includes				
cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia – 50.00 Rm.		jointing of pipes & fittings with one				
good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia – 50.00 Rm.		step CPVC solvent cement and the				
joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia – 50.00 Rm.		cost of cutting chases and making				
of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm dia – 50.00 Rm.		good the same including testing of				
Concealed work, including cutting chases and making good the walls etc. 25 mm dia – 50.00 Rm.		joints complete as per direction				
chases and making good the walls etc. 25 mm dia – 50.00 Rm.		of Engineer in Charge.				
25 mm dia – 50.00 Rm.		Concealed work, including cutting				
		chases and making good the walls etc.				
2.01 15 mm dia - 30.00 Rm. 30.00 rm 0.00 INR		25 mm dia – 50.00 Rm.				
	2.01	15 mm dia - 30.00 Rm.	30.00	rm	0.00	INR



			1	1	1
					Zero
					Only
3	Providing and fixing Chlorinated	38.00	rm	0.00	INR
	Polyvinyl Chloride (CPVC) pipes,				Zero
	having thermal stability for hot &				Only
	cold water supply including all CPVC				
	plain & brass threaded fittings This				
	includes jointing of pipes & fittings				
	with one step CPVC solvent cement,				
	trenching, refilling & testing of				
	joints complete as per direction of				
	Engineer in Charge.				
	External work				
	80mm diameter - 38.00 Rm.				
3.01	100mm diameter - 16.00 Rm.	26.00	rm	0.00	INR
					Zero
					Only
4	Providing and fixing water closet	2.00	no	0.00	INR
	squatting pan (Indian type W.C.				Zero
	pan) with 100 mm sand cast Iron P or				Only
	S trap, 10 litre low level white				
	P.V.C. flushing cistern, including flush				
	pipe, with manually controlled				
	device (handle lever) conforming to				
	IS: 7231, with all fittings and				
	fixtures complete, including cutting				
	and making good the walls and				
	floors wherever required:				
	White Vitreous china Orissa pattern				
	W.C. pan of size				



				ı		
	580x440 mm with integral type foot					
	rests					
5	Tile work in skirting, risers of steps	59.40	sqm		0.00	INR
	and dado up to 2 m height over 12					Zero
	mm thick bed of cement mortar 1:3 (1					Only
	cement :3 coarse sand) and					
	jointed with grey cement slurry @ 3.3					
	kg/sqm, including pointing in					
	white cement mixed with pigment of					
	matching shade complete.					
	Marble tiles (polished) Raj Nagar					
	8 mm					
	O min					



6	Providing and laying vitrified floor	15.00	sqm	0.00	INR
	tiles in different sizes (thickness to be				Zero
	specified by the manufacturer) with				Only
	water absorption less than 0.08%				
	and conforming to IS: 15622, of				
	approved make, in all colours and				
	shades,				
	laid on 20mm thick cement mortar				
	1:4 (1 cement : 4 coarse sand),				
	jointing with grey cement slurry @				
	3.3 kg/ sqm including grouting the				
	joints with white cement and				
	matching pigments etc., complete.				
	Size of Tile 500x500 mm				
7	Providing and fixing bend of required	4.00	nos	0.00	INR
	degree with access door, insertion				Zero
	rubber washer 3 mm thick, bolts and				Only
	nuts complete.				
	100mmdia				
	Sand cast iron S&S as per IS - 1729				
	02 nos				
7.01	75mmdia	4.00	nos	0.00	INR
	Sand cast iron S&S as per IS - 1729				Zero
					Only



8	Providing and fixing double equal	4.00	nos	0.00	INR
	junction of required degree with				Zero
	access door, insertion rubber washer				Only
	3 mm thick, bolts and nuts				
	complete :				
	100x100x100x100 mm				
	Sand cast iron S&S as per IS – 1729				
8.01	75x75x75x75mm	2.00	no	0.00	INR
	Sand cast iron S&S as per IS - 1729				Zero
	01 no				Only
9	Providing and fixing P.V.C. low level	4	no	0.00	INR
	flushing cistern with manually	•		0.00	Zero
	controlled device (handle lever)				Only
	conforming to IS : 7231, with all				
	fittings				
	and fixtures complete.				
	10 litre capacity - White				



10	Providing and fixing brass stop cock	12	nos	0.00	INR
	of approved quality:				Zero
	15 mm nominal bore 03 nos				Only
11	Demolishing cement concrete	7.67	cum	0.00	INR
	manually/ by mechanical means				Zero
	including disposal of material within				Only
	50 metres lead as per direction				
	of Engineer - in - charge.				
	15.2.1 Nominal concrete 1:3:6 or				
	richer mix (i/cequivalent design mix)				
12	Brick work with common burnt clay	4.50	cum	0.00	INR
	F.P.S. (non modular) bricks of class	1.00			Zero
	designation 7.5 in foundation and				Only
	plinth in:				
	Cement mortar 1:4 (1 cement : 4				
	coarse sand)				
	coarse sand)				



13 15 mm cement plaster on rough side of single or half brick wall of mix: 1:4 (1 cement: 4 coarse sand) 14 Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:2:4 (1 cement: 2 coarse sand (zone-III) derived from natural sources: 4 graded stone aggregate 20 mm nominal size derived from natural sources)	Zero Only
1:4 (1 cement: 4 coarse sand) 14 Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:2:4 (1 cement: 2 coarse sand (zone-III) derived from natural sources: 4 graded stone aggregate 20 mm nominal size derived from natural sources)	Only
14 Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:2:4 (1 cement : 2 coarse sand (zone- III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	
cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:2:4 (1 cement : 2 coarse sand (zone- III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	
excluding the cost of centering and shuttering - All work up to plinth level: 1:2:4 (1 cement : 2 coarse sand (zone- III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	INR
shuttering - All work up to plinth level: 1:2:4 (1 cement: 2 coarse sand (zone- III) derived from natural sources: 4 graded stone aggregate 20 mm nominal size derived from natural sources)	Zero
level: 1:2:4 (1 cement: 2 coarse sand (zone- III) derived from natural sources: 4 graded stone aggregate 20 mm nominal size derived from natural sources)	Only
1:2:4 (1 cement : 2 coarse sand (zone- III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	
III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	
sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	
mm nominal size derived from natural sources)	
derived from natural sources)	
45 Providing and Gring ICL combad floor	
15 Providing and fixing ISI marked flush 10.25 sqm 0.00	INR
door shutters conforming to IS:	Zero
2202 (Part I) decorative type, core of	Only
block board construction with	
frame of 1st class hard wood and well	
matched teak 3 ply veneering	
with vertical grains or cross bands	
and face veneers on both faces of	
shutters.	
30 mm thick including ISI marked	
Stainless Steel butt hinges	
with necessary screws	
16 Painting with synthetic enamel paint 87.58 sqm 0.00	INR
of approved brand and manufacture	Zero
of required colour to give an even	Leiu
shade:	Only



	One or more coats on old work				
17	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. Fixed to steel windows by welding	16.80	kg	0.00	INR Zero Only
18	(closing roof opening) Providing and fixing chromium	32.00	rm	0.00	INR
	plated brass curtain rod having wall				Zero
	thickness of 1.25mm with two				Only
	chromium plated brass brackets fixed				
	with C.P. brass screws and PVC				
	sleeves etc., wherever necessary				
	complete				
	20 mm dia				
19	Providing and fixing ISI marked flush	12.00	sqm	0.00	INR
	door shutters conforming to IS :				Zero
	2202 (Part I) decorative type, core of				Only
	block board construction with				
	frame of 1st class hard wood and well				
	matched teak 3 ply veneering				
	with vertical grains or cross bands				
	and face veneers on both faces of				
	shutters				
	30 mm thick including ISI marked				



	Stainless Steel butt hinges					
	with necessary screws					
	•					
20	Providing and fixing fly proof	49.28	sqm		0.00	INR
	galvanized M.S. wire gauge to					Zero
	windows					Only
	and clerestory windows using wire					
	gauge with average width of aperture					
	1.4 mm in both directions with wire					
	of dia 0.63 mm all complete					
21	Providing and fixing Stainless Steel A	3.00	nos		0.00	INR
	ISI 304 (18/8) kitchen sink as					Zero
	per IS:13983 with C.I. brackets and					Only
	stainless steel plug 40 mm,					
	including painting of fittings and					
	brackets, cutting and making good					
	the walls wherever required :					
	Kitchen sink with drain board					
	510x1040 mm bowl depth 225 mm					
22	Providing and fixing 8 mm dia C.P. /	3.00	nos		0.00	INR
	S.S. Jet with flexible tube upto					Zero
	1 metre long with S.S. triangular plate					Only
	to Eureopean type W.C. of					
	quality and make as approved by					
	Engineer - in - charge.					
		1	1	I		



23	Providing and fixing false ceiling at	49.28	sqm	0.00	INR
	all heights with integral densified				Zero
	calcium silicate reinforced with fibre				Only
	and natural filler false ceiling tiles of				
	Size 595x595mm of approved				
	texture, design and patterns as per				
	CPWD Specification 2019, to be laid				
	in true horizontal level suspended on				
	inter-locking metal T-Grid of hot				
	dipped galvanised iron section of				
	0.33mmthick (galvanized @ 120				
	grams per sqm including both				
	sides)comprising of main-T runners				
	of size 24x38				
	mm of length 3000 mm,cross - T of				
	size 24x32 mm of length 1200 mm				
	and secondaryintermediate cross-T				
	of size 24x32 mm of length 600mm to				
	formgrid module of size 600×600				
	mm, suspended from ceiling				
	usinggalvanised mild steel items				
	(galvanizing				
	@ 80 grams per sqm) i.e. 12x50 mm				
	long dash fasteners, 6 mm dia fully				
	threaded hanger rod upto 1000 mm				
	length and L-shape level adjuster of				
	size 76x25x25x1.6 mm fixed with				
	grid and Z cleat of size				
	25x37x25x1.6mm thick with precut				
	hole on both 25mm flange to pierce				



into 12x50mm or even bigger size dash fastener if require, fixed with Glavanised iron perimeter wall angle or size 24x24x0.40 mm of length 3000 mm to be fixed on periphey wall / partition with the help of plastic rawl plugs at 450mm center to center and 40 mm long dry wall S.S screws. The workshall be carried out as per specifications, drawing and as per directionsof the EngineerinCharge.26.22.1 With 15 mm thick Tegular edged light weight calcium sliciate false ceiling tiles 2x4.50x1.50 =13.50 sqm 24 Distempering with 1st quality acrylic distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. 7 Onu INR Zero Only Total in 0.000 INR		-	7382		 	
Glavanised iron perimeter wall angle or size 24x24x0.40 mm of length 3000 mm to be fixed on periphey wall / partition with the help of plastic rawl plugs at 450mm center to center and 40 mm long dry wall S.S screws. The workshall be carried out as per specifications, drawing and as per directions of the EngineerinCharge.26.22.1 With 15 mm thick Tegular edged light weight calcium sliciate false ceiling tiles 2x4.50x1.50 =13.50 sqm 24 Distempering with 1st quality acrylic distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. 0 1000 INR Zero Only Total 0.000 INR		into 12x50mm or even bigger size				
or size 24x24x0.40 mm of length 3000 mm to be fixed on periphey wall / partition with the help of plastic rawl plugs at 450mm center to center and 40 mm long dry wall S.S screws. The workshall be carried out as per specifications, drawing and as per directionsof the Engineer- inCharge.26.22.1 With 15 mm thick Tegular edged light weight calcium sliciate false ceiling tiles 2x4.50x1.50 =13.50 sqm 24 Distempering with 1st quality acrylic distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. 0 0.00 INR Zero Only Total		dash fastener if require,fixed with				
3000 mm to be fixed on periphey wall / partition with the help of plastic rawl plugs at 450mm center to center and 40 mm long dry wall S.S screws. The workshall be carried out as per specifications, drawing and as per directionsof the Engineer- inCharge.26.22.1 With 15 mm thick Tegular edged light weight calcium sliciate false ceiling tiles 2x4.50x1.50 =13.50 sqm 24 Distempering with 1st quality acrylic distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. 0 0.00 INR Zero Only Total		Glavanised iron perimeter wall angle				
/ partition with the help of plastic rawl plugs at 450mm center to center and 40 mm long dry wall S.S screws. The workshall be carried out as per specifications, drawing and as per directionsof the Engineer- inCharge.26.22.1 With 15 mm thick Tegular edged light weight calcium sliciate false ceiling tiles 2x4.50x1.50 =13.50 sqm 24 Distempering with 1st quality acrylic distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. 0 0.00 INR Zero Only Total		or size 24x24x0.40 mm of length				
the help of plastic rawl plugs at 450mm center to center and 40 mm long dry wall S.S screws. The workshall be carried out as per specifications, drawing and as per directionsof the Engineer- inCharge.26.22.1 With 15 mm thick Tegular edged light weight calcium sliciate false ceiling tiles 2x4.50x1.50 =13.50 sqm 24 Distempering with 1st quality acrylic distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. 0 0.00 INR Zero Only Total		3000 mm to be fixed on periphey wall				
450mm center to center and 40 mm long dry wall S.S screws. The workshall be carried out as per specifications, drawing and as per directionsof the Engineer- inCharge.26.22.1 With 15 mm thick Tegular edged light weight calcium sliciate false ceiling tiles 2x4.50x1.50 =13.50 sqm 24 Distempering with 1st quality acrylic distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. 0 0.00 INR Zero Only Total		/ partition with				
long dry wall S.S screws. The workshall be carried out as per specifications, drawing and as per directionsof the Engineer- inCharge.26.22.1 With 15 mm thick Tegular edged light weight calcium sliciate false ceiling tiles 2x4.50x1.50 =13.50 sqm 24 Distempering with 1st quality acrylic distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. 0 0.00 INR Zero Only Total		the help of plastic rawl plugs at				
workshall be carried out as per specifications, drawing and as per directionsof the Engineer-inCharge.26.22.1 With 15 mm thick Tegular edged light weight calcium sliciate false ceiling tiles 2x4.50x1.50 =13.50 sqm 24 Distempering with 1st quality acrylic distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. 0 0.00 INR Zero Only		450mm center to center and 40 mm				
specifications, drawing and as per directionsof the Engineer-inCharge.26.22.1 With 15 mm thick Tegular edged light weight calcium sliciate false ceiling tiles 2x4.50x1.50 =13.50 sqm 24 Distempering with 1st quality acrylic distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. 0 0.00 INR Zero Only		long dry wall S.S screws. The				
directionsof the Engineer- inCharge.26.22.1 With 15 mm thick Tegular edged light weight calcium sliciate false ceiling tiles 2x4.50x1.50 =13.50 sqm 24 Distempering with 1st quality acrylic distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. 0 University of the Engineer- inCharge.26.22.1 With 15 mm thick Tegular edged light weight calcium sliciate false ceiling tiles 2x4.50x1.50 =13.50 sqm 0.00 INR Zero Only		workshall be carried out as per				
inCharge.26.22.1 With 15 mm thick Tegular edged light weight calcium sliciate false ceiling tiles 2x4.50x1.50 =13.50 sqm 24 Distempering with 1st quality acrylic distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. 0 INR Zero Only Total		specifications, drawing and as per				
Tegular edged light weight calcium sliciate false ceiling tiles 2x4.50x1.50 =13.50 sqm 24 Distempering with 1st quality acrylic distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. 0 0.00 INR Zero Only Total 0.00 INR		directionsof the Engineer-				
sliciate false ceiling tiles 2x4.50x1.50 =13.50 sqm 24 Distempering with 1st quality acrylic distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. 0 Use on the square of the squar		inCharge.26.22.1 With 15 mm thick				
24 Distempering with 1st quality acrylic distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. Total 0.00 INR 0.00 INR		Tegular edged light weight calcium				
24 Distempering with 1st quality acrylic distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. Total 0.00 INR Zero Only 0.00 INR		sliciate false ceiling tiles 2x4.50x1.50				
distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. Total Zero Only Only Only Total		=13.50 sqm				
distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. Total Zero Only Only Only Total						
distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. Total Zero Only Only Only Total						
distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. Total Zero Only Only Only Total						
distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. Total Zero Only Only Only Total	24	Distance spin a with 1 st avality a smile	1516 24		0.00	IND
VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. Total Only Only Only Only Only Only	4		1510.34	Sqm	0.00	
of approved brand and manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. Total Of approved brand and manufacture to give an even shade: Old work (one or more coats) 10000.00 LS O.00 INR						
manufacture to give an even shade: Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. Total manufacture to give an even shade: Old work (one or more coats) 10000.00 LS 0.00 INR 0 Only		,				Only
Old work (one or more coats) 25 Any other minor schedule items if require during execution of work. Total Old work (one or more coats) 10000.00 LS 0.00 INR Zero Only						
25 Any other minor schedule items if require during execution of work. Total 10000.00 LS 0.00 INR Zero Only						
require during execution of work. O Zero Only Total 0.00 INR	0.7		4000000		0.00	***
Total Only 0.00 INR	25			LS	0.00	
Total 0.00 INR		require during execution of work.	0			
in Zero					0.00	
	in					Zero



Figur	1990				Only
es					
Quot		INF	Zero On	ly	
ed					
Rate					
in					
Word					
S					

Government eProcurement System

eProcurement System Government of India

Tender Details

Date: 07-Dec-2023 06:10 PM



Basic Details					
Organisation Chain	Assam University Silchar				
Tender Reference Number	au/engg/maint/civil/76/2023				
Tender ID	2023_AUS_784250_1	Withdrawal Allowed	Yes		
Tender Type	Open Tender	Form of contract	Works		
Tender Category	Works	No. of Covers	2		
General Technical Evaluation Allowed	No	ItemWise Technical Evaluation Allowed	No		
Payment Mode	Offline	Is Multi Currency Allowed For BOQ	No		
Is Multi Currency Allowed For Fee	No	Allow Two Stage Bidding	No		

<u>Payme</u>	Payment Instruments					
Offline	S.No	Instrument Type				
	1	Demand Draft				
	2	FDR				

<u>Cover Details, No. Of Covers - 2</u>				
Cover No	Cover	Document Type	Description	
1	Fee/PreQual/Technical	.pdf	SCAN COPY OF TENDER COST	
		.pdf	SCAN COPY OF EMD	
		.pdf	SCAN COPY TECHNICAL BID DOCUMENTS AS PER TENDER DOCUMENT	
		.pdf	SCAN COPY OF SEAL AND SIGNED TENDER DOCUMENT	
2	Finance	.xls	BOQ	

Tender Fee Details, [Total Fee in ₹ * - 1,000]			EMD Fee Details				
Tender Fee in ₹ Fee Pavable To	1,000 Assam	Fee Payable At Assam		EMD Amount in ₹	17,360	EMD through BG/ST or EMD Exemption Allowed	No
ree rayable 10	University Silchar	lee Payable At	University Silchar	EMD Fee Type	-	EMD Percentage	NA
Tender Fee Exemption Allowed	No		[5::31:4:	EMD Payable To	Assam University Silchar	EMD Payable At	Assam University Silchar

Work /Item(s)

Title	Repairing of toilet and Bathroom of quarter NTC 1(Nazrul Islam), NT 08 (Utpal Das) to control seepage from upper bathroom an toilets, Repairing Drain apron and misc.of Qtr. NT-01 (Sabina Yasmin) ,NT B-8 (Robin Khaba) , NT-09 (Poulami Devnath), NT10 (
Work Description	Repairing of toilet and Bathroom of quarter NTC-1(Nazrul Islam), NT-08 (Utpal Das) to control seepage from upper bathroom an toilets, Repairing Drain apron and misc.of Qtr. NT-01 (Sabina Yasmin) ,NT B-8 (Robin Khaba) , NT-09 (Poulami Devnath), NT-10				
Pre Qualification Details	Please refer Tender do	cuments.			
Independent External Monitor/Remarks	NA NA				
Tender Value in ₹	8,68,046	Product Category	Civil Works	Sub category	NA
Contract Type	Tender	Bid Validity(Days)	90	Period Of Work(Days)	30
Location	ASSAM UNIVERSITY SILCHAR	Pincode	788011	Pre Bid Meeting Place	NA
Pre Bid Meeting Address	NA	Pre Bid Meeting Date	NA	Bid Opening Place	ENGINEERING SECTION ASSAM UNIVERSITY SILCHAR
Should Allow NDA Tender	No	Allow Preferential Bidder	No		·

<u>Critical Dates</u>					
Publish Date	07-Dec-2023 03:00 PM	Bid Opening Date	15-Dec-2023 11:00 AM		
Document Download / Sale Start Date	07-Dec-2023 03:30 PM	Document Download / Sale End Date	14-Dec-2023 11:00 AM		
Clarification Start Date	NA	Clarification End Date	NA		
Bid Submission Start Date	07-Dec-2023 04:00 PM	Bid Submission End Date	14-Dec-2023 11:00 AM		

<u> </u>	ender Documen	<u>nts</u>						
NI	T Document	S.No	Document Name		Description		Document Size (in K	(B)
Ш		1	Tendernotice_1.pdf		NIT		15	5.88
Ш		2	Tendernotice_2.pdf		TENDER DOCS		68	55.88 34.47
	ork Item cuments	S.No	Document Type	Document Nam	e D	escription	Document Size (in K	(B)
	cuments	1	BOQ	BOQ_824391.xls	bo	pq	33	6.50
Ш								

	Tender Inviting Authority			
l	Name	EXECUTIVE ENGINEER		
L		ENGINEERING SECTION ASSAM UNIVERSITY SILCHAR		